(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-284 Relating to Certification of New Motor Vehicles

ASC INCORPORATED

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year ASC Incorporated exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)		
HA33.8V9XEX3	231 (3.8)		Exhaust Gas Recirculation Three-Way Catalyst Oxygen Sensor (Electronic Fuel Injection) (Turbocharger) (Intercooler)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams per Mile	Grams per Mile	Grams per mile		
0.41	7.0	0.7		

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams per Mile	Grams per Mile	Grams per Mile		
0.33	2.6	0.3		

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

day of September, 1987.

K. D. Drachand, Chief Mobile Source Division

<u> </u>		Page 1		
Ma acturer <u>ASC, Inc.</u>	Engine Family <u>HA33.8V</u>	9XEX3		
Evaporative Family 780-2E	Engine Type Vb			
	Liters (CID) <u>3.8(231)</u>			
ABBREVIATIONS				
	Eubaugt Emissions Control Sustan	Charial Fastures		
Ignition System	Exhaust Emissions Control System	Special Features		
CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard FL System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor	AIP-Air Injection-Pump AIV-Air Injection-Valve DBC-Dual Bed Catalyst EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control EM-Engine Modification OC-Oxidation Catalyst OS-Oxygen Sensor HOS-Heated Oxygen Sensor SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TWC-Three-Way Catalyst WUOC-Warm-Up Oxidation Catalyst WUTWC-Warm-Up Three-Way Catalyt	CCV-Combustion Chamber Valve CFI-Central Fuel Injection or Throttle Body Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection IC-Intercooler or Aftercoole MFI-Mechanical Fuel Injection OBD-On-Board Diagnostics TC-Turbocharger		
VEHICLE MODELS: ASC GNX				
TENTOCE HODEES. AJE OWN				
	•	•		
Engine: Event V Mid	Doam			

RWD X 4WD Full Time 4WD Part Time

Drive:

FWD

assenger	Cars X Light	-Duty Tru	cks	Medium-Duty V	ehicles	Gas X Page	esel
anufactur	rer ASC, Inc.			Engine Fa	mily <u>HA33.8</u> V9	XEX3	
iter (CIO	3.8L (23i)		· · · · · · · · · · · · · · · · · · ·	Eng.	Type Otto-Spar	k Vo	
nission (Control Sys. (Spec	cial Feat	ures)	0 ₂ 5 / EGR/ TWC //E	FI)/(TC)(IC)	
Engine Code		Type Test	Equiv. Test Weight	t (ÉCU)	Fuel System	EGR <u>V</u> alve	Catal
	(Dyno Hp)		ne igno	Part No.	Part No.	Part No.	Part N
меб	GNX (9.6)	A4	3750	Ign. Module 25521 351	Injector Rail 25525631	17086016	2505748
				Esc. Module 16022614	Fuel Pump 6442699		
,				Knock Sensor 1997562			
							·
						·	
<u></u> .							
						en e	
					. :		

Revisions:

Date of Issue 30 Apr 87

tang dalam daramanan daram daram