(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-352 Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family	•	acement ubic Inches)	Exhaust Emission Control Systems (Special Features)		
JFM2.9T5FRC6	2.9	(179)	Heated Oxygen Sensor Three-Way Catalyst (Electronic Port Fuel Injection) (On-Board Diagnostics)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Loaded Vehicle Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per mile	Nitrogen Oxides Grams per Mile
0-3750	0.39	9.0	1.0
3751-5750	0.50	9.0	1.0

The following are the certification emission values for this engine family:

Loaded Vehicle Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-3750	0.21	4.3	0.1
3571-5750	0.23	6.4	0.1

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and, with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 4^m day of August, 1987.

K. D. Drachand, Chief Mobile Source Division

(m) amus

E.O. # A-10-352

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

				Engine Family				
Liter (CID)	2.9 (179)			Eng. Ty	pe <u>V6</u>			
mission Co	ntrol Sys. (Specia	l Feature	s) HOS	TWC (EFI, OB)	D)			
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type (M5)	Equiv. Test Weight	Ign. System (ECU) EEC IV Part No.	Fuel System (EFI) Part No.	EGR Valve None Part No.	Catalyst (TWC) Part No.	
65SROOA/N	Ranger 4x2 RCS (11.4/12.5*) RCL (11.4/12.5*) SCS (11.6/12.8*)	M5X372	3125 3125/ 3250* 3375	E8TF-MA	E7DE-BB/ E67E-BB		E87A-HA **E67A-5E21	
65TROOA/N	Ranger 4x4 RCS (12.9/14.2*) RCL (12.9/14.2*) SCS (12.9/14.2*)	L5X377	3375 3375/ 3500* 3625/ 3750*	ESTF-RA		·	HC **E77A-5E21 NA	
	Bronco II 4x2 Std (10.8/11.9*) Bronco II 4x4 Std (11.6/12.8*)	M5X372 L5X377	3500/ 3625* 3625/ 3750*					
·	•	į						

Comments: See page one for abbreviations and evaporative emission family identification. Hease refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

with air conditioning are of Issue: JUL 28 1987

าร:

^{**}Addition per running change 2.9-106

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page 2B Sevenger Cars light-Duty Trucks X Medium-Duty Vehicles Gas X Diesel and urer Ford Motor Company Engine Family J2.9TRC (JFM2.9T5FRC6) iter (CID) 2.9 (179) Eng. Type V6 mission Control Sys. (Special Features) HOS. TWC (EFI. OBD)								
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type (L4)	Equiv. Test Weight	Ign. System (ECU) EEC IV Part No.	Fuel System (EFI) Part No.	EGR Valve None Part No.	Catalyst (TWC) Part No.	
66SROOA/N	Ranger 4x2 RCS (11.4/12.5*) RCL (11.4/12.5*) SCS (11.6/12.8*) Ranger 4x4 RCS (12.9/14.2*) RCL (12.9/14.2*) SCS (12.9/14.2*) Bronco II 4x2	A4X033	3125/ 3250* 3375/ 3500* 3500* 3500 3750	E8TF-TA	E7DE-BB/ E67E-BB		E87A-HA *E67A-5E212 HC *E77A-5E212 NA	
	Std (10.8/11.9*) Bronco II 4x4 Std (11.6/12.8*)		3625 3750					

omments: See page one for abbreviations and evaporative emission family identification. lease refer to manufacturer's HP list for correct dyno test HP settings based on model and quipment. If two test weights are listed, the lower weight will be used for testing.

with air conditioning are of Issue: JUL 28 1987 .sins:

^{**}Addition per running change 2.9-106

Page 1

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer <u>Ford Motor Compa</u>	ny Engine Family	(JFM2,9T5FRC6)
Evaporative Family 8HM	Engine Type V6	
	Liters (CID) 2.9 (179)	
ABBREVIATIONS		
Ignition System	Exhaust Emissions Control System	Special Features
CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	AIP-Air Injection Pump AIV-Air Injection Valve DBC-Dual Bed Catalyst EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control EM-Engine Modification OC-Oxidation Catalyst OS-Oxygen Sensor HOS-Heated Oxygen Sensor SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TWC-Three-way Catalyst WUOC-Warm-up Oxidation Catalyst WUTWC-Warm-up Three-way Catalyst	CCV-Combustion Chamber Valve CFI-Central Fuel Injection or Throttle Body Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection IC-Intercooler or After cooler MFI-Mechanical Fuel
Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor		Injection OBD-On-Board Diagnostics TC-Turbocharger
VEHICLE MODELS:		
Ranger 4x2 Regular Cab (SWB, LWB) Super Cab (SWB) Ranger 4x4 Regular Cab (SWB, LWB) Super Cab (SWB)	Bronco II 4x2 Standard Bronco II 4x4 Standard	

Engine: Front X Mid Rear Prive: FWD RWD X 4WD Full Time 4WD Part Time X

SDS2.90

E.O. # A-10-352

Page .

 ${ t Diesel}$ _

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars _____ light-Duty Trucks X Medium-Duty Vehicles ____ Gas X

Ma acture	er <u>Ford Motor Co</u> r	npany		Engine Fam:	ily <u>J2.9TRC</u>	(JFM2.9T5FRC	6)
Liter (CID) 2.9 (179)				Eng. Type V6			
Emission Co	ontrol Sys. (Specia	al Feature	es) <u>HOS</u>	, TWC (EFI, OB)	D)		
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type (M5)	Equiv. Test Weight	Ign. System (ECU) EEC IV Part No.	Fuel System (EFI) Part No.	EGR Valve None Part No.	Catalyst (TWC) Part No.
865SROOA/N	Ranger 4x2 RCS (11.4/12.5*) RCL (11.4/12.5*) SCS (11.6/12.8*)	м5х372	3125 3125/ 3250* 3375	E8TF-MA	E7DE-BB/ E67E-BB		E87A-HA
865TROOA/N	Ranger 4x4 RCS (12.9/14.2*) RCL (12.9/14.2*) SCS (12.9/14.2*) Bronco II 4x2 Std (10.8/11.9*) Bronco II 4x4 Std (11.6/12.8*)	L5X377 M5X372/ L5X377# L5X377	3375 3375/ 3500* 3625/ 3750* 3500/ 3625* 3625/ 3750*	E8TF-RA			

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and

equipment. If two test weights are listed, the lower weight will be used for testing.

* with air conditioning Date of Issue: 7-28-87

Revisions: #10-28-87 (R/C 2.9-109)



E.O. # A-10-352

Page .

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger C	ars light-Du	ity Trucks	<u>X</u> Me	edium-Duty Veh:	icles Gas	s X Die:	sel
Malcture	er Ford Motor Con	npany	<u></u>	Engine Fam:	ily <u>J2.9TRC</u>	(JFM2.9T5FRC	5)
Liter (CID)	2.9 (179)			Eng. Typ	pe <u>V6</u>		
Emission Co	ontrol Sys. (Specia	al Feature	es) <u>HOS</u>	TWC (EFI, OB	D)		
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type (L4)	Equiv. Test Weight	Ign. System (ECU) EEC IV Part No.	Fuel System (EFI) Part No.	EGR Valve None Part No.	Catalyst (TWC) Part No.
866SROOA/N \$R11A/N	Ranger 4x2 RCS (11.4/12.5*) RCL (11.4/12.5*) SCS (11.6/12.8*) Ranger 4x4 RCS (12.9/14.2*) RCL (12.9/14.2*) SCS (12.9/14.2*) Bronco II 4x2 Std (10.8/11.9*) Bronco II 4x4 Std (11.6/12.8*)	A4X033/ A4X034#	3125/ 3250* 3375/ 3500* 3500* 3500 3750 3625 3750	E8TF-TA \$E8TF-TC	E7DE-BB/ E67E-BB		E87A-HA

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Revisions: #9-09-87 (R/C 2.9-104) \$11-2-87 (R/C 2.9-106)

^{*} with air conditioning Date of Issue: 7-28-87