CARLE

## (Page 1 of 2)

### State of California AIR RESOURCES BOARD

### EXECUTIVE ORDER A-6-406 Relating to Certification of New Motor Vehicles

### GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year General Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family		lacement <u>Cubic Inches)</u>	Exhaust Emission Control System (Special Features)		
J3G4.3T5XEBX 4.3		(262)	Exhaust Gas Recirculation Oxygen Sensor Three-Way Catalyst (Central Fuel Injection) (On-Board Diagnostics)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

. . .

Loaded Vehicle Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per mile
0-3750	0.39	9.0	1.0
3751-5750	0.50	9.0	1.0

The following are the certification emission values for this engine family:

Loaded Vehicle <u>Weight</u>	Hydrocarbons Grams per Mile	Carbon Monoxide Grams_per_Mile	Nitrogen Oxides Grams per Mile	
0-3750	0.30	6.6	0.0	
3751-5750	0.34	8.0		

BE IT FURTHER RESOLVED: That the listed models in the 0-3750 loaded vehicle weight class were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

GENERAL MOTORS COBPORATION

EXECUTIVE ORDER A-6-406 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this  $23^{15}$  day of July, 1987.

K. D. Drachand. Chief

Mobile Source Division

#### 17-J3G4.3T5XEBX-1A

#### (For CARB Use Only)

### (1988)

#### AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer: General Motors Corporation

Executive Order No.: A-6-406

Engine Family: J3G4.3T5XEBX

Evaporative Family: JBO-3E

Engine Displacement Liters (Cubic Inches) - Type: 4.3 (262) - V6

Exhaust Emission Control System (Special Features): EGR, TWC, OS (CFI, OBD)

ABBREVIATIONS:

Ignition System CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard

Fuel System CFI, CL, DID, DIP, EFI, MFI NV-nVenturi Carburetor VV-Variable Venturi

Other Abbreviations A/C-Air Conditioning CID Cubic Inch Displacement ETW-Equivalent Test Weight FC Forward Control HD-Heavy Duty RI-Rail & Injector RWD-Rear Wheel Drive TBI-Throttle Body Injection 4x2-Two Wheel Drive 4x4-Four Wheel Drive 6x4-Four Wheel Drive

Exhaust Emission Control System AIP-Air Injection Pump AIV-Air Injection Valve EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control **EM-Engine Modification** DBC-Dual Bed Catalyst HOS-Heated Oxygen Sensor OC-Oxidation Catalyst OS-Oxygen Sensor SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TR-Thermal Reactor TWC-Three-Way Catalyst WUOC-Warm-up Oxidation Catalyst WUTWC-Warm-up Three-Way Catalyst

<u>Special Features</u> CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fuel Injection IC-Intercooler/Aftercooler MFI-Mechanical Fuel Injection OBD-On-Board Diagnostics TC-Turbocharger

\*SSUED: 06-22-87

REV. NO.:

0300T

17-J3G4.3T5XEBX-2A

(For CARB Use Only) (1988)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET LIGHT DUTY TRUCKS AND MEDIUM DUTY VEHICLES

Executive Order No. A-6-406

C C 1 0 7 0 3 + E 6 3 (EXAMPLE)

VEHICLE MODELS:

Digit 1 <u>Selling Division</u>

C-Chevrolet T-GMC Truck

Digit 2 <u>Chassis Type</u>

C-Conventional 4x2 G-Forward Control 4x2 (Body Frame Integral) K-Conventional 4x4 M-Forward Control 4x2 (Body Frame Integral) P-Forward Control 4x2 (Conventional) R-Conventional 4x2 S-S10/15 4x2 T-S10/15 4x4 V-Conventional 4x4 Digit 3

<u>Series/GVWR Range</u>

1-3400 to 7300 lbs 2-6400 to 8600 lbs 3-7400 to 14500 lbs

- Digits 4 & 5 CA Dimension/Model Type O5-Blazer/Jimmy, Step-Van/ Valve Van 06-S10/15 07-42"/Pickup, Chassis-Cab OB-FC or Motor Home Chassis, Step-Van/Value Van 09-56"/Suburban, Chassis-Cab, Pickup 10-60" FC Chassis, Chevy Van/Vandura, Sportvan/ Rally, Chassis-Cab, Step-Van/Value Van 11-Motor Home Chassis 13-Chevy Van/Vandura, Sportvan/Rally, Cutaway Van/Vandura Special Hi-Cube Van/Magnavan 14-84"/FC or Motor Home, Chassis, Chassis-Cab, Step-Van/Value Van 16-Cutaway Van/Vandura Special, Hi-Cube Van/ Magnavan
- 18-Motor Home Chassis

Digits 6 & 7 Cab or Body Style

03-Conventional Cab (S10/15, C-K, R-V Models) -Cutaway Van/Vandura Special, Hi-Cube Van/ Magnavan (G Models) 05-Chevy Van/Vandura O6-Suburban/Sportvan/ Rally with Panel Rear Doors 16-Blazer/Jimmy 32-Motor Home Chassis 42-Forward Control Chassis, Step-Van/ Value Van 43-Bonus Cab, Crew Cab 53-Extended Cab (S10/15 Models)

Digits 8, 9 & 10 Body Ordering Code

ZW9-Base Body C6P-HD Chassis; 8500 1b GVWR C7C-HD Chassis; 10500 1b GVWR C7E-HD Chassis; 11000 1b GVWR E31-Hi-Cube Van (10' Steel 96" Wide) E32-Step-Van/Value Van (Steel) E33-Step-Van/Value Van (Aluminum) E34-Hi-Cube Van (10' Steel 82" Wide) E36-Hi-Cube Van/Magnavan (10'Aluminum) E37-Utility Box (Aluminum) E38-Hi-Cube Van/Magnavan (12' Steel) E39-Hi-Cube Van/Magnavan (12' Aluminum) E62-Stepside/Fenderside Pickup E63-Fleetwide/Wideside Pickup

Engine Location: Front (All Vehicles) Drive Axle Location: See Chassis Type; All 4x2 Vehicles are RWD

REV. NO.:

ISSUED: 06-22-87

ݢ 0300Т

## 17-J3G4.3T5XEBX-3A

### (For CARB Use Only)

# (1988)

## AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS\_\_\_\_ LIGHT DUTY TRUCKS\_X\_\_\_ MEDIUM DUTY VEHICLES\_\_\_\_ GAS\_X\_\_ DIESEL\_\_\_\_

Liters (CID): 4.3 (262)

Type: V6

Executive Order No. A-6-406

ENG CODE	VEH MODELS	TRANS TYPE	ETW	IGN SYSTEM (ECU) PART NO.	FUEL SYSTEM (CFI) PART NO.	EGR VALVE PART NO.	CATALYST PART NO.
21	S10603+E63	A4	3250	16079521A	17089018	17088109	25101432
	S10803+E63 S10653+E63		3375				25104269
	S10516		3750				
22	S10603+E63		3375				
	S10803+E63						
	S10653+E63		3500				
	S10516		3750				
23	S10603+E63		3250	16079531A			
	S10803+E63		3375				
	S10653+E63						
	S10516		3750				
	T10603+E63						
	T10803+E63						
	T10653+E63		3875				
	T10516		4000				
	\$10803+ZW9						
24	S10603+E63		3375				
	S10803+E63						
	S10653+E63		3500				
	\$10516		3750				
	T10603+E63						
	T10803+E63		3875	• .	•.		
	T10653+E63		4000		· .		
	T10516						
	S10803+ZW9						

Comments: See page one for abbreviations and family information. Please refer to manufacturer's HP lists for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*SSUED: 06-22-87 REV. NO.: 002

0300T/28T

## 17-J3G4.3T5XEBX-3.1A

# (For CARB Use Only)

# (1988)

## AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS\_\_\_\_ LIGHT DUTY TRUCKS\_X\_\_\_ MEDIUM DUTY VEHICLES\_\_\_\_ GAS\_X\_\_ DIESEL\_\_\_

Liters (CID): 4.3 (262)

Type: V6

Executive Order No. A-6-406

ENG CODE	VEH MODELS	TRANS TYPE	ETW	IGN SYSTEM (ECU) PART NO.	FUEL SYSTEM (CFI) PART NO,	EGR VALVE PART NO.	CATALYST			
21A	S10603+E63	A4	3250	16079521	17089018	17088109	25101432,			
	S10803+E63		3375				25104269			
	\$10653+E63									
	S10516		3750							
22A	\$10603+E63		3375							
	\$10803+E63									
	S10653+E63		3500							
	\$10516		3750							
23A	\$10603+E63		3250	16079531						
<b></b> .	S10803+E63		3375							
	S10653+E63									
	S10516		3750							
	T10603+E63									
	T10803+E63									
	T10653+E63		3875							
	T10516		4000							
	\$10803+ZW9									
24A	S10603+E63		3375							
	S10803+E63									
	\$10653+E63		3500							
	\$10516		3750							
	T10603+E63									
	T10803+E63		3875	· .						
	T10653+E63		4000							
	T10516									
	S10803+ZW9									
	510005+2115									
Comments:	See page one for abbreviations and family information. Please refer to									
	manufacturer's HP lists for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for									
	equipment. testing.	If two	test we	ights are lis	ted, the lower	weight will	be used for			

SUED: 001 REV. NO.: 002

0300T/28T

### 17-J3G4.3T5XEBX-3.3A

## (For CARB Use Only)

### (1988)

## AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS\_\_\_\_ LIGHT DUTY TRUCKS\_X MEDIUM DUTY VEHICLES\_\_\_ GAS\_X DIESEL\_\_\_

Liters (CID): 4.3 (262) Type: V6

Executive Order No. A-6-406

ENG CODE	VEH MODELS	TRANS TYPE	ETW	IGN SYSTEM (ECU) PART NO.	FUEL SYSTEM (CFI) PART NO.	EGR VALVE PART NO.	CATALYST PART NO.
23C	S10603+E63 S10803+E63 S10653+E63		3250 3375	16125551	17089018	17088109	25101432, 25104269
	S10603+E63 S10516 T10603+E63 T10803+E63		3750				
	T10653+E63 T10516 S10803+ZW9		3875 4000				
24C	S10603+E63 S10803+E63		3375				
	S10653+E63 S10516		3500 3750	المعام ال المحقق المحاد المحد الم المحتوي المحد ا		n an an an Anna an Anna Anna an Anna an Anna Anna	
	T10603+E63 T10803+E63 T10653+E63 T10516		3875 4000	· · · · · · · · ·			

See page one for abbreviations and family information. Please refer to manufacturer's HP lists for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for Comments: testing.

REV. NO.: **†SSUED: 005** 

0300T/28T