E. C. Com

(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-341 Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Fursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Ford Motor Company emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family		splacement (Cubic Inches)	Exhaust Emission Control Systems (Special Features)
JFM2.3V5FFGO	2.3	(140)	Exhaust Gas Recirculation Heated Oxygen Sensor Three-Way Catalyst (Twc) (Electronic Port Fuel Injection) (On-Board Diagnostics)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	<u>Grams per Mile</u>	Grams per mile
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.14	2.6	0.2

FORD MOTOR COMPANY

EXECUTIVE ORDER A-10-341 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as Stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this $\frac{19^{17}}{1000}$ day of June, 1987.

(W)) unit

K. D. Drachand, Chief Mobile Source Division

Attachment 3

19 88 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # <u>A-10-341</u>

Page 1

.lanufacturer	Ford	Motor Compan	y	Engine	Family	JFM2.3V5FFGO	
Evaporative F	amily	8HMJ		Engine	Туре	Otto Spark I4	
				Liters	(CID) _	2.3 (140)	

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard

uel System

CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor

Exhaust Emissions Control System


AIP-Air Injection-Pump AIV-Air Injection-Valve DBC-Dual Bed Catalyst EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control EM-Engine Modification OC-Oxidation Catalyst OS-Oxygen Sensor HOS-Heated Oxygen Sensor SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TWC-Three-Way Catalyst WUOC-Warm-Up Oxidation Catalyst WUTWC-Warm-Up Three-Way Catalyt

Special Features

CCV-Combustion Chamber Valve CFI-Central Fuel Injection or Throttle Body Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fuel Injection IC-Intercooler or Aftercooler MFI-Mechanical Fuel Injection OBD-On-Board Diagnostics TC-Turbocharger

VEHICLE MODELS:

Mustang (2-DR, 3-DR, Convertible)



	1988 AIR RESOURCES	BOARD SUPPLEMENTAL DATA SHEET E.O. # <u>A-10-341</u>
Passenger Cars	X Light-Duty Trucks	Medium-Duty Vehicles Gas Page Diese1
Manufacturer	Ford Motor Company	Engine Family
Liter (CID)	2.3 (140)	Eng. Type Otto Spark I-4
Emission Contro	Sys. (Special Features)	ECU, ESAC, EGR, HOS, (EFI) TWC-2

•

ъ,

,

•

(

Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)(!)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) 12A650 Part No.	Fuel System 9F593 Part No.	EGR Valve 9F493 Part No.	Catalyst 5E212 Part No.
05 10114		м5х397	3125	E7TF-BC	E59E-AB	E7ZE-BB	E7ZC-AA
705AR11A (w/Air Con.)	Mustang 2-DR Mustang 3-DR	(Manual)	3125	EVIF-BC	EJJE-AD	LILL-DD	E7ZC-AD (Alt
	Mustang-Conv.	11	3375				-
705AR11N (Non-Air)	Mustang 2-DR	M5X397 (Manual)	3125				
	Mustang 3-DR	"	3250				
•	Mustang-Conv.		3375				
706AR10A	Mustang 2-DR	A4X023 (Auto)	3125				
(w/Air Con.)	Mustang 3-DR	"	3250				
	Mustang-Conv.	".	3375				
706AR10N (Non-Air)	Mustang 2-DR	Á4X023 (Auto)	3125				
	Mustang 3-DR	11	3250				
	Mustang-Conv.	11	3375				
	(1) Non-Aii 8.7 W/Air 916						
Please ref	See page one for er to manufacture lf two test wei	r's HP li	st for co	rrect dyno tes	t HP settings	based on mor	del and

	<u>.</u>	E.O. # _	A-10-341
		ES BOARD SUPPLEMENTAL DATA SHEET	_
Passinger Cars	<u>X</u> light-Duty Trucks _	Medium-Duty Vehicles GasX	Page <u>3</u> Diesel
Manufacturer	Ford Motor Company	Engine Family	
Liter (CID)	2.3 (140)	Eng. Tyoe <u>OTTO SPARK</u>	
Emission Contro	l Sys. (Special Features)	ECU, ESAC, EGR OS, EFI	

Equiv. Vehicle Models Trans. Ign. System Fuel System EGR Valve Catalyst Engine Code (If Coded see Type Test (ECU) attachment) Weight Part No. Part No. Part No. Part No. 12A650 9F593 9F493 5E212 (Dyno Hp) 805AR10A Manual 3125 E8TF-CUA E59E-AB Mustang 2-Dr E7ZE-BB E7ZE-AA (9.7)Mustang 3-Dr 3250 E7ZC-AD (9.4) (Alt.) Mustang Conv. 3375 (9.6) 8054R10N Mustang 2-Dr 3125 (8.8)Mustang 3-Dr 3125 (8.5) Mustang Conv. 3250 (8.7)806AR10A Mustang 2-Dr Auto 3125 (9.7) Mustang 3-Dr 3250 (9.4)Mustang Conv. 3375 (9.6) 806AR10N Mustang 2-Dr 3125 (8.8) Mustang 3-Dr 3250 (8.5)Mustang Conv. 3375 (8.7)

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufactureres HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Dal____f Issue _____2-9-88 _____ Revisions: 3-25-88

____2-9-00