

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-354-1
Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

| <u>Engine Family</u> | <u>Displacement Liters (Cubic Inches)</u> | <u>Exhaust Emission Control Systems (Special Features)</u> |
|----------------------|---|--|
| JFM3.0V5FED7 | 3.0 (181) | Heated Oxygen Sensor Exhaust Gas Recirculation Three-Way Catalyst (Electronic Port Fuel Injection) On-Board Diagnostics (Exempted) |

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

| <u>Hydrocarbons (Grams per Mile)</u> | <u>Carbon Monoxide (Grams per Mile)</u> | <u>Nitrogen Oxides (Grams per Mile)</u> |
|--|---|---|
| 0.39 | 7.0 | 0.7 |

The following are the certification emission values for this engine family:

| <u>Hydrocarbons (Grams per Mile)</u> | <u>Carbon Monoxide (Grams per Mile)</u> | <u>Nitrogen Oxides (Grams per Mile)</u> |
|--|---|---|
| 0.15 | 2.2 | 0.4 |

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the Executive Officer has been provided evidence of federal certification of vehicle models listed in the attachments which are not available as California-certified models.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 4th day of August, 1987.


K. D. Drachand, Chief
Mobile Source Division

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-354 →
Relating to Certification of New Motor Vehicles ←

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

| <u>Engine Family</u> | <u>Displacement Liters (Cubic Inches)</u> | <u>Exhaust Emission Control Systems (Special Features)</u> |
|----------------------|---|---|
| JFM3.OV5FED7 | 3.0 (181) | Heated Oxygen Sensor Exhaust Gas Recirculation Three-Way Catalyst (Electronic Port Fuel Injection) (On-Board Diagnostics) |

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

| <u>Hydrocarbons Grams per Mile</u> | <u>Carbon Monoxide Grams per Mile</u> | <u>Nitrogen Oxides Grams per mile</u> |
|--|---|---|
| 0.41 0.39 | 7.0 | 0.7 |

The following are the certification emission values for this engine family:

| <u>Hydrocarbons Grams per Mile</u> | <u>Carbon Monoxide Grams per Mile</u> | <u>Nitrogen Oxides Grams per Mile</u> |
|--|---|---|
| 0.15 | 2.2 | 0.4 |

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1985) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1988) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

This Executive Order supersedes Executive Order A-10-368 issued August 4, 1987.

Executed at El Monte, California this 2nd day of August, 1988.


K. D. Drachand, Chief
Mobile Source Division

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Ford Motor Company Engine Family JFM3.0V/FED7
 Vaporative Family 8HM Engine Type V6
 Liters (CID) 3.0 (181)

ABBREVIATIONS

Ignition System

Centrifugal Advance
 Electronic Control Unit
 Electronic Ignition
 Electronic Spark Advance Control
 Vacuum Advance
 Vacuum Retard

Exhaust Emissions Control System

AIP-Air Injection Pump
 AIV-Air Injection Valve
 DBC-Dual Bed Catalyst
 EGR-Exhaust Gas Recirculation
 EIC-Electronic Injection Control
 EM-Engine Modification
 OC-Oxidation Catalyst
 OS-Oxygen Sensor
 HOS-Heated Oxygen Sensor
 SPL-Smoke Puff Limiter or Throttle Delay
 TOC-Trap Oxidizer, Continual
 TOP-Trap Oxidizer, Periodical
 TWC-Three-way Catalyst
 WUOC-Warm-up Oxidation Catalyst
 WUTWC-Warm-up Three-way Catalyst

Special Features

CCV-Combustion Chamber Valve
 CFI-Central Fuel Injection or Throttle Body Injection
 DID-Diesel Injection-Direct
 DIP-Diesel Injection-Prechamber
 EFI-Electronic Fuel Injection
 IC-Intercooler or Aftercooler
 MFI-Mechanical Fuel Injection
 OBD-On-Board Diagnostics
 TC-Turbocharger

Fuel System

I, CL, DID, DIP, EFI, MFI
 nVenturi Carburetor

VEHICLE MODELS:

FORD MUSTANG SEDAN 54D
 MUSTANG S/W 74D
 MUSTANG BLE SEDAN 54D
 MUSTANG BLE S/W 74D

Drive: Front XXX Mid Rear
 Wheel XXX RWD 4WD Full Time 4WD Part Time

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. * A-10-354

Page 1

Passenger Cars XXXXX Light-Duty Trucks _____ Medium-Duty Vehicles _____ Gas XXXXX Diesel _____

Manufacturer FORD MOTOR COMPANY Engine Family JFM3.OV5FED7

Displacement (CID) 3.0 (181) Eng. Type V6

Emission Control Sys. (Special Features) EEC.ESAC.CL.HOS.EGR.TWC.EFI

| Engine Code | Vehicle Models (If Coded see attachment) (Dyno Hp) | Trans. Type | Equiv. Test Weight | Ign. System (ECU) Part No. -12A650- | Fuel System Injector Part No. -9F593- | EGR Valve Part No. -9D475- | Catalyst Part No. -5F250- |
|-------------|--|-------------|--------------------|---|---|--------------------------------------|-------------------------------------|
| 10R00A | TAURUS SEDAN (7.5*;6.6**) | A4-OD | 3500 | E8DF- -MB | E59E- -AB | E6AE- -BA | E7DC- -KA OR E7DC- -KB |
| | TAURUS S/W (8.4) | | 3625 | | | | |
| | SABLE SEDAN (7.5*;6.6**) | | 3500 2/ | | | | |
| | SABLE S/W (8.4) | | 3625 | | | | |
| OSROON | TAURUS SEDAN (6.8*;6.0**) | | 3375 | | | | |
| | TAURUS S/W (7.6) | | 3625 | | | | |
| | SABLE SEDAN (6.8*;6.6**) | | 3500 | | | | |
| | SABLE S/W (7.6) | | 3625 | | | | |

Comments: See page one for abbreviations and evaporative emission family identification.
 Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.
 WITH P195 TIRES; ** WITH P205 TIRES; 2/ FORD ELECTS TO TEST AT 3625

of Issue:
s: