State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-14-106 Relating to Certification of New Motor Vehicles

TOYOTA MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Toyota Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family		placement (Cubic Inches)	Exhaust Emission Control Systems (Special Features) Air Injection - Valve Exhaust Gas Recirculation Three-Way Catalyst Oxygen Sensor		
JTY1.5V2FCCX	1.5	(88.6)			

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per mile	Grams per Mile	
0.39	7.0	0.7	

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mile	
0.25	4.6	0.4	

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ... " (Title 13. California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _______ day of August, 1987.

K. D. Drachand, Chief Mobile Source Division

fin) neuns

17.11.00 Supplemental data sheets

, 1988 AIR RE	SOURCES BOARD SUPPLEMENTAL DATA SE	E.O. # A-14-106
,		Page 1
Manufacturer <u>Toyota Motor Corr</u>	oration Engine Family	
Evaporative FamilyEV-F	·	
	Liters (CID) 1.50	· · · · · · · · · · · · · · · · · · ·
ABBREVIATIONS		
Ignition System CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control	Exhaust Emissions Control System AIP-Air Injection-Pump AIV-Air Injection-Valve DBC-Dual Bed Catalyst EGR-Exhaust Gas Recirculation EIC-Electropic Injection Control	CCV-Combustion Chamber Valve CFI-Central Fuel Injection
VA-Vacuum Advance VR-Vacuum Retard	EIC-Electronic Injection Control EM-Engine Modification OC-Oxidation Catalyst OS-Oxygen sensor HOS-Heated Oxygen Sensor SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual	DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection
Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor	TOP-Trap Oxidizer, Periodical TWC-Three-Way Catalyst WUOC-Warm-Up Oxidation Catalyst WUTWC-Warm-Up Three-Way Catalyst	IC-Intercooler or aftercooler MFI-Mechanical Fuel Injection OBD-On-Board Diagnostics TC-Turbocharger
VEHICLE MODELS :		
Engine: Front <u>x</u> Mic	i Rear 4WD Full time 4WD Par	rt time <u>x</u>

Page : 17.11-5 Issued : 05/26/87

E.O.	#	17-	14-	The C	

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger	Cars <u>x</u> Light-D	uty Tru	cks	Medium-Duty	Vehicles	Pag Gas <u>x</u> Di	e <u> </u>
Manufactur	er <u>Toyota Mo</u>	tor Cor	poration	n Engin	e family	JTY1.5V	2FCCX
Liter (CID	1.5	(88.6)		Eng. '	Type 4 cyl	. in-line	
Emission C	ontrol Sys. (Spec	cial Fe	atures)		AIV + EGR +	os + Twc	
Engine code	Vehicle Models (If Coded see attachment) (Dyno Hp: Refer to 08.13.03.00)	Туре	Test Weight	EI, CA, VA Part No. [Distribu-	2V, CL Part No.		Catalyst Part No.
1 thru 4	AL25LG-ZWFDCA -ZWFQCA	M5	2,625			25620-15210	18450-15110
5 thru 8	AL25LG-ZWHDCA	АЗ	2,625				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Page : 17.11-6
Issued : 05/26/87