(Page 1 of 2)

## State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-14-107-1 Relating to Certification of New Motor Vehicles

## TOYOTA MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Toyota Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Liters (Cubic Inches)		Exhaust Emission Control Systems (Special Features)		
JTY1.6V2FCC5	1.6	(96.8)	Air Injection - Valve Exhaust Gas Recirculation Three-Way Catalyst Oxygen Sensor (On-Board Diagnostics)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams per Mile	Grams per mile	Grams per Mile		
0.39	7.0	0.7		

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.19	1.8	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

TOYOTA MOTORS CORPORATION

EXECUTIVE ORDER A-14-107-1 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order supersedes Executive Order A-14-107 dated August 26, 1987.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this <u>15</u> day of October, 1987.

a.F. Donnelly (for KDD).

K. D. Drachand, Chief Mobile Source Division

# 17.11.00 Supplemental data sheets

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. # A-14-107-1

Page <u>1</u>

TC-Turbocharger

Manufacturer Toyota Motor Corporation	Engine Family	JTY1.6V2FCC5
Evaporative Family EV-A	Engine Type	4 cyl. in-line
	Liters (CID)	1.6 (96.8)

#### ABBREVIATIONS

• •

.•

Ignition System	Exhaust Emissions Control System	<u>Special Features</u>
CA-Centrifugal Advance ECU-Electronic Control Unit	AIP-Air Injection-Pump AIV-Air Injection-Valve	CCV-Combustion Chamber Valve
BI-Blectronic Ignition ESAC-Blectronic Spark Advance	DBC-Dual Bed Catalyst EGR-Exhaust Gas Recirculation	CFI-Central Fuel Injection
Control VA-Vacuum Advance VR-Vacuum Retard	EIC-Electronic Injection Control EM-Engine Modification OC-Oxidation Catalyst	DID-Diesel Injection- Direct
VA Vacuum Actard	OS-Oxygen sensor HOS-Heated Oxygen Sensor SPL-Smoke Puff Limiter or	DIP-Diesel Injection- Prechamber
	Throttle Delay TOC-Trap Oxidizer, Continual	EFI-Electronic Fuel Injection
<u>Fuel System</u> CFI, CL, DID, DIP, EFI, MFI	TOP-Trap Oxidizer, Periodical TWC-Three-Way Catalyst	IC-Intercooler or aftercooler MFI-Mechanical
nV-nVenturi Carburetor	WUOC-Warm-Up Oxidation Catalyst WUTWC-Warm-Up Three-Way Catalyst	Fuel Injection OBD-On-Board Diagnostics

## VEHICLE MODELS :

	Corolla AB92L-AEMDUA -AEMNUA -AEMNUA -AEDNUA -ACMDUA -ACMDUA -ACMDUA -ACHDUA -ACHDUA -ACPXUA			<u>Corolla wqn</u> AB92L-AWMDUA -AWHDUA	
Engine: Drive:	Front <u>x</u> FWD <u>x</u>	Mid RWD	Rear 4WD	Full time	4WD Part time

Page : 17.11-9 Issued : 05/26/87

17.11.00					B.O. 4	€ <u></u>	)   - \
	1988 A	IR RESO	URCES B	OARD SUPPLEM	ental data si		e <u>2</u>
Passenger	Cars <u>x</u> Light-D	uty Tru	cks	Medium-Duty	Vehicles		
Manufactur	er <u>Toyota Mo</u>	tor Cor	poratio	<u>n</u> Engin	e family	JTY1.6V	2FCC5
Liter (CII	)1.6	(96.8)		Eng. /	Type <u>4 cyl</u>	. in-line	
Emission (	Control Sys. (Spe	cial Fe	atures)		AIV + EGR +	OS + TWC (O	BD)
Engine code		Туре	Test	EI, CA, VA	2V, CL Part No.		Catalyst Part No.
	(Dyno Hp: Refer to 08.13.03.00)			tor]	-		
l thru 4 & lRl thru 4Rl	AE92L-AEMDUA -AEMNUA -ACMDUA -ACMXUA -AWMDUA	M5	2,500 2,625	19030-16120	21100-16340	25620-16070	18450-16220
5 thru 8 &	AE92L-AEHDUA -ACHDUA	A3	2,625		21100-16350	25620-16080	

111 167

Comments : See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

5Rl thru

8R1

-AWHDUA

-AEPNUA -ACPXUA Α4

88-TR-1 : 07/25/87