State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-178 Relating to Certification of New Motor Vehicles

CHRYSLER MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Chrysler Motors Corporation emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family		acement ubic Inches)	Exhaust Emission Control Systems (Special Features)
JCR5.2V2HELX	5.2	(318)	Air Injection - Pump Exhaust Gas Recirculation, Three-Way Catalyst Heated Oxygen Sensor

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per mile
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.24	3∌8 .	0.5

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles*.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ... " (Title 13, Iministrative Code, Section 1968) for the aforementioned model ali ' year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 14 day of December, 1987.

K. D. Drachand, Chief Mobile Source Division

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Evaporative FamilyJCRVE	Engine Type OHV V/8	
	Liters (CID)	
ABBREVIATIONS	•	
Ignition System	Exhaust Emissions Control System	Special Features
CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor	AIP-Air Injection-Pump AIV-Air Injection-Valve DBC-Dual Bed Catalyst EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control EM-Engine Modification OC-Oxidation Catalyst OS-Oxygen Sensor HOS-Heated Oxygen Sensor SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TWC-Three-Way Catalyst WUOC-Warm-Up Oxidation Catalyst WUTWC-Warm-Up Three-Way Catalyt	CCV-Combustion Chamber Valve CFI-Central Fuel Injection or Throttle Body Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection IC-Intercooler or Aftercooler MFI-Mechanical Fuel Injection OBD-On-Board Diagnostics TC-Turbocharger
VEHICLE MODELS:	CARLINE:	
MFH41,MFS41	Chrysler Newport/Fifth Avenue	
MGL41,MGP41	Dodge Diplomat	
MBL41	Plymouth Gran Fury	

111586

Engine: Front X Mid. Rear ____

Drive:

FWD ____ RWD X 4WD Full Time ___ 4WD Part Time ___

E.O. # A−9−178 19 88 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page 2 Passenger Cars X Light-Duty Trucks ____ Medium-Duty Vehicles ___ Gas X Diesel Marifacturer CHRYSLER MOTORS CORPORATION Engine Family JCR5.2V2HELX OHV V/8 Liter (CID) 5.2 () Eng. Type Emission Control Sys. (Special Features) AIP, EGR, TWC, HOS Ign. System Engine Vehicle Models Trans. Equiv. Fuel System EGR Valve Catalys Code (If Coded see (ECU) Type Test 2V attachment) Weight Part No. Part No. Part No. Part No. (Dyno Hp) A-1 A3 4000 4306441 4287659 MBL41,MGL41, 4379257 4427068 MFH41,MGP41, 4379484 4427071 MFS41 (10.3)

comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

at a	of	Issue		Revisions:
------	----	-------	--	------------