(Page 1 of 2)

State of California AIR RESOURCES BOARD

. 7

EXECUTIVE ORDER A-15-141 Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family	Di	splacement	Exhaust Emission Control Systems
	<u>Liters</u>	(Cubic Inches)	(Special Features)
JNS3.OT5HDC5	3.0	(180.6)	Exhaust Gas Recirculation Air Injection - Valve Heated Oxygen Sensor Dual Bed Catalyst (Central Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams per <u>Mile</u>	Grams per Mile	Grams per mile		
0.50	9.0	1.0		

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams_per_Mile_	Grams per Mile	Grams per Mile		
0.22	2.9	0.6		

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles". NISSAN MOTOR CO., LTD.

EXECUTIVE ORDER A-15-141 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this $\frac{3}{2}$ day of August, 1987.

K. D. Drachand, Chief Mobile Source Division

\$17.12.00-1

E.O. # A-15-141

17.12.00 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer: <u>NISSAN_MOTOR_CO., LTD.</u>	Engine Family: JNS3.0T5HDC5
Evaporative Family: <u>TBI-3</u>	Engine Type: V-6, OHC
	Liters (CID): 3.0 (180.6)

ABBREVIATIONS

Exhaust Emission Control System Ignition System Special Features CA-Centrifugal Advance AIP-Air Injection-Pump CCV-Combustion EEC-Electronic Engine Control AIV-Air Injection-Valve Chamber Valve DBC-Dual Bed Catalyst **EI-Electronic** Ignition **CFI-Central Fuel** ESAC-Electronic Spark Advance EGR-Exhaust Gas Recirculation Injection or Control EIC-Electronic Injection Control Throttle Body VA-Vacuum Advance **EM-Engine Modification** Injection VR-Vacuum Retard OC-Oxidation Catalyst System DID-Diesel OS-Oxygen Sensor Injection-Direct SPL-Smoke Puff Limiter or DIP-Diesel Fuel System Throttle Delay Injection-TOC-Trap Oxidizer, Continual Prechamber CFI, CL, DID, DIP, EFI, MFI TOP-Trap Oxidizer, Periodical **EFI-Electronic** nV-nVenturi Carburetor ECC-Electronic Control Carburetor Fuel Injection ECCS-Electronic Concentrated IC-Intercooler Control System or aftercooler HOS-Heated Oxygen Sensor MFI-Mechanical TWC-Three-Way Catalyst System Fuel Injection WUOC-Warm-Up Oxidation Catalyst TC-Turbocharger WUTWC-Warm-Up Three-Way Catalyst OBD-On-Board Diagnostics

VEHICLE MODELS:

Engine Code	<u>M</u>	odel		Transmi	ssion
AV30 ICM4 BV30 ICM4	- NISSAN PAT NISSAN PAT	HFINDER XE HFINDER SE	V6 V6]	5-speed	Manua l

Engine:	Front_	<u>X</u>	Mid.		Rear	• <u></u>	-				
Drive :	FVD_		RVD	<u>X</u>	4WD	Full	Time	 4₩D	Part	Time	<u>X</u>

Issue Date: 04/23/87 Revision Date:

\$17.12.00-2

17.12.00 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET $\frac{E.0. # A - 15 - 141}{Page 2}$

Passenger Cars____Light-Duty Trucks_X_Medium-Duty Vehicles____Gas_X_Diesel____

Manufacturer: NISSAN MOTOR CO., LTD.Engine Family: JNS3.0T5HDC5Liter (CID): 3.0 (180.6)Eng. Type: V-6, OHCEmission Control Sys. (Special Features): TBI/EGR/AIV/TWC+OC/CL/ECCS

Engine Code	 Vehicle Models (If Coded see attachment) (Dyno Hp)	 Trans. Type 	 Equiv. Test Weight	 Ign. System (ECU) Part No.	 Fuel System Part No.	 EGR Valve Part No	 Catalyst Part No.
AV30ICH4 BV30ICH4	PATHF INDER XE V6 (14.0-P215/75 R15) (14.5-P235/75 R15) PATHF INDER SE V6 (14.0-P215/75 R15) (14.5-P235/75 R15)		4250**	Distributor D6P84-01 (HITACHI) T5T61372 (MITSUBISI) Control Unit MECS-G405	Control Unit WECS-G405 Air Flow Meter and Fuel Injector (SPI Body Assy) RGA50-31 (without ASCD) RGA50-33 (with ASCD)	 EGR Valve AEY77-6 	D-xx,xL D-xx,xM D-xx,xC D-xx,xD

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

***#**EIW of these models are between 4000 - 5999 lbs.

###The figures and numbers in the place of the mark x are variable according to lot number and production date.

Issue Date: 04/23/87 Revision Date: