10 12 mg

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-16-88 Relating to Certification of New Motor Vehicles

MAZDA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Mazda Motor Corporation emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family		splacement (Cubic Inches)	Exhaust Emission Control Systems (Special Features)
TTK 2 . OV5ECA7	3.0	(180)	Exhaust Gas Recirculation Heated Oxygen Sensor Three-Way Catalyst (Electronic Fuel Injection) (On-Board Diagnostics)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per mile
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.21	3.5	0.20

BE IT FURTHER RESOLVED: That the listed models certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code. Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 300 day of June, 1987.

K. D. Drachand, Chief Mobile Source Division

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

anul cturer <u>Mazda Mōtor</u>	Mazda Motor Corporation		JTK3.0\	OV5FCA7	
vaporative FamilyA		Engine Type	V-6		
		Liters (CID)	180		
BBREVIATIONS					
gnition System	Exhaust E	missions Control S	ystem	Special Features	
A-Centrifugal Advance CU-Electronic Control Unit I-Electronic Ignition SAC-Electronic Spark Advance Control A-Vacuum Advance R-Vacuum Retard FI, CL, DID, DIP, EFI, MFI V-nVenturi Carburetor	AIV-Air I DBC-Dual EGR-Exhau EIC-Elect EM-Engine OC-Oxidat OS-Oxygen HOS-Heate SPL-Smoke Throttl TOC-Trap TOP-Trap TWC-Three	njection-Pump njection-Valve Bed Catalyst st Gas Recirculation ronic Injection Co Modification ion Catalyst Sensor d Oxygen Sensor Puff Limiter or e Delay Oxidizer, Continua Oxidizer, Periodice Way Catalyst I-Up Oxidation Catal m-Up Three-Way Cat	ntrol l al lyst	CCV-Combustion Chamber Valve CFI-Central Fuel Injection or Throttle Body Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection IC-Intercooler or Aftercooler MFI-Mechanical Fuel Injection OBD-On-Board Diagnostics TC-Turbocharger	

VEHICLE MODELS:

Mazda 929

			• •		Medium-Duty Ve Engine Fam			
			of Corpora	acton	• • •			
)18			·		ype <u>V−6</u>	•	
ission C	ontrol Sy	s. (Spec	ial Featu	res)	EGR, HOS, TWO	(EFI, OBD)	•	
Engine Code	Vehicle Models (If Coded see		Type Tes	Equiv. Test	est (ECU)	Fuel System	EGR Valve	Ċatalyst
attachment) (Dyno Hp)	-	Weight		Part No	Part No.	Part No.	Part No.	
CJE-M		8.5				Air Flow Meter		
			M-5	3,625		197100-3440		
C-MC	Mazda	9.4			229100-3811		K005T59871	JE06
CJE-A	929	8.5		-		Injector 195500-1280		
· ·			A-4	3,625		195500-1900	ļ	
CJE-AC		9.4						
•				·				·

Revisions: *1: Added by R/C No. 88-FA-3 & 88-CA-3 April 13, 1987 Date of Issue ___

equipment. If two test weights are listed, the lower weight will be used for testing.

Date: 11/1/'87