

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-19-56  
Relating to Certification of New Motor Vehicles

DR. ING. h.c.f. PORSCHE, AKTIENGESELLSCHAFT

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year DR. ING. h.c.f. PORSCHE, AKTIENGESELLSCHAFT exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement Liters (Cubic Inches)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
JPR151V5FE10	2.5 (151)	Three-Way Catalyst Heated Oxygen Sensor (Electronic Port Fuel Injection) (Turbocharger)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per mile</u>
0.41	7.0	0.4

The following are the certification emission values for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.22	1.8	0.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 30 day of July, 1987.

  
K. D. Drachand, Chief  
Mobile Source Division

Section: 17.00.00.00 SECTION FOR CALIFORNIA Page No.: 17.04-02  
 Engine Fam.: JPR151V5FE10 Eng. Code: ALL Issue Date: June 22, 1987  
 Rev. No.: Date:

17.04.00.00 Air Resources Board Supplemental Data Sheets

19 88 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. # A-19-56

Manufacturer Porsche Engine Family JPR151V5FE10  
 Evaporative Family K Engine Type L-4  
 Liters (CID) 2.5 (151)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance  
 ECU-Electronic Control Unit  
 EI-Electronic Ignition  
 ESAC-Electronic Spark  
 Advance Control  
 VA-Vacuum Advance  
 VR-Vacuum Retard

Exhaust Emissions Control System

AIP-Air Injection-Pump  
 AIV-Air Injection-Valve  
 CL-Closed Loop  
 EGR-Exhaust Gas Recirculation  
 EM-Engine Modification  
 OC-Oxidation Catalyst System  
 SPL-Smoke Puff Limiter or  
 Throttle Delay  
 TOC-Trap Oxidizer, Continual  
 TOC-Trap Oxidizer, Periodical  
 TR-Thermal Reactor  
 TWC-Three-Way Catalyst System

Special Features

CCV-Combustion  
 Chamber Valve  
 CFI-Central Fuel  
 Injection  
 DID-Diesel Injection-  
 Direct  
 DIP-Diesel Injection-  
 Prechamber  
 EFI-Electronic Fuel  
 Injection  
 IC-Intercooler or  
 Aftercooler  
 MFI-Mechanical Fuel  
 Injection  
 TC-Turbocharger

Fuel System

CFI, CL, DID, DIP, EFI, MFI  
 nV-nVenturi Carburetor

VEHICLE MODELS:

944 Turbo

Engine: Front X Mid. \_\_\_\_\_ Rear \_\_\_\_\_

Drive: FWD \_\_\_\_\_ RWD X 4WD Full Time \_\_\_\_\_ 4WD Part Time \_\_\_\_\_

Section: 17.00.00.00 SECTION FOR CALIFORNIA Page No.: 17.04-03  
 Engine Fam.: JPR151V5FE10 Eng. Code: ALL Issue Date: June 22, 1987  
 Rev. No.: Date:

19 88 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. # A-19-56

Passenger Cars X Light-Duty Trucks \_\_\_\_\_ Medium-Duty Vehicles \_\_\_\_\_ Gas X Diesel \_\_\_\_\_  
 Manufacturer Porsche Engine Family JPR151V5FE10  
 Liter (CID) 2.5 (151) Engine Type L - 4  
 Emission Control Sys. (Special Features) TWC, HD, (EPFI) TC

Engine Code	Vehicle Models (If coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System Part No.	EGR Valve Part No.	Catalyst Part No.
M 51/C	944 Turbo (5.8hp)	M5	3250	EI 951-MW-01 951-KRW-01	EFI 951-MW-01 951-KRW-01	N/A	951.111. 094.05 or 951.111. 094.09

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue \_\_\_\_\_ Revisions: