(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-19-58-1 Relating to Certification of New Motor Vehicles

DR. ING. h.c.f. PORSCHE, AKTIENGESELLSCHAFT

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Dr. ING. h.c.f. PORSCHE, AKTIENGESELLSCHAFT exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family JPR201V5FC12	Displacement Liters (Cubic Inches)		Exhaust Emission Control Systems (Special Features)		
	3.3	(201)	Three-Way Catalyst Heated Oxygen Sensor (Mechanical Port Fuel Injection) (Turbocharger)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per mile	
0.41	7.0	0.4	
~ • • • • • • • • • • • • • • • • • • •		_	

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mile	
0.23	2.1	0.4	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to usual strate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order supersedes Executive Order A-19-58, dated July 30, 1987.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

day of October, 1987

K. D. Drachand, Chief Mobile Source Division

Section: 17.00.00.00 S	ECTION FOR CALIFORNIA Page No.	: 17.04-02
Engine Fam.: JPR201V5FC12	Eng. Code: ALL Issue Da	te: May 11, 1987
Rev. No.:	Date:	
	Board Supplemental Data Sheets SOURCES BOARD SUPPLEMENTAL DATA SHEE	T E.O. # <u>A-19-58-1</u>
Manufacturer Porsche	Engine Family JPR201	V5FC12
Evaporative Family I	Engine Type 6-horizo	ntally opposed
	Liters (CID) 3.3 (20	1)
ABBREVIATIONS		
Ignition System CA-Centrifugal Advance EEC-Electronic Engine Cont. EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	Exhaust Emissions Control System AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM - Engine Modification EM-Engine Modification OC-Oxidation Catalyst System SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOC-Trap Oxidizer, Periodical TR-Thermal Reactor TWC-Three-Way Catalyst System	Special Features CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection - Direct DIP-Diesel Injection - Prechamber EFI-Electronic Fuel Injection IC-Intercooler or aftercooler MFI-Mechanical fuel injection TC-Turbocharger
Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor		
VEHICLE MODELS:	911 Turbo	
Engine: Front Mid	Rear X	,
Drive: FWD RWD	X 4WD Full Time 4WD Part T	ime

Section	: 17.00.00.00	SEYT	TON FOR C	ΔΤ.ΤΕΥΟΡΝΙΊΔ	Page No.:	17 04-03	
					rage No.:	17.04-03	
Engine	Fam.: JPR201V5F	C12 1	Eng. Code	: ALL	Issue Date:	May 11, 19	87
Rev. No					Date:		
							
	19 <u>88</u> AIF	RESOUR	CES BOARD	SUPPLEMENTAL	DATA SHEET	E.O. #	1-19-58-1
Passenge	r Cars X Lig	ht-Duty	Trucks _	Medium-D	uty Vehicles	Gas <u>X</u>	Diesel _
Manufact	urer Porsche	<u>:</u>		Engine Famil	y JPR201V5F	C12	
Liter (C	ID) 3.3 (20	1)		Engine Typ	e <u>1106</u>		
Emission Control Sys. (Special Features) (MPFI) (TC) TWC. HOS							
Engine Code	Vehicle Models (If coded see attachment) (Dyno Hp)	Trans. Type	Test	(ECU)	Fuel System Part No.		-
930/68	911 Turbo (8.5 Hp)	M4	3250	CA,VA,VR 0.237.302.04	MFI,CL 5 0.438.060.	N/A 046	930.113. 235.00
			•				
Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Date of Issue Revisions:							