For the state of the second

SEE A-19-58-1

(Page 1 of 2)

## State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-19-58 Relating to Certification of New Motor Vehicles

DR. ING. h.c.f. PORSCHE, AKTIENGESELLSCHAFT

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Dr. ING. h.c.f. PORSCHE, AKTIENGESELLSCHAFT exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

	Displacement	Exhaust Emission Control Systems
Engine Family	Liters (Cubic Inches)	(Special Features)
JPR201V5FC12	3.3 (201)	Three-Way Catalyst (Mechanical Port Fuel Injection) (Turbocharger)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams_per_Mile	Grams per Mile	<u>Grams per mile</u>
0.41	7.0	0.4

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.23	2.1	0.4

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

## DR. ING. h.c.f.PORSCHE, AKTIENGESELLSCHAFT

## EXECUTIVE ORDER A-19-58 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 30 day of July, 1987.

K. D. Drachand, Chief Mobile Source Division

Engine Fam.: JPR201V5F0	C12 Eng. Code: ALL	Issue Date: May 11, 1987
Rev. No.:		Date:
	ces Board Supplemental Data RESOURCES BOARD SUPPLEMEN	a Sheets TAL DATA SHEET E.O. # <u>A-19-58</u>
Manufacturer <u>Porsche</u>	Engine Fa	mily JPR201V5FC12
Evaporative Family	I Engine Ty	pe <u>6-horizontally opposed</u>
ABBREVIATIONS	Liters (C	ID) <u>3.3 (201)</u>
Ignition System CA-Centrifugal Advance EEC-Electronic Engine Con EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard Fuel System CFI, CL, DID, DIP, EFI, M nV-nVenturi Carburetor	CL-Closed Loop EGR-Exhaust Gas Recine EM - Engine Modification OC-Oxidation Catalyst SPL-Smoke Puff Limited Throttle Delay TOC-Trap Oxidizer, Con TOC-Trap Oxidizer, Per TR-Thermal Reactor TWC-Three-Way Catalyst	p CCV-Combustion Chamber Valve CFI-Central Fuel Injection Culation DID-Diesel Injection ion - Direct n DIP-Diesel Injection System - Prechamber r or EFI-Electronic Fuel Injection ntinual IC-Intercooler or aftercooles MFI-Mechanical
VEHICLE MODELS: Engine: Front Mid	911 Turbo Rear <u>X</u>	

.

K

Section	: 17.00.00.00	SECTION FO	R CALIFORNIA	Page No.:	17.04-03	
Engine	Fam.: JPR201V5F	C12 Eng. Co	xde: ALL	Issue Date:	May 11, 19	87
Rev. No	•:	· · · · · · · · · · · · · · · · · · ·		Date:	<del></del>	
	19 <u>88</u> AIR	RESOURCES BO	ARD SUPPLEMENT	AL DATA SHEET	E.O. #	1-19-58
Passenge	r Cars <u>X</u> Lig	ht-Duty Truck	s Medium	-Duty Vehicles	Gas X	Diesel _
Manufact	urer <u>Porsche</u>	· · · · ·	Engine Fam	ily JPR201V5F	C12	
Liter (C	Liter (CID) 3.3 (201) Engine Type 1.6					
Emission Control Sys. (Special Features) MFI, TC, TWC						
	Vehicle Models (If coded see attachment) (Dyno Hp)	Type Test	(ECU)			-
930/68	911 Turbo (8.5 Hp)	M4 3250	CA,VA,VR 0.237.302.	MFI,CL 045 0.438.060.	N/A 046	930.113. 235.00

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue Revisions:

ь