State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-249-3 Relating to Certification of New Motor Vehicles

GRUMMAN OLSON

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Grumman Olson exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family	Displacement Liters (Cubic Inches)	Exhaust Emission Control Systems (Special Features)
JGR2.5T5TEG2 2.5		Exhaust Gas Recirculation Three-Way Catalyst Oxygen Sensor (Throttle Body Injection) (On-Board Diagnostics)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Loaded Vehicle Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per mile	
0-3750	0.39	9.0	1.0	

The following are the certification emission values for this engine family:

Loaded Vehicle Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile	
0-3750	0.14	3.9	0.6	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 3

day of September, 1987.

K. D. Drachand Chief Mobile Source Division

17- JGR2.5T5TEG2-2A

E.O. 1 A-249-3

10.88	ATD	DECOUDES	DOADD	SUPPLEMENTAL	DATA	SHEET
1900	AIR	KF200KCF2	ROAKD	SUPPLEMENTAL	DAIN	SULLI

an cturer Grumman Allied Industries	V	Engine Family	JGR2.5T5TEG2	
vaporative Family <u>G7B0-3A</u>		Engine Type _	I-4	
		Liters (CID)	2.5 (151)	
DODENIATIONS				

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard

Fuer System

CFI, CL, DID, DIP, EFI, MFI nv-nventuri Carburetor

Exhaust Emissions Control System

AIP-Air Injection-Pump AIV-Air Injection-Valve DBC-Dual Bed Catalyst EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control EM-Engine Modification OC-Oxidation Catalyst OS-Oxygen Sensor HOS-Heated Oxygen Sensor SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TWC-Three-Way Catalyst WUDC-Warm-Up Oxidation Catalyst WUTWC-Warm-Up Three-Way Catalyt

Special Features

CCV-Combustion Chamber Valve CFI-Central Fuel Injection or Throttle Body Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fuel Injection IC-Intercooler or Aftercooler MFI-Mechanical Fuel Injection OBD-On-Board Diagnostics TC-Turbocharger

VEHICLE MODELS:

LLV

Engine:	Front X	Mid	Rear	
Drive:	FWD	RWD X	4WD Full Time	4WD Part Time

17-JGR2.5T5TEG2-3A

	00			ADD CUBOLEMENT	AL MATA CHEET	E.O. # A-	<u> 249-3</u>
				ARD SUPPLEMENT		Page	
	Cars Light-						eseı
	rer <u>Grumman All</u>						
Liter (CI	2.5 (15	1)		Eng. 1	ype <u>1-4</u>		
Emission (Control Sys. (Spec	cial Feat	ures) <u>B</u>	GR, TWC, CL (FI) (OBD)		
Engine Code	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	Ign. System (ECU)	Fuel System	EGR Valve	Catalyst
				Part No.	Part No.	Part No.	Part No.
GAI-EO1	(Dyno Hp)	A3	3375	16069411	17087282	17087252	25103222
	(17.9)		E				
						}	
							<u> </u>
					ļ		
Comments:	See page one for efer to manufactur	r abbrev	iations an	d evaporative	emission famil	y identification may	ation. odel and
ease re quipment	efer to manufacture. If two test we	er s nr eights ar	e listed,	the lower weig	ht will be use	d for testi	ng.

Date of Issue _____ Revisions:

030186