(Page 1 of 2)

Ectart.

### State of California AIR RESOURCES BOARD

EXECUTIVE ORDER P-15-3 Relating to Certification of New Motor Vehicles

### NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Nissan Motor Co., Ltd. federally certified emission control systems are certified for sale in California as described below for gasoline-powered light-duty trucks:

| Engine Family |     | splacement<br>(Cubic Inches) | Exhaust Emission Control Systems<br>(Special Features)  |
|---------------|-----|------------------------------|---|
| JNS3.OT5HCF6  | 3.0 | (180.6)                      | Exhaust Gas Recirculation<br>Air Injection - Valve<br>Heated Oxygen Sensor<br>Dual Bed Catalyst<br>(Central Fuel Injection) |

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

| Hydrocarbons   | Carbon Monoxide       | Nitrogen Oxides       |  |
|----------------|-----------------------|-----------------------|--|
| Grams per Mile | <u>Grams per Mile</u> | <u>Grams per mile</u> |  |
| 0.80           | 10                    | 1.7                   |  |

The following are the certification emission values for this engine family:

| Hydrocarbons   | Carbon Monoxide | Nitrogen Oxides       |  |
|----------------|-----------------|-----------------------|--|
| Grams per Mile | Grams per Mile  | <u>Grams per Mile</u> |  |
| 0.44           | 6               | 0.9                   |  |

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year. NISSAN MOTOR CO., LTD.

EXECUTIVE ORDER P-15-3 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the Executive Officer has been provided evidence of federal certification of vehicle models listed in the attachments which are not available as California-certified models.

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate that the vehicle manufacturer has sufficient emissions credits for its estimated California sales of federally-certified 1988 model-year vehicles using the "Guidelines for Certification of 1983 and Subsequent Model-Year Federally Certified Light-Duty Motor Vehicles For Sale in California" (Title 13, California Administrative Code, Section 1960.5).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 41 day of September, 1987.

Layle,

K. D. Drachand Chief Mobile Source Division

\$17.12.00-1

E.O. # <u>P-15-3</u>

Liters (CID): 3.0 (180.6)

17.12.00 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer:NISSAN MOTOR CO., LTD.Engine Family:JNS3.0T5HCF6Evaporative Family:TBI-3Engine Type:V-6, OHC

ABBREVIATIONS

Ignition System Exhaust Emission Control System Special Features CA-Centrifugal Advance AIP-Air Injection-Pump CCV-Combustion EEC-Electronic Engine Control AIV-Air Injection-Valve Chamber Valve EI-Electronic Ignition DBC-Dual Bed Catalyst CFI-Central Fuel ESAC-Electronic Spark Advance EGR-Exhaust Gas Recirculation Injection or Control EIC-Electronic Injection Control Throttle Body VA-Vacuum Advance EM-Engine Modification Injection VR-Vacuum Retard OC-Oxidation Catalyst System DID-Diesel OS-Oxygen Sensor Injection-Direct SPL-Smoke Puff Limiter or DIP-Diesel Fuel System Throttle Delay Injection-TOC-Trap Oxidizer, Continual Prechamber CFI, CL, DID, DIP, EFI, MFI TOP-Trap Oxidizer, Periodical EFI-Electronic nV-nVenturi Carburetor ECC-Electronic Control Carburetor Fuel Injection ECCS-Electronic Concentrated IC-Intercooler Control System or aftercooler HOS-Heated Oxygen Sensor MFI-Mechanical TWC-Three-Way Catalyst System Fuel Injection WUOC-Warm-Up Oxidation Catalyst TC-Turbocharger WUTWC-Warm-Up Three-Way Catalyst OBD-On-Board Diagnostics

VEHICLE MODELS:

 Ensine Code
 Model
 Transmission

 AV30IFM2
 NISSAN CAB AND CHASSIS
 5-speed Manual

 BV30IFM2

Engine: Front X Mid. Rear Drive : FWD RWD X 4WD Full Time 4WD Part Time

### \*17.12.00-2

# 17.12.00 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. # P-iS-3

Page\_2\_\_\_\_

Passenger Cars\_\_\_\_Light-Duty Trucks\_X\_Medium-Duty Vehicles\_\_\_\_Gas\_X\_Diesel\_\_\_

Manufacturer: NISSAN MOTOR CO., LTD.Engine Family: JNS3.0T5HCF6Liter (CID): 3.0 (180.6)Eng. Type: V-6, OHCEmission Control Sys. (Special Features): TBI/EGR/AIV/TWC+OC/CL/ECCS

| Engine<br> Code<br>  | Vehicle Models<br>(If Coded see<br>attachment)<br>(Dyno Hp) | Туре | <br> Equiv.<br> Test<br> Weight | (ECU)<br>  | Fuel System<br> <br> <br>  Part No.  | <br>                 |  |
|----------------------|---|------|---------------------------------|--|--------------------------------------|----------------------|--|
| AV30IFM2<br>BV30IFM2 | CAB AND<br>CHASSIS (25.0)                                   | M5   | <br> <br> 4000**<br> <br>       | <br> T5T61372<br> (MITSUBISI)<br> <br> Control<br>  Unit | Unit<br> MECS-G440<br> <br> Air Flow | EGR Valve<br>AEY77-6 | D-xx,xJ<br>D-xx,xK<br>D-xx,xE<br>D-xx,xF |

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*\*EIW of these models are between 4000 - 5999 lbs.

\*\*\*The figures and numbers in the place of the mark x are variable according to lot number and production date.

\*17.12.00-3

.

E.O. # P-15-3

17.12.00 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 3

Manufacturer: NISSAN MOTOR CO., LTD.Engine Family: JNS3.0T5HCF6Evaporative Family: TBI-3Engine Type: V-6, OHCLiters (CID): 3.0 (180.6)

**ABBREVIATIONS** 

| Ignition System  | Exhaust Emission Control System   | Special Features  |
|--|---|---|
| CA-Centrifugal Advance<br>EEC-Electronic Engine Control<br>EI-Electronic Ignition<br>ESAC-Electronic Spark Advance<br>Control<br>VA-Vacuum Advance<br>VR-Vacuum Retard | AIP-Air Injection-Pump<br>AIV-Air Injection-Valve<br>DBC-Dual Bed Catalyst<br>EGR-Exhaust Gas Recirculation<br>EIC-Electronic Injection Control<br>EM-Engine Modification<br>OC-Oxidation Catalyst System<br>OS-Oxygen Sensor   | CCV-Combustion<br>Chamber Valve<br>CFI-Central Fuel<br>Injection or<br>Throttle Body<br>Injection<br>DID-Diesel<br>Injection-Direct |
| <u>Fuel System</u><br>CFI, CL, DID, DIP, EFI, MFI<br>nV-nVenturi Carburetor  | SPL-Smoke Puff Limiter or<br>Throttle Delay<br>TOC-Trap Oxidizer, Continual<br>TOP-Trap Oxidizer, Periodical<br>ECC-Electronic Control Carburetor<br>ECCS-Electronic Concentrated<br>Control System<br>HOS-Heated Oxygen Sensor<br>TWC-Three-Way Catalyst System<br>WUOC-Warm-Up Oxidation Catalyst<br>WUTWC-Warm-Up Three-Way Catalyst | DIP-Diesel<br>Injection-<br>Prechamber<br>EFI-Electronic  |

VEHICLE MODELS:

| Engine Code           | <u>Model</u>           | <u>Transmission</u> |  |  |
|-----------------------|------------------------|---------------------|--|--|
| AV30IFA2<br>RV30IFA2] | NISSAN CAB AND CHASSIS | Automatic           |  |  |

Engine: Front X Mid. \_\_\_\_ Rear\_\_\_\_ Drive : FWD\_\_\_\_ RWD X 4WD Full Time \_\_\_\_ 4WD Part Time \_\_\_\_\_

### \*17.12.00-4

## 17.12.00 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. $\# \underline{P} = 15 - 3$

Passenger Cars\_\_\_\_Light-Duty Trucks\_X\_Medium-Duty Vehicles\_\_\_\_Gas\_X\_Diesel\_\_\_

Manufacturer: NISSAN MOTOR CO., LTD.Engine Family: JNS3.0T5HCF6Liter (CID): 3.0 (180.6)Eng. Type: V-6, OHCEmission Control Sys. (Special Features): TBI/EGR/AIV/TWC+OC/CL/ECCS

| Code                   | Vehicle Models<br>(If Coded see<br>attachment)<br>(Dyno Hp) | Туре | <br> Equiv.<br> Test<br> Veight              | (ECU)   | Fuel System<br>Part No.       |   |  |
|------------------------|---|------|--|---|-------------------------------|---|--|
| AV30 IFA2<br>BV30 IFA2 | CAB AND<br>CHASSIS (25.0)                                   |      | <br> <br> <br> <br> <br> <br> <br> <br> <br> | T5T61372<br>(MITSUBISI)<br>Control<br>Unit<br>MECS-G450 | Unit<br>MECS-G450<br>Air Flow | 1 | D-xx,xX<br>D-xx,xK<br>D-xx,xE<br>D-xx,xF |

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*\*EIW of these models are between 4000 - 5999 lbs.

\*\*\*The figures and numbers in the place of the mark x are variable according to lot number and production date.