State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-23-58 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

| Engine Family | | lacement Cubic Inches) | Exhaust Emission Control Systems (Special Features) |
|---------------|-----|---------------------------|---|
| JHN1.5V5FDC3 | 1.5 | (91) | Oxygen Sensor Three-Way Catalyst (Central Fuel Injection) (On-Board Diagnostics - Some Models) |

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

| Hydrocarbons | Carbon Monoxide | Nitrogen Oxides |
|----------------|-----------------|-----------------|
| Grams per Mile | Grams per mile | Grams per Mile |
| 0.39 | 7.0 | 0.7 |

The following are the certification emission values for this engine family:

| Hydrocarbons | Carbon Monoxide | Nitrogen Oxides |
|----------------|-----------------|-----------------|
| Grams per Mile | Grams per Mile | Grams per Mile |
| 0.09 | 2.1 | 0.5 |

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed which are manufactured on and after October 1, 1987 also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed which are manufactured before October 1, 1987 have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 25 day of August, 1987.

K. D. Drachand, Chief Mobile Source Division

Robert Pulein Bor

| Ľ. | u. | 11 | 4-52-3 | 2 |
|----|----|----|--------|---|
| | | | | |

| | Page | 1 |
|--|------|---|
| | | |

| Manufacturer HO | NDA Engine Family | JHN1.5V5FDC3 |
|--|---|---|
| Evaporative Family 88 | FD Engine Type | I - 4 |
| • | Liters (CID) | 1.5 (91) |
| ABBREVIATIONS | | |
| Ignition System | Exhaust Emissions Control System | Special Features |
| CA-Centrifugal Advance EEC-Electronic Engine Contr EI-Electronic Ignition ESAC-Electronic Spark Advan Control VA-Vacuum Advance VR-Vacuum Retard | DBC-Dual Bed Catalyst ce EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control EM-Engine Modification OC-Oxidation Catalyst OS-Oxygen Sensor HOS-Heated Oxygen Sensor SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual | CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection |
| Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor | TOP-Trap Oxidizer, Periodical TWC-Three-way Catalyst WUOC-Warm-Up Oxidation Catalyst WUTWC-Warm-Up Three-Way Catalyst | IC-Intercooler or Aftercooler MFI-Mechanical Fuel Injection OBD-On-Board Diagnostics TC-Turbocharger |

VEHICLE MODELS:

Civic CRX DX

Civic HB DX

Civic Sedan DX

Civic Sedan LX

Civic Wagon

 Engine : Front __X __ Mid. ____ Rear_____

 Drive : FWD __X __ RWD ____ 4WD Full Time _____ 4WD Part Time ______

030186

ISSUED: 06/12/87 REVISED: 10/27/87 (RC #54; add Wagon)

| Ε. | . 0 | # | Α | _ | 2 | 5 | ~ 7 | ኔ ຽ |
|----|-----|---|---|---|---|---|-----|------------|
| | | | _ | | | | | • |

| Manufact | r Cars X Light-I | | | Engine Fami | lyJI | IN1.5V5FDC3 | |
|----------------|--|----------------|--------------------------|--|--------------------|-------------|--------------------|
| Emission | ID) 1.5 (9 Control Sys. (Spe | cial Fe | atures) | ingine Type | TUC (CE) | _ 4 | o+ - l |
| | control by 5, (ope | CIGI IC | acuresy | | , 140 , (Cr. | , obb avem | m m |
| Engine Code | Vehicle Models (If Coded see attachment) | Trans. Type | Equiv. Test Weight | Ign. System (ECU) | Fuel System | EGR Valve | Catalyst |
| | *(Dyno HP) | | | Part No. | Part No. | Part No. | Part No. |
| JD1 | Civic CRX DX Civic HB DX | м5 | 2250 | EI & ESAC Distributor | | N/A | 18150-PM5 -A012 |
| | Civic Sedan DX | | 2375 | 30100-PM5 -A021 ECU 37820-PM5 | 37820-PM5 -L012 | | 18150-PM5 -A021 |
| | Civic Sedan LX | | 2500 | | | | |
| JD1/1 | Civic CRX DX | | 2250 | -L012 | | | |
| • | Civic HB DX Civic Sedan DX | | 2375 | | | | |
| | Civic Sedan LX | | 2500 | | | | |
| JD3 | Civic CRX DX | A4 | 2250 | EI & ESAC Distributor | CL & EFI ECU | N/A | |
| | Civic HB DX Civic Sedan DX | | 2375 | 30100-PM5 -A021 | 37820-PM5 -L512 | | |
| | Civic Sedan LX | | 2500 | ECU 37820-PM5 | | | |
| JD3/1 | Civic CRX DX Civic HB DX | | 2375 | -L512 | | | |
| | Civic Sedan DX Civic Sedan LX | | 2500 | | | | |

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

| | *; | Prease | reier | LO | page | 08-1 | ın | 1988 | Applicatio | n. |
|-----|----|--------|-------|----|------|------|----|------|------------|----|
| · · | | | | | | | | | | |

| Date of Is | ened | 06/12/87 | Revisions: |
|------------|-------|----------|------------|
| DOLC OF TO | ,3064 | 00/12/0/ | WEATOTOHO: |

| E.O. | # | A-23-58 |
|------|---|---------|
|------|---|---------|

| Page | 2.1 | |
|------|-----|--|

| Passenger | Cars X Light-D | uty Tru | cks | Medium-Duty V | ehicles G | as X Dies | el |
|--|---|----------------|--------------------------|--|---------------------------|-----------|--------------------|
| | | | | Engine Family JHN1.5V5FDC3 | | | |
| Liter (CID) 1.5 (91) | | | | | | | |
| Emission Control Sys. (Special Features) | | | | | | | |
| Engine Code | Vehicle Models (If Coded see attachment) *(Dyno HP) | Trans. Type | Equiv. Test Weight | Ign. System (ECU) Part No. | Fuel System Part No. | EGR Valve | Catalyst Part No. |
| JD1-51 | Civic CRX DX Civic HB DX | M5 | 2250 | Distributor 37820-PM5 -A021 ECU 500 37820-PM5 -L050 250 375 | ECU | N/A | 18150-PM5 -A013 |
| | Civic Sedan DX | | 2375 | | | | 18150-PM5 -A023 |
| | Civic Sedan LX Civic Wagon | | 2500 | | | | |
| JDI/I -51 | Civic CRX DX | | 2250 | | | | |
| | Civic HB DX Civic Sedan DX | | 2375 | | | | |
| | Civic Sedan LX Civic Wagon | | 2500 | | | | |
| JD3-51 | Civic CRX DX | A4 | 2250 | EI & ESAC | CL & EFI | N/A | |
| | Civic HB DX Civic Sedan DX | | 2375 | Distributor 30100-PM5 -A021 ECU 37820-PM5 -L550 | ECU 37820-PM5 -L550 | | |
| | Civic Sedan LX Civic Wagon | | 2500 | | | | |
| JD3/1 -51 | Civic CRX DX Civic HB DX | | 2375 | | | | |
| | Civic Sedan DX Civic Sedan LX | | 2500 | | | | |
| | Civic Wegon | | 2625 | | | | |

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

| Date of | Issued | 10/15/87 | Revisions: | 10/27/87 | 11/19/87 (| RC, FF #51 |
|---------|--------|----------|----------------|----------|------------|-----------------------|
| Durc Or | 100000 | 10/13/01 | MC 4 LU LUMB 1 | 10/2//0/ | 11/12/01 (| $(NC) \cap \# \Delta$ |

| E.O. | # | A-23-58 |
|------|---|---------|
| | | |

| Page | 2.2 |
|------|-----|
| | |

| Passenge | r Cars X Light- | -Duty Tr | ucks | Medium-Duty | Vehicles | Cas V Dia | 1 |
|--|--|--------------------|--------------------------|----------------------------|----------------------|-------------|--------------------|
| Manufacturer HONDA | | | | Engine Fam: | ilv | HNI SVSEDCA | ser |
| Liter (CID) 1.5 (91) | | | | Engine Type I - 4 | | | |
| Emission Control Sys. (Special Features) | | | 09 | OS, TWC (EFI, OBD) | | | |
| Engine Code | Vehicle Models (If Coded see attachment) *(Dyno HP) | Trans. Type | Equiv. Test Weight | Ign. System (ECU) Part No. | Fuel System Part No. | EGR Valve | Catalyst Part No. |
| JD1-51 | Civic CRX DX Civic HB DX | M5 | 2250 | EI & ESAC Distributor | CL & EFI ECU | N/A | 18150-PM5 -A013 |
| | ['fuia Calam Dui | 37820-PM5 -L050 | | 18150-PM5 | | | |
| | Civic Sedan LX Civic Wagon | | 2500 | 37820-PM5 -L050 | | | -A023 |
| JD1/1 -51 | Civic CRX DX Civic CRX DX | | 2250 | | | | |
| | Civic HB DX Civic Sedan DX | | 2375 | | | | • |
| | Civic Sedan DX Civic Sedan LX Civic Wagon | | 2500 | | | | |
| JD3-51 | Civic CRX DX Civic CRX DX | A4 | 2250 | EI & ESAC Distributor | CL & EFI | | |
| | Civic HB DX Civic Sedan DX | | 2375 | 30100-PM5 -A021 | 37820-PM5 -L550 | | |
| | Civic Sedan DX Civic Sedan LX | | 2500 | FCU 37820-PM5 | 1330 | | |
| | Civic Wagon | | 2625 | -L550 | | | |
| JD3/1 -51 | Civic CRX DX | | 2375 | | ļ | | |

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

2500

2625

12/11/87 (RC#63) Date of Issued

Civic HB DX

Civic Wagon

Civic Sedan DX

Civic Sedan LX

^{*:} Please refer to pages 08-1 and -1.1 in 1988 Application.

| E.O. | # | A | -23 | -28 |
|------|---|---|-----|-----|
|------|---|---|-----|-----|

| Page | 2.3 |
|------|-----|

| Manufacturer HONDA | | | | | | | |
|---------------------|--|----------------|--------------------------|---|--|-----------|-------------------|
| Liter (CID)1.5 (91) | | | | | | | |
| Emission (| Control Sys. (Spe | cial Fe | atures) | OS, | TWC (EFI, OBD |) | |
| Engine Code | Vehicle Models (If Coded see attachment) *(Dyno HP) | Trans. Type | Equiv. Test Weight | (ECU) | Fuel System Part No. | EGR Valve | Catalyst Part No. |
| JD1-66 | Civic CRX DX | M5 | 2250 | EI & ESAC | CL & EFI | N/A | 18150-PM5 |
| | Civic HB DX Civic Sedan DX | | 2375 | Distributor 30100-PM5 -A022(TD-01U) ECU 37820-PM5 -L060(602) | ECU 37820-PM5 -L060(602) | | -A013(HCC) |
| | Civic Sedan LX Civic Wagon | | 2500 | | | | |
| JD1/1 -66 | Civic CRX DX Civic HB DX | | 2375 | | | | |
| | Civic Sedan DX Civic Sedan LX Civic Wagon | | 2500 | | | | |
| JD3-66 | Civic CRX DX Civic HB DX | A4 | 2375 | EI & ESAC Distributor 30100-PM5 -A022(TD-01U) ECU | CL & EFI ECU 37820-PM5 -L560(603) | ı | · |
| | Civic Sedan DX Civic Sedan LX | | 2500 | | | | |
| | Civic Wagon | | 2625 | 37820-PM5 -L560(603) | | | |
| ло3/1 | Civic CRX DX | | 2375 | | | | |
| -66 | Civic HB DX | | 2375 2500 | | | | |
| | Civic Sedan DX | | 2500 | | | | |
| | Civic Sedan LX | | 2500 2625 | | i i | | |
| | Civic Wagon | | 2625 | | | | |

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

| T: Pleas | e reter to pages (| 18-1 and -1.1 | 10 1988 Wb | plication. |
|----------------|--------------------|---------------|------------|-------------------|
| Date of Issued | 03/01/88 | Revisions: | 03/03/88 | 03/25/88 (RC #79) |