State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-24-35 Relating to Certification of New Motor Vehicles

AUTOMOBILES PEUGEOT

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Automobiles Peugeot exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family		splacement (Cubic Inches)	Exhaust Emission Control Systems (Special Features)
JPE2.1V5FAD5	2.1	(131)	Three-Way Catalyst Heated Oxygen sensor (Turbocharger) (Intercooler) (Electronic Port Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per mile	
0.41	7.0	0.7	

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mile	
0.23	2.7	0.3	

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 28 day of August, 1987.

K. D. Drachand, Chief `Mobile Source Division

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manuracturer Automobiles PEUGEOT		_ Engine Family	JPE2	1V5FAD5		
Evaporative Family 2.2A		_ Engine Type	L4			
		Liters (CID) _	2.1	(131)		
ABBREVIATIONS						
gnition System	Exhaust Em	issions Control	System	<u>Sp</u>	ecial Features	
A-Centrifugal Advance CU-Electronic Control Unit I-Electronic Ignition SAC-Electronic Spark Advance Control A-Vacuum Advance R-Vacuum Retard	AIV-Air Ind DBC-Dual Be EGR-Exhaust EIC-Electron EM-Engine N OC-Oxidation OS-Oxygen S HOS-Heated SPL-Smoke F Throttle TOC-Trap Ox TOP-Trap Ox	t Gas Recirculat onic Injection C Modification on Catalyst Sensor Oxygen Sensor Puff Limiter or Delay Cidizer, Continucidizer, Periodic	ontrol al	CF DI	CV-Combustion Chamber Valve TI-Central Fuel Injection or Throttle Body Injection D-Diesel Injection- Direct P-Diesel Injection- Prechamber I-Electronic	
uel System FI, CL, DID, DIP, EFI, MFI V-nVenturi Carburetor	WUOC-Warm-U	lay Catalyst Ip Oxidation Cata Up Three-Way Ca		MF OB	Fuel Injection -Intercooler or Aftercooler I-Mechanical Fuel Injection D-On-Board Diagnostics -Turbocharger	
				10	- r u r boenar ger	

HICLE MODELS:

505 Sedan 505 Station Wagon

gine: Front X Mid. _____Rear ___ RWD X 4WD Full Time 4WD Part Time ive: FWD

P.81 4/4

	1000	610 OCC	חוומרבב פת	ARD SUPPLEMENTA	Al nata sheet	E.O. # <u>A</u> -	24-35
assenger	Cars <u>x</u> Light-	Duty True	cks	Medium-Duty Ve	ericles (Page Sas X Di	esel
	rer Automobiles						
) <u>2.1 (131)</u>						
mission (Control Sys. (Spec	Tal reat	ures,	TWC ROSEET.	TALC)(TC)		
Engine Code	Vehicle Models (If Coded see	Trans. Type	Test	Ign. System (ECU)	Fuel System (ECU)	EGR Valve	Catalyst
· · · · · · · · · · · · · · · · · · ·	attachment) (Dyno Hp)		Weight	Part No.	Part No.	Part No.	Part No.
2.1M5	SEDAN - 10.5	M5	3375	BOSCH	BOSCH	NA	SEDAN
2.1A4	SEDAN - 10.5	A4	3500 3375 3500	0227 400 128	0280 000		91 536 330 80
. 1aça4	STATION WAGON						STATION WAGON 91 536
	12.3	A4	3625 3750				329 80
						v idantific	tion.
Plance re	See page one for fer to manufacture . If two test we	≘r's HP }	ist for c	arrect dyno te:	st HY settings	- based on mo	odel and

Date of Issue _____ Revisions: