State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-246-5 Relating to Certification of New Motor Vehicles

CARROZZERIA BERTONE S.p.A.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Carrozzeria Bertone S.p.A. exhaust emission control systems are certified as described below for gasoline powered passenger cars:

Engine Family	Displacement Liters (Cubic Inches)		Exhaust Emission Control Systems (Special Features)		
JBE1.5V5FEP4	1.5	(91)	Three-Way Catalyst Oxygen Sensor (Electronic Port Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control familles are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams per Mile	Grams per Mile	<u>Grams per Mile</u>		
0.41	7.0	0.7		

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams per Mile	Grams per Mile	Grams per Mile		
0.27	1.9	0.3		

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Adminsitrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ... " (title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 26 day of January, 1988.

K. D. Drachand, Chief Mobile Source Division

19_88 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manuracturer <u>Carrozzeria Berto</u>	ne Engin	e Family _	JBE1.5V5FEP4	
Evaporative FamilyEV-1BC	Engir	e Type	L-4	
	Liter	rs (CID) _	1.5 (91-44)	
ABBREVIATIONS				
Ignition System	Exhaust Emissions	Control :	System	Special Features
CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	AIP-Air Injection AIV-Air Injection DBC-Dual Bed Cata EGR-Exhaust Gas R EIC-Electronic In EM-Engine Modific OC-Oxidation Cata OS-Oxygen Sensor HOS-Heated Oxygen SPL-Smoke Puff L Throttle Delay TOC-Trap Oxidizen	n-Valve alyst Recirculat ajection cation alyst a Sensor imiter or	CCV-Combustion Chamber Valve CFI-Central Fuel Injection or Throttle Body Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber	
Fuel System	TOP-Trap Oxidizer TWC-Three-Way Cat WUOC-Warm-Up Oxid WUTWC-Warm-Up The	r, Periodi talyst dation Cat	cal alyst	EFI-Electronic Fuel Injection IC-Intercooler
CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor				or Aftercooler MFI-Mechanical Fuel Injection OBD-On-Board Diagnostics TC-Turbocharger

VEHICLE MODELS:

Bertone X1/9

Engine:	Front	Mid.	X	Rear	****		
Drive:	FWD	RWD	X	4WD	Full Time	4WD Part	Time

senger	Cars <u>X</u> Light-	Outy Tru	cks	Medium-Duty Ve	ehicles	as X Di	esel
ufactur	er <u>Carrozzeria</u>	Bertone		Engine Fan	11y JBE1.5V5	EP4	
er (CID	1.5 (91.44)		Eng. T	ype L-4		
ssion C	ontrol Sys. (Spec	ial Feat	ures) <u>T</u>	WC-CL, (EFI)			
ngine Code	Vehicle Models (If Coded see	Trans. Type	Test	Ign. System	Fuel System	EGR Valve	Catalys
	attachment) (Dyno Hp)		Weight	Part No.	Part No.	Part No.	Part No.
53.BT	Bertone X1/9 (8.8)	M5	2500	Distributor Bosch 15258Al	Bosch 0.280.000.223	N.A.	4442511
Н6€16∨63.ВТ	·	·					
							
	te e						
		·		•			

ate of Issue _____ Revisions: