E. A. Com.

(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-40-18 Relating to Certification of New Motor Vehicles

FERRARI S.p.A. ESERCIZIO FABBRICHE AUTOMOBILI E CORSE

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Ferrari S.p.A. Esercizio Fabbriche Automobili E Corse emission control systems are certified as described below for gasoline-powered passenger cars:

| Engine Family | Disp Liters | olacement (Cubic Inches) | Exhaust Emission Control Systems (Special Features) |
|---------------|----------------|-----------------------------|--|
| JFE194V6F4V6 | 3.2 | (194.4) | Air Injection - Valve Heated Oxygen Sensor Three-Way Catalyst (Mechanical Fuel Injection) |

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

| Hydrocarbons | Carbon Monoxide | Nitrogen Oxides |
|----------------|-----------------|-----------------|
| Grams per Mile | Grams per Mile | Grams per Mile |
| 0.41 | 7.0 | 0.7 |

The following are the certification emission values for this engine family:

| Hydrocarbons | Carbon Monoxide | Nitrogen Oxides |
|----------------|-----------------|-----------------|
| Grams per Mile | Grams per Mile | Grams per Mile |
| 0.33 | 2.9 | 0.4 |

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed'vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ... " (Title 13, California Administrative Code, Section 1968) for the aforementioned model

BE IT FURTHER RESOLVED:. That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and, with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 19 day of June, 1987.

K. D. Drachand, Chief Mobile Source Division

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

| anufacturer FERRARI S | .p.A Engine Family | Engine FamilyJFE194V6F4V6 | | |
|---|---|---|--|--|
| Evaporative FamilyEVAP : | Engine Type V8-90 | 0° | | |
| | Liters (CID) 3.2 | (194.4) | | |
| ABBREVIATIONS | | | | |
| Ignition System | Exhaust Emissions Control System | Special Features | | |
| CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VP -Vacuum Retard CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor | AIP-Air Injection-Pump AIV-Air Injection-Valve DBC-Dual Bed Catalyst EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control EM-Engine Modification OC-Oxidation Catalyst OS-Oxygen Sensor HOS-Heated Oxygen Sensor SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TWC-Three-Way Catalyst WUOC-Warm-Up Oxidation Catalyst WUTWC-Warm-Up Three-Way Catalyt | CCV-Combustion Chamber Valve CFI-Central Fuel Injection or Throttle Body Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection IC-Intercooler or Aftercooler MFI-Mechanical Fuel Injection OBD-On-Board Diagnostics TC-Turbocharger | | |
| VEHICLE MODELS: 328 GTB 328 GTS 328 Conve 3.2 Mondi | | | | |

| thyine: | Front | Mid. x | Rear | |
|---------|-------|--------|---------------|---------------|
| Drive: | FWD | RWD x | 4WD Full Time | 4WD Part Time |

E.O. # A-40-18____ 1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page 2

Senger Cars X Light-Duty Trucks Medium-Duty Vehicles Gas X Diesel Manufacturer FERRARI S.p.A. Engine Family JFE194V6F4V6 Liter (CID) 3.2 (194.4) Eng. Type V8-90° Emission Control Sys. (Special Features) (MFI) ESAC/AIV MOS/TWC/Ins.Exh.Man. EGR Valve Ign. System Fuel System Catalyst Equiv. Vehicle Models Trans. Engine (ECU) (If Coded see Type Test Code Weight attachment) Part No. Part No. Part No. Part No. (Dyno Hp) Air Flow 121385 328 GTB M5 Main Logic MFI/ES/X Meter Unit 328 GTS 3500 0 438 120 164 MED 806 A 328 Convertible (9.2)Fuel Dist. 0 438 100 139 3.2 Mondial 3750 3.2 Mondial cabriolet (10.8)

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

| Data o | f Issue | Revisions: |
|--------|---------|------------|
| Date o | 1 13340 | |