E.O. Back

(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-86-88 Relating to Certification of New Motor Vehicles

MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Mitsubishi Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Liters (Cubic Inches)		Exhaust Emission Control Systems (Special Features)	
JMT3.0V5FBD5	3.0	(181.4)	Exhaust Gas Recirculation Three-Way Catalyst (Two) Oxygen Sensor (Electronic Port Fuel Injection) (On-Board Diagnostics)	

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per mile	<u>Grams per Mile</u>
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Uxides
Grams per Mile	<u>Grams per Mile</u>	Grams per Mile
0.21	1.7	0.4

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seg.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 234

 $\frac{2}{3}$ day of July, 1987.

K. D. Drachamt, Chief Mobile Source Division

17.16.02 Supplemental Data Sheet

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Mitsubishi Motors Corp. Executive Order No. A-86-88

ABBREVIATIONS

Ignition System	Exhaust Emissions Control System	Special Features
CA -Centrifugal Advance ECU -Electronic Control Unit EI -Electronic Ignition ESAC-Electronic Spark Advance Control VA -Vacuum Advance VR -Vacuum Retard	AIP -Air Injection-Pump AIV -Air Injection-Valve DBC -Dual Bed Catalyst EGR -Exhaust Gas Recirculation EIC -Electronic Injection Control EM -Engine Modification OC -Oxidation Catalyst OS -Oxygen Sensor HOS -Heated Oxygen Sensor	Injection DID-Diesel Injection-
Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor	SPL -Smoke Puff Limiter or Throttle Delay TOC -Trap Oxidizer, Continual TOP -Trap Oxidizer, Periodical TWC -Three Way Catalyst WUOC -Warm-Up Oxidation Catalyst WUTWC-Warm-Up Three-Way Catalyst	Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection IC -Intercooler or Aftercooler MFI-Mechanical
		Fuel Injection OBD-On-Board Diagnostics TC -Turbocharger

Issued: Revised:

E.O.	#A	-86-88	

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufac	turer	Mitsul	oishi Mo	otors Cor	p			
Engine	Family		JMT3.0V	5FBD5	Evapo	orative Family	<u>I</u>	· · · · · · · · · · · · · · · · · · ·
Passeng	er Cars	X Ligh	nt-Duty	Trucks _	Medium-Duty	Vehicles	Gas X I	Diesel
Engine	CID (lite	er) - T	ype	18	1.4(3.0) - V6			
ECS (Sp	ecial Fea	atures)		EGR+OS	+TWC(2) (EPFI+0	OBD)		
•	Vehicle	e Model:	~		Tan Suctor	Fuel System	·	
		oded see			ESAC		EGR Valve	Catalyst
Code	-	hment)		s. ETW		Part No.	Part No.	Part No.
ABM Mitsu ABA	Mitsubishi Ga		ant M5	3375	Distributor T5T61971	Fuel Injector	K5T50280	MD089689
			A4	3500	131019/1	5T61971 B210H Throttle Body AC54-100		

Note: Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment.

Issued :
Revised: