State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-402 Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family		splacement (Cubic inches)	Exhaust Emission Control Systems (Special Features)
KFM2.9T5FRD8	2.9	(179)	Heated Oxygen Sensor Three-Way Catalyst (Electronic Port Fuel Injection) On-Board Diagnostics (Exempted)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Loaded Vehicle Weight(ibs.)	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
0-3750	·0.39	9.0	0.4

The following are the certification emission values for this engine family:

Loaded Vehicle Weight(ibs.)	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
0-3750	0.17	5.0	0.0

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high aititude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Maifunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code. Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this ______ day of September, 1988.

K. D. Drachand, Chief Mobile Source Division

Page 1

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

oufacturer Ford Motor Company Engine Family K2.9TRD (KFM2.9T5FRD8) Engine Type V6 porative Family Liters (CID) 2.9 (179) REVIATIONS ition System Exhaust Emissions Control System Special Features Centrifugal Advance AIP-Air Injection Pump CFI-Central Fuel AIV-Air Injection Valve J-Electronic Control Unit Injection or Electronic Ignition EGR-Exhaust Gas Recirculation Throttle Body C-Electronic Spark Advance EIC-Electronic Injection Control Injection Control (Diesel Only) EPFI-Electronic Port Vacuum Advance EM-Engine Modification Fuel Injection Vacuum Retard SPL-Smoke Puff Limiter or MPFI-Mechanical Port Throttle Delay Fuel Injection TOC-Trap Oxidizer, Continual SFI-Sequential Fuel TOP-Trap Oxidizer, Periodical Injection DID-Diesel Injection-DBC-Dual Bed Catalyst OC-Oxidation Catalyst Direct TWC-Three-Way Catalyst DIP-Diesel Injection-WUOC-Warm-Up Oxidation Catalyst Prechamber WUTWC-Warm-Up Three-Way Catalyst TC-Turbocharger OS-Oxygen Sensor SC-Supercharger HOS-Heated Oxygen Sensor IC-Intercooler or Aftercooler CCV-Combustion Chamber 1 System Valve OBD-On-Board , EPFI, MPFI, SFI, DID, DIP, HOS, OS Diagnostics nVenturi Carburetor

Variable Venturi Carburetor IICLE MODELS:

ger 4x2 CS, RCL, SCS

ger 4x4 CS, RCL, SCS

nco II 4x2 Utl

ne: Front X Mid Rear 4WD Part Time X

01293.wp

Page __2_

1989	AIR	RESOURCES	BOARD	SUPPLEMENTAL	DATA	SHEET
------	-----	-----------	-------	--------------	------	-------

ssenger (Carslight-D	uty Truck	s <u>X</u> Me	edium-Duty Veh	icles Gas	s <u>X</u> Die	sel	
ure	er <u>Ford Motor Co</u>	mpany		Engine Family <u>K2.9TRD (KFM2.9T5FRD8)</u>				
ter (CID) <u>2.9 (179)</u>				Eng. Ty	pe <u>V6</u>			
nission Co	ontrol Sys. (Speci	al Featur	es) <u>TWC</u>	, HOS (EPFI, O	BD) .		· · · · · ·	
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) (EEC IV) Part No. -12A650-	Fuel System (EPFI) Part No9F593-	EGR Valve (None) Part No.	Catalyst (TWC) Part No. -5E212-	
55SR00A/N	Ranger 4x2 RCS (11.0) (12.2*) RCL (11.0) (12.4*) SCS (11.3) (12.4*)	м5	3250 3375* 3500	E9TF-EA	E67E-BB		E97A-DA	
							A things in the same of the sa	

mments: See page one for abbreviations and evaporative emission family identification. lease refer to manufacturer's HP list for correct dyno test HP settings based on model and pripment. If two test weights are listed, the lower weight will be used for testing.

with air conditioning

Date of Issue: AUG 23 1988

P visions:

E.O.	#	A-10-402
.	TT.	

Diesel _

Page 3

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

	2.9 (179) ontrol Sys. (Specia						
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) (EEC IV) Part No. -12A650-	Fuel System (EPFI) Part No9F593-	EGR Valve (None) Part No.	Catalyst (TWC) Part No. -5E212-
65TROOA/N	Ranger 4x4 RCS (12.1)	М5	3500 3625* 3625 3750 3625 3750*	E9TF-UA	E67E-BB		E97A-DA

lease refer to manufacturer's HP list for correct dyno test HP settings based on model and quipment. If two test weights are listed, the lower weight will be used for testing.

with air conditioning

Date of Issue:AUG 2 3 1988 Povisions:

DS03293.wp

•		.== =====				E.O. # <u>A-</u>	10-402
a cture	1989 Ears light-Description Ford Motor Con 2.9 (179) Ontrol Sys. (Special	npany	s <u>X</u> Me	Engine Fam	icles Ga ily <u>K2,9TRD</u> pe <u>V6</u>	s <u>X</u> Die (KFM2.9T5FRD	8)
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) (EEC IV) Part No. -12A650-	Fuel System (EPFI) Part No. -9F593-	EGR Valve (None) Part No.	Catalyst (TWC) Part No5E212-
66SRO2A/N	Ranger 4x2 RCS (11.0) (12.2*) RCL (11.0) (12.4*) SCS (11.3) (12.4*)	A4LD	3250 3375* 3500	E9TF-JB	E67E-BB		E97A-DA
C					:		
							·

comments: See page one for abbreviations and evaporative emission family identification. The ase refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

with air conditioning

Date of Issue:AUG 2 3 1988 Revisions:

..

E.O.	#	A-10-402
	π	

Page __5

Diesel ___

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

anture	r <u>Ford Motor Co</u> n	npany		Engine Fam	ily <u>K2.9TRD</u>	(KFM2.9T5FRD	8)
iter (CID)	2.9 (179)			Eng. Ty	pe <u>V6</u>		
mission Co	ontrol Sys. (Specia	al Featur	es) <u>TWC</u>	HOS (EPFI, O	BD)		
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) (EEC IV) Part No. -12A650-	Fuel System (EPFI) Part No9F593-	EGR Valve (None) Part No.	Catalyst (TWC) Part No. -5E212-
66TRO2A/N	Ranger 4x4 RCS (12.1)	A4LD	3500 3625* 3625 3750 3750	E9TF-VB	E67E-BB		E97A-DA
	· ·						·

omments: See page one for abbreviations and evaporative emission family identification. lease refer to manufacturer's HP list for correct dyno test HP settings based on model and quipment. If two test weights are listed, the lower weight will be used for testing.

with air conditioning

Date of Issue: AUG 2 3 1988

"evisions: