State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-2-59 Relating to Certification of New Motor Vehicles

FUJI HEAVY INDUSTRIES LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Fuji Heavy Industries Ltd. exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family	•	lacement (Cubic Inches)	Exhaust Emission Control Systems (Special Features)
KFJ1.8T2HCG7	1.8	(109)	Air injection - Valve Exhaust Gas Recirculation
			Oxygen Sensor Three-Way Catalyst
			Oxidation Catalyst

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Loaded Vehicle Weight(lbs.)	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
0 - 3750	0.41	9.0	1.0

The following are the certification emission values for this engine family:

Loaded Vehicle Weight(lbs.)	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
	(Grams per Mile)	(Grams per Mile)	(Grams per Mile	
0 - 3750	0.33	6.4	0.2	

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard by providing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx emission standard, or is allowed a delay in implementation under small volume manufacturer provisions, or is allowed a delay in implementation under the "in lieu" standards, or is certifying passenger cars weighing more than 5250 lbs. loaded vehicle weight.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1985) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 27 M

 $_{-}$ day of May, 1988

K. D. Drachand, Chief Mobile Source Division

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer Fuji Heavy Indus	tries Ltd.	Engine Family	KFJ1.8T2HCG7
Evaporative Family NU		Engine Type	но4
		Liters (CID)	1.8 Liters (109)
ABBREVIATIONS			
Ignition System	Exhaust Emis	sions Control Syst	em Special Features
CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard Fuel System CFI, EPFI, MPFI, SFI, DID, DIP, HOS, OS nV-nVenturi Carburetor VV-Variable Venturi Carburetor	AIV-Air Inje EGR-Exhaust EIC-Electron (Diesel EM-Engine Mc SPL-Smoke Pu Throttle I TOC-Trap Oxi TOP-Trap Oxi DBC-Dual Bed OC-Oxidation TWC-Three-Wa WUOC-Warm-Up WUTWC-Warm-Up OS-Oxygen Se	odification off Limiter or oelay dizer, Continual dizer, Periodical Catalyst Catalyst y Catalyst Oxidation Catalys Three-Way Cataly	EPFI-Electronic Port Fuel Injection MPFI-Mechanical Port Fuel Injection SFI-Sequential Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber
VEHICLE MODELS: AF5; 2-door Hatchback 4WD			
Engine: Front x Mid. Drive: FWD RWD		ear	4WD Part Time x

E.O.	#	A -	٦-	59	

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

	1.8 Liters ontrol Sys. (Spe						
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Test	Ign. System (ECU) CA, EI, VA Part No.	Fuel System 1-2V, OS Part No.	EGR Valve	Catalyst Part No.
K1.8T2CGM K1.8T2CGMA	AF5 (9.0)	M4	2625 (2500) # 2625	Distributor: Nippondenso 100291-0300 Fuji's Part No. 429879000	Hitachi: DCP306-24 Fuji's Part No. 429979550	AEY78-14 Fuji's Part	Fuji's Part No. Front: 461088500 or 461088501 Rear:
							461087600

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

#The model is tested at higher ETW in accordance with 40 CFR 86.084-26(a) 2).

Date of Issue <u>April 29, 1988</u> Revisions: