State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-182 Relating to Certification of New Motor Vehicles

CHRYSLER MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Chrysler Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family	Displacement <u>Liters (Cubic inches)</u>		Exhaust Emission Control Systems (Special Features)		
KCR2.5T5FCL8	2.5	(152)	Three-Way Catalyst Heated Oxygen Sensor (Electronic Port Fuel Injection) (Turbocharger) (On-Board Diagnostics)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Loaded Vehicle Weight(lbs.)	Hydrocarbons (Grams per Mile)	Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)
0 - 3750	0.39	9.0	1.0
3751 - 5750	0.50	9.0	1.0

The following are the certification emission values for this engine family:

Loaded Vehicle Weight(ibs.)	Hydrocarbons (Grams per Mile)	Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)
0 - 3750	0.19	4.4	0.2
3751 - 5750	0.14	3.4	0.3

BE IT FURTHER RESOLVED: That the listed models (in the 0-3750 lbs. loaded vehicle weight class) are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifing (the listed models in the 0-3750 lbs. loaded vehicle weight class) to the optional NOx standard by providing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx emission standard, or is allowed a delay in implementation under small volume manufacturer provisions, or is allowed a delay in implementation under the "in lieu" standards, or is certifying passenger cars weighing more than 5250 lbs. loaded vehicle weight.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and (for the listed vehicle models in the 0-3750 lbs. loaded vehicle weight class) with the 2 year/24,000 mile warranty provisions of Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _____ day of January, 1988.

K. D. Drachand, Chief Mobile Source Division

Page	1
------	---

facturer CHRYSLER MOTORS CORPORATION	Engine Family	KCR2.5T5FCL8
Evaporative Family KCRTB	Engine Type	IN LINE 4 SOHC
	Liters (CID)	2.5 (152)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard

Fuel System

CFI, EPFI, MPFI, SFI, DID, DIP, HOS, OS nV-nVenturi Carburetor VV-Variable Venturi Carburetor

Exhaust Emissions Control System

AIP-Air Injection - Pump AIV-Air Injection - Valve EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control (Diesel Only) EM-Engine Modification SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical DBC-Dual Bed Catalyst OC-Oxidation Catalyst TWC-Three-Way Catalyst WUOC-Warm-Up Oxidation Catalyst WUTWC-Warm-Up Three-Way Catalyst OS-Oxygen Sensor HOS-Heated Oxygen Sensor

Special Features

CFI-Central Fuel Injection or Throttle Body Injection EPFI-Electronic Port Fuel Injection MPFI-Mechanical Port Fuel Injection SFI-Sequential Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber TC-Turbocharger SC-Supercharger IC-Intercooler or Aftercooler | CCV-Combustion Chamber Valve OBD-On-Board Diagnostics

VEHICLE MODELS:

SKE12,SKP52, SKH52,SKL52

SHH52,SHP52, SHL52

CARLINE:

DODGE CARAVAN/RAM VAN

PLYMOUTH VOYAGER

Engine:	Front	X	Mid.	Rear
Drive:	FWD	<u> </u>	RWD	4WD Full Time 4WD Part Time

19_89 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

	CHRYSLER MOTO						
	2.5 (152)				_	LINE 4	
mission (Control Sys. (Spe	cial Feat	ures) <u>TV</u>	VC,HOS,(EFI),(T	C),(OBD)		
Engine Code	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	Ign. System (ECU)	Fuel System THROTTLE BODY	EGR Valve	Cataly
	(Dyno Hp)			Part No.	Part No.	Part No.	Part No
M-1	SKE12	М5	3375	5234106	4307624	NONE	4427196
	SHL52,SKL52		3625			! - !	
	SHH52,SKH52, SHP52,SKP52		3750				
A-1	SKE12	А3	3375	5234102	4307620		
	SHL52,SKL52		36,25			i	
	SHH52,SKH52, SHP52,SKP52		3750				
M-2	SKE12	М5	3375	5234350	4307624		
	SHL52,SKL52		3625	·			
	SHH52,SKH52, SHP52,SKP52		3750				
A-2	SKE12	A3	3375	5234342	4307620		
	SHL52,SKL52		3625				
	SHH52,SKH52, SHP52,SKP52		3750				
				·			
omments: lease ref	See page one for er to manufacture If two test wei	r's HP 11	st for co	rrect dyno tes	t HP settings	based on mod	del and

E.O. # A-9-182

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Car	s Light-Outy Trucks <u>X</u>	Medium-Duty Vehicles	Gas X Diesel
	CHRYSLER MOTORS CORPORATION	Engine Family	KCR2.5T5FCL8
Liter (CID)	2.5 (152)	Eng. Type	SOHC IN LINE 4
		TWC,HOS,(EFI),(TC),(OBD)	

Engine	Vehicle Models	Trans.	Equiv. Test	Ign. System (ECU)	Fuel System	EGR Valve	Catalys
Code	(If Coded see attachment) (Dyno Hp)	Туре	Weight	Part No.	THROTTLE BODY Part No.	Part No.	Part No.
M-3*	SKE12	M5	3375	5234547	4307624	NONE	4427196
	SHL52,SKL52,		3625				
	SHH52,SKH52, SHP52,SKP52		3750				
A-3*	SKE12	A3	3375	5234535	4307620		
	SHL52,SKL52		3625			·	
	SHH52,SKH52, SHP52,SKP52		3750	·			
						1	

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Dai of Issue 05-11-88 Revisions:
RC 29TC, ECU CALIBRATION REVISION.

CHRYSLER MOTORS CORPORATION

E.O. # A-9-182

1989 CALIFORNIA 2.5L EFI (TURBO) LIGHT DUTY TRUCK KCR2.5T5FCL8 Engine Family Test Weight & H.P.

<u>Model</u>	Transmission	Test Wt.	Available Tires*	Tire <u>Sales Code</u>	<u>Coastdo</u> <u>GDYR</u>	MICH
SHH52	M5, A3	3750	P195/75R14	TKN	10.9	10.7
SKH52	M5, A3	3750	P205/70R14	TLF,TLG	10.9	10.7
SHP52	M5	3750	P195/75R15	TNE	10.9	•
SKP52	M5, A3	3750	P205/70R15	TPU	10.9	10.7
SHP52	A3	3875	·			
\$SHL52	M5, A3	3625				
\$SKL52	M5, A3	3625				
\$SKE12	M5, A3	3375	P195/75R14 P205/70R14 P205/70R15 LT195/75R14C	TKN TLF,TLG TPU TKE	11.5 11.5 11.5	10.9 10.9 10.9 10.4

GDYR = Goodyear MICH = Michelin

*Following tires are available for each model listed in column one.

ISSUE DATE: 10-21-87

REV: \$11-17-87