#### State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-10-366 Relating to Certification of New Motor Vehicles

#### FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	•	lacement Cubic Inches)	Exhaust Emission Control Systems (Special Features)
KFM2.2V5FZC8	2.2	(1.33)	Exhaust Gas Recirculation Oxygen Sensor Three-Way Catalyst (Electronic Port Fuel Injection) (On-Board Diagnostics)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons (Grams per Mile)	Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)		
0.39	7.0	0.4		

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
0.14	1.7	0.3

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Maifunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this  $31^{-6}$  day of December, 1987.

K. D. Drachand, Chief Mobile Source Division

### 1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

		<u>Page 1</u>
Manufacturer <u>Ford Motor Compa</u>	ny Engine Family KFM2.2V5FZC8	
Evaporative Family 9HB	Engine Type <u>I4 Otto spark</u>	
	Liters (CID) 2.2 (133)	
ABBREVIATIONS		
Ignition System	Exhaust Emissions Control System	Special Features
CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	AIP-Air Injection Pump AIV-Air Injection Valve DBC-Dual Bed Catalyst EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control EM-Engine Modification OC-Oxidation Catalyst OS-Oxygen Sensor HOS-Heated Oxygen Sensor SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TWC-Three-way Catalyst WUOC-Warm-up Oxidation Catalyst WUTWC-Warm-up Three-way Catalyst	CCV-Combustion Chamber Valve CFI-Central Fuel Injection or Throttle Body Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EPFI-Electronic Port Fuel Injection IC-Intercooler or Aftercooler
<u>Fuel System</u>		Port Fuel Injection OBD-On-Board
CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor		Diagnostics
nv-nventuri Carburetor		TC-Turbocharger SC-Supercharger
VEHICLE MODELS:		SFI-Sequential Fuel
Ford Probe 3dr	:. Hatchback	Injection

Engine: Front <u>X</u> Mid \_\_\_ Rear \_\_\_ ve: FWD <u>X</u> RWD \_\_\_ 4WD Full Time \_\_\_ 4WD Part Time \_\_\_

## 1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Maleacture	er <u>Ford Motor Com</u> r	any	<del></del>	Engine Fami	11y <u>KFM2.2V5</u>	FZC8	
Liter (CID)	2.2 (133)			Eng. Typ	pe <u>I4, Otto S</u>	park	
Emission Co	ontrol Sys. (Specia	ıl Featur	es) <u>EGR.</u>	OS, TWC (EPFI,	OBD)		
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System (Injector) Part No.	EGR Valve Part No.	Catalyst Part No.
CF2-MC-1 (with A/C)	Probe 3dr. H.B. "H" tire (6.8) "S" tire (6.7)	M5	3000	F263-18-881D	FEJ1-13-250	F203-20- 300A	F201-20- 600A
CF2-MN-1 (non A/C)	Probe 3dr. H.B.  "H" tire (6.2)  "S" tire (6.1)	tt	n	11	11	11	11
CF2-AC-1 (with A/C)	Probe 3dr. H.B.  "H" tire (6.8)  "S" tire (6.7)	<b>A</b> 5	3125	11	11	"	F202-20- 600A
CF2-AN-1 (non A/C)	Probe 3dr. H.B.  "H" tire (6.2)  "S" tire (6.2)	11	"	π	11	11	H
	See page one for a er to manufacturere If two test weigh	s HP list	t for cor	rect dyno test	HP settings ba	ased on mode:	

FC. 2N.WP

Date of Issue 3/2/88 Revisions:

E.O.	#	Λ		-36	6
E.U.	#	<i>→</i>	$\sim$	$-\mathbf{v}_{i}\mathbf{\Omega}$	$\omega$

Page \_

#### 1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars X light-Duty Trucks Medium-Duty Vehicles Gas X Diesel

M. Lacturer Ford Motor Company Engine Family KFM2.2V5FZC8							
Liter (CID)	2,2 (133)			Eng. Ty	pe <u>I4, OTTO</u>	SPARK	
Emission Co	ontrol Sys. (Specia	al Feature	es) <u>EGR.</u>	OS, TWC, EPFI	OBD	<del>,, </del>	
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System Part No.	EGR Valve Part No.	Catalyst Part No.
CF2XAO2N (NON A/C)	PROBE 3DR. H.B. "H" TIRE (6.2) "S" TIRE (6.2)	A-4	3125	F264 18 881A	FEJ1 13 250	F203 20300A	F201 20- 600A
CF2XAO2A (WITH A/C)	PROBE 3DR. H.B. "H" TIRE (6.8) "S" TIRE (6.7)	A-4	3125	F264 18 881A	FEJ1 13 250	F203 20300A	F201 20- 600A

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufactureres HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

-	Issue Date	9/29/88	17.00.00.00-3					
	Revised							