State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-374 Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	•	lacement Cubic inches)	Exhaust Emission Control Systems (Special Features)
KFM5.0V5HBC1	5.0	(302)	Air Injection-Pump Exhaust Gas Recirculation Oxidation Catalyst Three-Way Catalyst Heated Oxygen Sensor (Sequential Port Fuel Injection) On-Board Diagnostics (Exempted)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
	•	
0.21	0.3	0.4

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard by provicing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx emission

standard, or is allowed a delay in implementation under small volume manufacturer provisions, or is allowed a delay in implementation under the "in lièu" standards, or is certifying passenger cars weighing more than 5250 lbs. loaded vehicle weight.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model—year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Maifunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) with the 2 year/24,000 mile warranty provisions of Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 27'

K. D. Drachand, Chief Mobile Source Division

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Ford Motor Compa	ny Engine Family KFM5.0V	75HBC1
Evaporative Family 9HM	Engine TypeV8	
	Liters (CID)5.0 (302	2)
ABBREVIATIONS	· /	
Ignition System	Exhaust Emissions Control System	Special Features
CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	AIP-Air Injection - Pump AIV-Air Injection - Valve EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control (Diesel Only) EM-Engine Modification SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical 2DBC-Dual Bed Catalyst	CFI-Central Fuel Injection or Throttle Body Injection EPFI-Electronic Port Fuel Injection MPFI-Mechanical Port Fuel Injection SFI-Sequential Fuel
Fuel System CFI, DID, DIP, EPFI, MPFI, HOS, OS, nV-nVenturi Carburetor	OC-Oxidation Catalyst TWC-Three-Way Catalyst WUOC-Warm-Up Oxidation Catalyst WUTWC-Warm-Up Three-Way Catalyst OS-Oxygen Sensor HOS-Heated Oxygen Sensor	Injection DID-Diesel Injection- Direct DIP-Diesel Injection-
V-Variable Venturi Carburetor		Prechamber TC-Turbocharger SC-Supercharger IC-Intercooler or Aftercooler CCV-Combustion Chamber Valve
	<i>;</i> , , .	OBD-On-Board Diagnostics
VEHICLE MODELS: FORD-74K 4 DR WAGON (CROWN VICTORD-54K 4 DR SEDAN (CROWN VICTORD-54K 4 DR SEDAN (TOWN CAMERCURY-74K 4 DR SEDAN (GRAND MERCURY-54K 4 DR SEDAN (GRAND MARK VII-63D 2 DR SEDAN (MARK VII-63L 2 DR SEDAN (MARK VII-63L 2 DR SEDAN (MARK VII-64B 2 DR SEDAN MUSTANG-66B 2 DR SEDAN MUSTANG-61B 3 DR NON-GT HATCHBACK MUSTANG-B2L 2 DR CONVERTIBLE	TORIA) AR) MARQUIS) MARQUIS) VII) LSC)	
Engine: Front XX Mid. I	Rear	
Prive: FWD RWD XX	4WD Full Time 4WD Part Time	_
Issue Date 4-19-88 Revised csdskvbc.wpl/rrg(1)	17.00.00.00-2	

• •							
	1989 Cars <u>X</u> light-Du	ity Truck	s Me		L DATA SHEET	s X Dies	2
ter (CID)	5.0 (302)			Eng. Ty	pe <u>V8</u>		_
	ontrol Sys. (Specia			-			
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) EEC IV Part No. -12A650-	Fuel System (EDFI) Part No. -9F593-	EGR Valve ELECTRONIC Part No. -97483-	Catalyst 2-TWC, 2-OC Part No. -5F250-
21PR10A	MUST 3DR GT (9.0) NON-GT (9.9) MUST 2DR (10.1) MUST CONV (10.2)	М5	3500 <u>02</u> / 3500 3625	E8ZF-DA E8ZF-DB (alt) E9ZF-DA (alt)	E6TE-AB	E6AE-CA E6AE-DA (alt) E7AE-AA (alt)	E6ZC-BA E6ZB-BB (alt) E7ZC-DA (alt) E8ZC-BA (alt)
	(30.5)						E8ZC-CA (alt)
21PR10N	MUST 3DR GT (8.2) NON-GT (9.0)		3500		·		
	MUST 2DR (9.2)		3500				: :

omments: See page one for abbreviations and evaporative emission family identification. lease refer to manufactureres HP list for correct dyno test HP settings based on model and quipment. If two test weights are listed, the lower weight will be used for testing. 2/ Actual equivalent test weight (ETW) as shown. However, Ford elects to conduct test in the ext higher ETW.

3625

_	Issue Date	4-28-88	17.00.00.00-3	
' [Revised			

MUST CONV (9.3)

E . (0.	#	A-1	0-	374	L
E.	υ.	#	ハー	ω -	5/4	-

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

'genger	Cars X light-D	uty Truck	s Me	edium-Duty Veh	icles Ga		sel
la tur	er <u>FORD MOTOR CO</u>	MPANY		Engine Fam:	ily <u>KFM5.0V5H</u>	BC1	
iter (CID)5.0 (302)			Eng. Ty	pe <u>V8</u>	<u> </u>	
mission C	ontrol Sys. (Speci	al Featur	es) <u>AIP.</u>	EGR. OC. TWC.	HOS (SFI, OBD)	
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) EEC IV Part No. -12A650-	Fuel System (EDFI) Part No. -9F593-	EGR Valve ELECTRONIC Part No. -97483-	Catalyst 2-TWC, 2-OC Part No.
822LROOA	MARK LSC (8.6)	A-4	4000	EFSF-XD	E6TE-AB	E6AE-CA E6AE-DA (alt) E7AE-AA (alt) E7AE-BA (alt)	E7LC-CA (-5F250- E8LC-AA (alt) E8LC-DA (alt) E8LC-EA (alt)
822MROOA	LINCOLN (13.0)		4250	E7SF-ADB E7SF-ADC (alt)	E67E-BB E59E-AB (alt)		E6AC-BB (-5E212- E8AC-DA
				E8SF-ADA (alt)			(alt) E8AC-EA (alt) E6AC-BB (-5E214- E6AC-BC (alt) E8AC-DA (alt) E8AC-EA (alt)
• .	FORD/MERC S/W (12.9)		4250				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufactureres HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Actual equivalent test weight (ETW) as shown. However, Ford elects to conduct test in the ext higher ETW.

Issue Date 4-28-88		17.00.00.00-4				
Revised						

E.O. # <u>A-10-374</u>

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

	Cars <u>xx</u> Light-Do	_				s <u>xx</u> Dies	e
lanufactur	er <u>Ford Motor Cor</u>	npany		Engine Fam	ily <u>KFM5.0</u>	V5HBC1	
iter (CID	5.0 (302)			Eng. Ty	peV8	·	
Cmission C	ontrol Sys. (Specia	al Featur	es) <u>AIP.</u>	EGR. OC. TWC.	HOS (SFI, OBD)	
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) EEC-IV Part No12A650-	Fuel System (EDFI) Part No. -9F593-	EGR Valve ELECTRONIC Part No. -9F483-	Catalyst 2-TWC, 2-OC Part No.
822MROON	FORD/MERCURY S/W (11.7) SEDAN (10.4)	A-4	4250 4000	E7SF-ADB E7SF-ADC (alt) E8SF-ADA (alt)	E67E-BB E59E-AB (alt)	E6AE-CA E6AE-DA (alt) E7AE-AA (alt) E7AE-BA (alt)	E6AC-BB (-5E212- E8AC-DA (alt) E8AC-EA (alt) E6AC-BB (-5E214- E6AC-BC (alt) E8AC-DA (alt) E8AC-EA
22NR00A	MERC S/W (12.9)		4250 ,	E7SF-APB E7SF-APC (alt) E7SF-ZA (alt)			(alt)
22NROON	MERC S/W (11.7)						
22PR12A	MUST 3DR GT (9.0) NON-GT (9.9)		3625	E8ZF-GC E9ZF-EA (alt)	E6TE-AB	E6AE-CA E6AE-DA (alt) E7AE-AA	E6ZC-BA (-5F250- E6ZC-BB (alt)
	MUST 2DR (10.1) MUST CONV (10.2)		3500 3750			(alt)	E7ZC-DA (alt) E8ZC-BA (alt) E8ZC-CA (alt)

comments: See page one for abbreviations and evaporative emission family identification. Pease refer to manufactureres HP list for correct dyno test HP settings based on model and ent. If two test weights are listed, the lower weight will be used for testing.

Issue Date	4-28-88	17.00.00.00-5
Revised		

5

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

assenger	Cars <u>xx</u> Light-Du	uty Truck	s Me	edium-Duty Veh	icles Gas		s _ <u>5</u>
anufacture	er <u>Ford Motor Co</u> r	npany		Engine Fam:	ily KFM5.0	/5HBC1	
iter (CID)	5.0 (302)			Eng. Typ	pe <u> </u>		
mission Co	ontrol Sys. (Specia	al Feature	es) <u>AIP.</u>	EGR, OC, TWC,	HOS (SFI, OBD))	
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No. -12A650-	Fuel System (EDFI) Part No. -9F593-	EGR Valve ELECTRONIC Part No. -9F483-	Catalyst 2-TWC, 2-OC Part No. -5F250-
822PR12N	MUST 3DR GT (8.2) NON-GT (9.0) MUST 2 DR (9.2)	A-4	3625 3500	E8ZF-GC E9ZF-EA (alt)	E6TE-AB	E6AE-CA E6AE-DA (alt) E7AE-AA (alt)	E6ZC-BA E6ZC-BB (alt) E7ZC-DA (alt)
Q	MUST CONV (9.3)		3625				E8ZC-BA (alt) E8ZC-CA (alt)
822RR00A	MARK VII (10.4)		4000	E7SF-AKD		E6AE-CA E6AE-DA (alt) E7AE-AA (alt) E7AE-BA (alt)	E7LC-CA E8LC-AA (alt) E8LC-DA (alt) E8LC-EA (alt)
,							J

omments: See page one for abbreviations and evaporative emission family identification. lease refer to manufactureres HP list for correct dyno test HP settings based on model and quipment. If two test weights are listed, the lower weight will be used for testing.

	17.00.00.00-6		
Revised			

E.O. # A-10-374

Page ___6

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

assenger	Cars <u>xx</u> Light-D	ity Truck	s Me	edium-Duty Veh	icles Gas	s <u>xx</u> Dies	el
anufactur	er <u>Ford Motor Co</u> r	npany		Engine Fam:	ily <u>KFM5.0</u>	V5HBC1	
iter (CID)5.0 (302)				Eng. Type V8			
mission Co	ontrol Sys. (Specia	al Featur	es) <u>AIP.</u>	EGR. OC. TWC.	HOS (SFI, OBD))	
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No12A650-	Fuel System (EDFI) Part No. -9F593-	EGR Valve ELECTRONIC Part No. -9F483-	Catalyst 2-TWC, 2-OC Part No.
822QR00A	FORD/MERCURY S/W (12.9) MERC SEDAN (11.4) FORD SEDAN (11.4) FORD/MERCURY S/W (11,7) SEDAN (10.4)	A-4	4250 4000 <u>02</u> / 4000 4250 4000	E7SF-ABA E7SF-ABB (alt) E8SF-ABA (alt)	E67E-BB E59E-AB (alt)	E6AE-CA E6AE-DA (alt) E7AE-AA (alt) E7AE-BA (alt)	E6AC-BB (-5E212- E8AC-DA (alt) E8AC-EA (alt) E6AC-BB (-5E214- E6AC-BC (alt) E8AC-DA (alt) E8AC-EA (alt)

omments: See page one for abbreviations and evaporative emission family identification. lease refer to manufactureres HP list for correct dyno test HP settings based on model and quipment. If two test weights are listed, the lower weight will be used for testing.

Actual equivalent test weight (ETW) as shown. However, Ford elects to conduct test in he next higher ETW.

	Issue Date	4-28-88	17.00.00.00-7			
Ì	Revised					

E.O. # <u>A-10-374</u>

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

anufactur	er <u>Ford Motor Cor</u>	npany		Engine Fam:	ily <u>KFM5.0</u>	V5HBC1		
iter (CID) <u>5.0 (302)</u>				Eng. TypeV8				
mission C	ontrol Sys. (Specia	al Featur	es) <u>AIP.</u>	EGR. OC. TWC.	HOS (SFI, OBD)		
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No. -12A650-	Fuel System (EDFI) Part No. -9F593-	EGR Valve ELECTRONIC Part No. -9F483-	Catalyst 2-TWC, 2-OC Part No.	
822SR00A	FORD SEDAN (11.4) MERC SEDAN (11.4)	A-4	4000 4000 <u>02</u> /	E7SF-AFA E7SF-AFB (alt) E8SF-AFA (alt)	E67E-BB E59E-AB	E6AE-CA E6AE-DA (alt) E7AE-AA (alt) E7AE-BA (alt)	E6AC-BB (-5E212- E8AC-DA (alt) E8AC-EA (alt) E6AC-BB (-5E214- E6AC-BC (alt) E8AC-DA (alt)	
822SROON	FORD/MERCURY SEDAN		4000 ;				E8AC-EA (alt)	
• .	-							

Domments: See page one for abbreviations and evaporative emission family identification. lease refer to manufactureres HP list for correct dyno test HP settings based on model and quipment. If two test weights are listed, the lower weight will be used for testing.

Actual equivalent test (ETW) as shown. However, Ford elects to conduct test in the higher ETW.

Issue Date	4-28-88	17.00.00.00-8			
Revised					