State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-403 Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family		lacement Cubic Inches)	Exhaust Emission Control Systems (Special Features)
KFM3.0V5FDC5	3.0	(181)	Exhaust Gas Recirculation Heated Oxygen Sensor Dual Dual Bed Catalysts (Electronic Port Fuel Injection) On-Board Diagnostics (Exempted)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)		
0.39	7.0	0.4		

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)

0.14 4.7 0.3

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model—year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 13 de

day of September, 1988.

K. D. Drachand, Chief Mobile Source Division

ા મહત્વનું ફોર્સ્ટ (સીફોન્ટ્રેક્ટ) પ્રાપ્ય ગામ લાક પ્રિપ્ટેસ્ટર્સ કોંગે કા મહારાષ્ટ્રિક્ટ કાંગલ

MARKUU

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

1

Revised

		Page 1			
Manufacturer Ford Motor Compa	Engine Family KFM3.0V5F	DC5			
Evaporative Family 9HM	Engine Type <u>V6</u>	Engine Type <u>V6</u>			
	Liters (CID) <u>3.0 (181)</u>				
ABBREVIATIONS					
Ignition System	Exhaust Emissions Control System	Special Features			
CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	AIP-Air Injection Pump AIV-Air Injection Valve DBC-Dual Bed Catalyst EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control EM-Engine Modification OC-Oxidation Catalyst OS-Oxygen Sensor HOS-Heated Oxygen Sensor SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TWC-Three-way Catalyst WUOC-Warm-up Oxidation Catalyst WUTWC-Warm-up Three-way Catalyst	CCV-Combustion Chamber Valve CFI-Central Fuel Injection or Throttle Body Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection IC-Intercooler or Aftercooler MFI-Mechanical Fuel			
<u>Fuel System</u>		ruer Injection OBD-On-Board			
CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor		Diagnostics TC-Turbocharger			
VEHICLE MODELS:					
TAURUS SEDAN D54D					
Engine: Front <u>XXX</u> Mid Rear Drive: FWD <u>XXX</u> RWD 4WD Full Time					
Engine Family K3.0VDC Issue Date AUG 26 198	17.00.00.00-3				

						T 0 " 4 40	
				RD SUPPLEMENTA	L DATA SHEET	Page	e <u>1</u>
	Cars <u>XXXXX</u> Light-D						seı
lanufactur	er <u>FORD MOTOR COM</u>	PANY		Engine Fam:	ily <u>KFM3.0V5F</u>	DC5	
) 3.0 (181)					· · · · · · · · · · · · · · · · · · ·	
mission Co	ontrol Sys. (Specia	al Featur	es) <u>ECU.</u>	EI, ESAC, CL, HOS	egr, twc epfi,	OBD exempted	
Engine Code	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	Ign. System (ECU)	Fuel System Injector	EGR Valve	Catalyst
	(Dyno Hp)			Part No. -12A650-	Part No. -A7111-	Part No. -9D475-	Part No. -5F250-
09PR00A	TAURUS SEDAN (6.8)	M5-OD	3625	E9DFHA	KOA00	E6AEBA	E9DCEA
09PROON	TAURUS SEDAN (6.2)						

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue: Revisions:

cs4s30S.wp

Engine Family _K3.0VDC

Issue Date AUG 2	6 1988	17.00.00.00-2		
Revised				