State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-2-55 Relating to Certification of New Motor Vehicles

FUJI HEAVY INDUSTRIES LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4:

IT IS ORDERED AND RESOLVED: That 1989 model-year Fuji Heavy Industries Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	•	lacement Cubic Inches)	Exhaust Emission Control Systems (Special Features)
KFJ1.8V5FCL8	1.8	(109)	Heated Oxygen Sensor Three-Way Catalyst (Two) (Electronic Port Fuel Injection (Turbocharger) (On-Board Diagnostics)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
0.41	7.0	0.4

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
0.24	3.2	0.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed in Attachment A also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 27 day of May, 1988.

K. D. Drachand, Chief Mobile Source Division

B.O. # A-2-55

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

; x							Page
senger	Cars <u>x</u> Ligh	t-Duty	Trucks _	Medium-Du	ty Vehicles _	Gas <u>x</u>	Diesel
Manufactur	er <u>Fuji Heavy</u>	Indust	ries Ltd	l. Engine	Family KF	J1.8V5FCL8	
Liter (CID) <u>1.8 Liters</u>	(109)		Eng	. Type HO	4	
Emission C	ontrol Sys. (Sp	ecial F	eatures)	HOS, TWC (2), (EPFI, TC,	OBD)	
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)		Test	Ign. System (ECU) EI, ESAC Part No.	Fuel System EPFI, HOS Part No.	EGR Valve	Catalyst Part No.
K1.8V5CLMA	AC5 (9.1) AG5 (8.9) AC7 (9.1) AN5 (GL) (9.4)	М5	3000	Distributor: Hitachi D4P86-03 Fuji's Part	Injector: JECS 0970 Fuji's Part	None	Fuji's Part No. Front: 20805AA190 Rear:
	AN5 (GL-10) (9.4)		3125	No. 22100AA440	No. 16600AA000		20805AA220
. 8V5CLAA	AC4 (7.7)	A3	2875	Electronic Control Unit: Fuji's Part		in the second second	
	AN4 (8.2)		3000	No. 22611AA480		; •	_
	AC7 (9.1)	A4	3125	22011AA400	,		
	AN7 (9.4)		3250	·			
							·
							·

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date o	of Issue	April 29,	1988	Revisions:

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

ries Ltd. Engine Family KFJ1.8V5FCL8
Engine Type HO4
Liters (CID)1.8 Liters (109)
Exhaust Emissions Control System Special Features
AIP-Air Injection - Pump AIV-Air Injection - Valve EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control (Diesel Only) EM-Engine Modification SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical DBC-Dual Bed Catalyst TWC-Three-Way Catalyst WUTWC-Warm-Up Oxidation Catalyst WUTWC-Warm-Up Three-Way Catalyst OS-Oxygen Sensor HOS-Heated Oxygen Sensor CFI-Central Fuel Injection or Throttle Body Injection MPFI-Mechanical Port Fuel Injection SFI-Sequential Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber TC-Turbocharger SC-Supercharger IC-Intercooler or Aftercooler CCV-Combustion Chamber Valve OBD-On-Board Diagnostic
Rear AWD Full Time x 4WD Part Time x