### State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-3-93 Relating to Certification of New Motor Vehicles

#### DAIMLER-BENZ AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4:

IT IS ORDERED AND RESOLVED: That 1989 model-year Daimler-Benz AG exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family		splacement (Cubic inches)	Exhaust Emission Control Systems (Special Features)
KMB3.0V6FA17	3.0	(181)	Warm-Up Three-Way Catalysts (2) Heated Oxygen Sensor Three-Way Catalyst (Mechanical Port Fuel Injection) (On-Board Diagnostics)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
0.41	7.0	0.4

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
0.37	3.2	0.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Maifunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this \_\_\_\_\_\_\_ day of September, 1988.

K. D. Drachand, Chief Mobile Source Division

# 19\_89 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

; ;		Page 1
Manufacturer Mercedes-Benz	Engine Family KMB3	.0V6FA17
Evaporative Family KMBV6-1/KM	BV6-2 Engine Type In-1	ine/6cyl.
	Liters (CID)3.0(	181)
ABBREVIATIONS		
Ignition System	Exhaust Emissions Control System	Special Features
CA-Centrifugal Advance ECU-Electronic Control Unit FI-Electronic Ignition  ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard  Fuel System  CFI, EPFI, MPFI, SFI, DID, DIP, HOS, OS nV-nVenturi Carburetor VV-Variable Venturi Carburetor	AIP-Air Injection - Pump AIV-Air Injection - Valve EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control	CFI-Central Fuel Injection or Throttle Body Injection EPFI-Electronic Port Fuel Injection MPFI-Mechanical Port Fuel Injection SFI-Sequential Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber TC-Turbocharger SC-Supercharger IC-Intercooler or Aftercooler CCY-Combustion Chamber
	•	Valve  OBD-On-Board Diagnostic
VEHICLE MODELS: 300E/CE/TE/SE/SEL		
Engine: Front <u>*</u> Mid	Rear	
	× 4WO Full Time 4WO Pa	art Tima

E.O. 1 A-3-93

19 89 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

	rer Mercedes-Ben			Engine Fam	•		
•	3.0(181) Control Sys. (Spec			•		ocy1.	
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System Part No.	EGR Valve	Catalyst Part No.
M103-4	300E (7.5) 300CE (7.5) 300TE (6.7) 300SE (10.6) 300SEL (10.6)	A-4 A-4 A-4 A-4 A-4	3625 3625 3875 4000 4000	*) alternate	0 438 101 012 Oxygen Sens. 300E/CE/TE 007 542 3117 300SE/SEL 007 542 5217		Underhood: 124 490 031 124 490 091 124 490 201 Underfloor: 300E/CE/TE 124 490 041 124 490 191 300SE/SEL 126 490 071
				manufacture			
٠.		4					

lease refer to manufacturer's HP list for correct dyno test HP settings based on model and minment. If two test weights are listed, the lower weight will be used for testing.

nt e	of	Issue	i		Revisions:
166	UI	13306		•	1101131

E.O. 1 A-3-93

00 01	ATD	DECOMBEE	DOADD	SUPPLEMENTAL	DATA	CHEET
14 02	AIK	KG 200KCE2	บบหหบ	SUPPLEMENTAL	אואט	Shrr. L

Manufactur	er Mercedes-Ber	rz ,	·	Engine Fam	ily KMB3.0V6	FA17	·
Liter (CIC	3.0(181)			Eng. T	ype <u>In-line/</u>	6cv1.	
Emission C	Control Sys. (Spec	ial Feat	ures)	UTWC(2),HOS,TW	C (MPFI,OBD)		
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System Part No.	EGR Valve	Catalyst Part No.
M103-4	300E (7.5) 300CE (7.5) 300TE (6.7) 300SE (10.6) 300SEL (10.6)	Λ-4 Λ-4 Α-4 Λ-4 Λ-4	3625 3625 3875 4000 4000	006 545 7432 006 545 7632*	Fuel Distr. 0 438 101 012  Oxygen Sens. 300E/CE/TE 007 542 3117 300SE/SEL 007 542 5217	DN∆	Underhood: 124 490 0314 124 490 0914 124 490 2014 Underfloor: 300E/CE/TE 124 490 0414 124 490 1914 300SE/SEL 126 490 0714
				*) alternate manufacture		•	126 490 191
· .							

omments: See page one for abbreviations and evaporative emission family identification. lease refer to manufacturer's HP list for correct dyno test HP settings based on model and important. If two test weights are listed, the lower weight will be used for testing.

_				
ate	of	Issue	• .	Revisions:

## . 19\_89 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Engine Family KMB3	3.0V6FA17
MBV6-2 Engine Type In-	line/6cyl.
Liters (CID) 3.0	(181)
Exhaust Emissions Control System	Special Features
AIP-Air Injection - Pump AIV-Air Injection - Valve EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control (Diesel Only) EM-Engine Modification SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical DBC-Dual Bed Catalyst	CFI-Central Fuel Injection or Throttle Body Injection EPFI-Electronic Port Fuel Injection MPFI-Mechanical Port Fuel Injection SFI-Sequential Fuel Injection DID-Diesel Injection-
OC-Oxidation Catalyst TWC-Three-Way Catalyst WUOC-Warm-Up Oxidation Catalyst WUTWC-Warm-Up Three-Way Catalyst OS-Oxygen Sensor HOS-Heated Oxygen Sensor	Direct DIP-Diesel Injection- Prechamber TC-Turbocharger SC-Supercharger IC-Intercooler or Aftercooler CCY-Combustion Chamber Valve OBD-On-Board Diagnostics
	Liters (CID) 3.0  Exhaust Emissions Control System  AIP-Air Injection - Pump AIV-Air Injection - Valve EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control (Diesel Only) EM-Engine Modification SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Irap Oxidizer, Periodical DBC-Dual Bed Catalyst OC-Oxidation Catalyst TWC-Three-Way Catalyst WUOC-Warm-Up Oxidation Catalyst WUTWC-Warm-Up Three-Way Catalyst OS-Oxygen Sensor

Engine:	Front x	Mid.	Marine and the same and the sam	Rear					
Drive:	FWD	RWD	х	4WD	Full Time	_ 4WE	) Part	Time	