State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-433 Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year General Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	•	lacement Cubic inches)	Exhaust Emission Control Systems (Special Features)		
K2G3.3V8JAW4	3.3	(201)	Three-Way Catalyst Oxygen Sensor (Electronic Port Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
0.41	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
0.15	1.4	0.3

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard by providing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx emission standard, or is allowed a delay in implementation under small volume manufacturer provisions, or is allowed a delay in implementation under the "in lieu" standards, or is certifying passenger cars weighing more than 5250 lbs. loaded vehicle weight.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Maifunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _____ da

day of March, 1988.

K. D. Drachand, Chief Mobile Source Division

17-K2G3.3V8JAW4-1A

(For CARB Use Only)

(1989)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer: General Motors Corporation

Executive Order No.: A-6-433

Engine Family: K2G3.3V8JAW4

Evaporative Family: KBO-2C

Engine Displacement Liters (Cubic Inches) - Type: 3.3 (201) V6

Exhaust Emission Control System (Special Features): TWC, OS (EPFI)

ABBREVIATIONS:

Ignition System CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard

Fuel System `FI,DID,DIP,EPFI,HOS,MPFI,OS,SFI NV-nVenturi Carburetor VV-Variable Venturi

Other Abbreviations A/C-Air Conditioning CID Cubic Inch Displacement ETW-Equivalent Test Weight FC-Forward Control HD-Heavy Duty RI-Rail & Injector RWD-Rear Wheel Drive FWD-Front Wheel Drive 4WD-Four Wheel Drive TBI-Throttle Body Injection 4x2-Two Wheel Drive 4x4-Four Wheel Drive 6x4-Four Wheel Drive

Exhaust Emission Control System AIP-Air Injection Pump AIV-Air Injection Valve EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control (Diesel Only) EM-Engine Modification DBC-Dual Bed Catalyst HOS-Heated Oxygen Sensor OC-Oxidation Catalyst OS-Oxygen Sensor SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TWC-Three-Way Catalyst **WUOC-Warm-up Oxidation Catalyst** WUTWC-Warm-up Three-Way Catalyst

Special Features CCV-Combustion Chamber Valve CFI-Central Fuel Injection or Throttle **Body Injection** DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EPFI-Electronic Port Fuel Injection IC-Intercooler/Aftercooler MPFI-Mechanical Port Fuel Injection OBD-On-Board Diagnostics SC-Supercharger SFI-Sequential Fuel Injection TC-Turbocharger

TSSUED: 02-16-88

REV. NO.:

0199V/

17-K2G3.3V8JAW4-Index 1A (For CARB Use Only) (1989)

SECTION 17.00.00.00 B-O-C SUPPLEMENTAL DATA AND CERTIFICATION REVIEW SHEETS

Section and Page No.	Rev. No. <u>or Date</u>	Item
17-K2G3.3V8JAW4-Index 1A	009	Table of Contents
17-K2G3.3V8JAW4-1A	007	Supplemental Data Sheet
17-K2G3.3V8JAW4-2A	02-16-88	Supplemental Data Sheet
17-K2G3.3V8JAW4-3A	009	Supplemental Data Sheet
17-K2G3.3V8JAW4-4A	009	Supplemental Data Sheet
17-K2G3.3V8JAW4-5A	800	Supplemental Data Sheet
17-K2G3.3V8JAW4-6A	007	Certification Review Sheet

NOTES:

- (1) See page one for abbreviations and family information.
- (2) Please refer to manufacturer's HP lists for correct dyno test HP settings based on model and equipment.
- (3) If two test weights are listed, the lower weight will be used for testing.
- (4) Letter derivative codes are the same as corresponding numeric codes except as indicated.

ISSUED:	02-16-88	REV. NO.:	001 (RC K2-008) 002 (RC K2-036) 003 (Corr. RC K2-036) 004 (RC K2-053) 005 (RC K2-060) 006 (RC K2-084) 007 008 (RC K2-100)
			009 (RC K2-104)

17-K2G3.3V8JAH4-2A

(For CARB Use Only) (1989)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET GASOLINE-FUELED PASSENGER CARS

Executive Order No. A-6-433

VEHICLE MODELS:

1 J U 2 7 (EXAMPLE)

Digit 1 Selling Division

Digit 2 - Body Designation

1-Chevrolet 2-Pontiac 3-Oldsmobile 4-Buick 6-Cadillac

A-Celebrity, 6000, Cutlass Ciera, Cutlass Cruiser, Century B-Caprice, Safari Wagon, Custom Cruiser, LeSabre/Electra Wagon C-Ninety-Eight Regency, Electra, DeVille, Fleetwood, Limousine D-Brougham

E-Toronado, Riviera, Eldorado, Reatta F-Camaro, Firebird, Trans Am, Formula G-Monte Carlo, El Camino, Caballero H-Bonneville, Delta 88 Royale, LeSabre

J-Cavalier, Sunbird, Firenza, Skyhawk, Cimarron

K-Seville

L-Corsica, Beretta

N-Grand Am, Calais, Somerset/Skylark

P-Fiero T-Lemans V-Allante

W-Grand Prix, Regal, Cutlass Supreme

Y-Corvette

Z-Commercial Chassis

Digit 3 Trim Level

Digits 4 & 5 - Body Style

07-2Dr Sport Coupe
08-2Dr Hatchback Coupe
11-2Dr Notchback Coupe/Sedan
19-4Dr Sedan
23-4Dr Auxiliary Seat Sedan
27-2Dr (Notchback) Coupe
33-4Dr Auxiliary Seat Sedan
35-4Dr Station Wagon
37-2Dr Hardtop Coupe

47-2Dr Hardtop Coupe 57-2Dr Hardtop Coupe 67-2Dr Convertible Coupe 68-4Dr Hatchback Sedan 69-4Dr (Notchback) Sedan 77-2Dr Hatchback Coupe 80-2Dr Sedan Pickup 87-2Dr Hatchback Coupe 90-Commercial Chassis 97-2Dr Hardtop Coupe

Engine: Front

Drive: FWD

"SSUED: 02-16-88

REV. NO.:

0199V/

17-K2G3.3V8JAW4-3A

(For CARB Use Only)

(1989)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS_X LIGHT DUTY TRUCKS___ MEDIUM DUTY VEHICLES__ GAS_X DIESEL___

Liters (CID): 3.3 (201)

Type: V6

Executive Order No. A-6-433

Liters (CID): 3.3 (201)			Type: Vo	Executive Order No. A-6-433			
ENG CODE	VEH MODELS	TRANS TYPE	ETW	IGN SYSTEM (ECU) PART NO.	FUEL SYSTEM (RI) PART NO.	EGR VALVE PART NO.	CATALYST PART NO.
	3AJ37 3AJ69 3AM37 3AS37 4AH37 4AL37 3AM69 3AS69 4AH69 2AJ69 2AJ69 2AF69 2AJ35 2AF69 2AH69 3AJ35 3AM35 4AH35	A4	3250 3375 3500	16084414, DK090044	17089014,	NA	25127732
11A				16084404			
118				16134534			
11C				16133374		-	

ISSUED: 02-16-88

REV. NO.: 001

002

004

005

006

009

0199V/14V

17-K2G3.3V8JAW4-4A

(For CARB Use Only)

(1989)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Liters (C	CID): 3.3 (20)	1)	•	Type: V6	Exe	Executive Order No. A-6-433		
ENG CODE	VEH MODELS	TRANS TYPE	ETW	IGN SYSTEM (ECU) PART NO.	FUEL SYSTEM (RI) PART NO.	EGR VALVE PART NO.	CATALYST PART NO.	
12	3AJ37 3AJ69 3AM37 3AS37 4AH19 4AH27 4AH37 4AL37 3AM69 3AS69 4AH69 2AJ69 2AJ69 2AJ69 2AJ69 2AJ35 2AF69 2AH69 3AJ35 3AM35 4AH35 4AL35	A3	3250 3375 3500	16084354, DK090042	17089014,	NA	25127732	
12A				16129784				
12B				16134524				
12C				16134544				
ISSUED:	02-16-88	1	REV. NO.	: 001 002 003 004 005 006 009				

0199V/14V

17-K2G3.3V8JAW4-5A

(For CARB Use Only)

(1989)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS_X LIGHT DUTY TRUCKS___ MEDIUM DUTY VEHICLES__ GAS_X DIESEL__

Liters (CID): 3.3 (201)

Type: V6

Executive Order No. A-6-433

				••			_
ENG CODE	VEH MODELS	TRANS TYPE	ETW	IGN SYSTEM (ECU) PART NO.	FUEL SYSTEM (RI) PART NO.	EGR VALVE PART NO.	CATALYST PART NO.
13	3NF27 3NT27 3NL27 3NF69 3NK69 3NK69 3NL69 4NC69 4ND69 4ND27	A 3	3000 3125	16072924	17089014, 17089095	NA	25127259
13A				16126414			
13B				16131074			
13C				16136554			

ISSUED: 02-16-88

REV. NO.: 002

004

005

800

0199V/14V