State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-7-129 Relating to Certification of New Motor Vehicles

VOLKSWAGEN AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Volkswagen AG exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family		splacement (Cubic inches)	Exhaust Emission Control Systems (Special Features)			
KVW1.8V6FAB9	.8V6FAB9 1.8 (109)		Heated Oxygen Sensor Three-Way Catalyst (Mechanical Port Fuel Injection) No On-Board Diagnostics (Exempted)			

Vehicle models, transmissions, engine codes and evaporative emission control familles are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)		
0.41	7.0	0.7		

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)		
0.32	2 0	0.2		

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard by providing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx emission standard, or is allowed a delay in implementation under small volume manufacturer provisions, or is allowed a delay in implementation under the "in lieu" standards, or is certifying passenger cars weighing more than 5250 lbs. loaded vehicle weight.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for FIII Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compilance with the requirements of the "Maifunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.), with the 2 year/24,000 mile warranty provisions of Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 2/ day of July,

K. D. Drachand, Chief Mobile Source Division

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer W AG

Engine Family KVWI.8V6FAB9

Evaporative Family

KAB5

Engine Type

Otto

Liters (CID)

1.8

ABBREVIATIONS

Ignition System

CA - Centrifugal Advance ECU - Electronic Control Unit EI - Electronic Ignition ESAC - Electronic Spark Advance

Control
VA - Vacuum Advance
VR - Vacuum Retard

Fuel System

CFI, EPFI, MPFI, DID, DIP, HOS, OS nV-n Venturi Carburetor VV-Variable Venturi Carburetor

Exhaust Emissions Control System

AP - Air Injection-Pump AIV - Air Injection-Valve

EGR - Exhaust Gas Recirculation

EIC - Electronic Injection Control (Diesel Only)

EM - Engine Modification

SPL - Smoke Puff limiter or Throttle Delay

TOC - Trap Oxidizer, Continual

TOP - Trap Oxidizer, Periodical

DBC - Dual Bed Catalyst

OC - Oxidation Catalyst

TWC - Three-Way Catalyst

WUOC- Warm-Up Oxidation Catalyst

WUTWC-Warm-Up Three-Way Catalyst

OS – Oxygen Sensor

HOS - Heated Oxygen Sensor

Special Features

CFI - Central Fuel Injection or Throttle Body Injection

EPFI- Electronic Port Fuel Injection

MPFI- Mechanical Part Fuel Injection

SFI - Sequential Fuel Injection

DID - Diesel Injection-Direct

DIP - Diesel Injection-Prechamber

TC - Turbocharger

SC - Supercharger

IC - Intercooler or Aftercooler

CCV - Combustion Chamber Valve

080 - On-Board Diagnostics

VEHICLE MODELS:

Scirocco Cabriolet

Engine:

Front X

Mid.

Rear

DRIVE SYSTEM:

FWD X

RWD

4WD Full Time

4WD Part Time

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars X	Light-Duty Trucks	Medium-Duty Vehicles _	Gas X Diesel
Manufacturer	VW AG	Engine Family	KVW 1.8 V6FAB9
Displacement (Ltr.)	1.8	Engine Type	Otto
Emission Control Syste	m MDET A TILP HAS		

Engine Code	Vehicle Models (Dymo HP)	Trans. Type	Equiv. Test Weight	Ignition System Part No.	Fuel System Part No.	EGR Valve Part No.	Catalyst Part No.
AAD2	Cabriolet (9.0)	M5	2625	EI, CA, VA 026 905 205 AH 026 905 206 B	MPFI 049 133 353 S	-	175 131 701
AAD8	Cabriolet (9.0)	A3	2625	EI, CA, VA 026 905 205 AH 026 905 206 B	MPFI 049 133 353 S		175 131 701

Comments:

See page one for abbreviations and evaporative emission family identification family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue: 05-04-88

Revisions: