

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-8-52  
Relating to Certification of New Motor Vehicles

BAYERISCHE MOTOREN WERKE AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Bayerische Motoren Werke AG exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement Liters (Cubic Inches)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
KBM3.4V5F678	3.4 (209.2)	Three-Way Catalyst Heated Oxygen Sensor (Electronic Port Fuel Injection) (On-Board Diagnostics)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons (Grams per Mile)</u>	<u>Carbon Monoxide (Grams per Mile)</u>	<u>Nitrogen Oxides (Grams per Mile)</u>
0.41	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons (Grams per Mile)</u>	<u>Carbon Monoxide (Grams per Mile)</u>	<u>Nitrogen Oxides (Grams per Mile)</u>
0.33	2.2	0.2

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard by providing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx emission standard, or is allowed a delay in implementation under small volume manufacturer provisions, or is allowed a delay in implementation under the "In lieu" standards, or is certifying passenger cars weighing more than 5250 lbs. loaded vehicle weight.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 21<sup>st</sup> day of July, 1988.

  
K. D. Drachand, Chief  
Mobile Source Division



# ENGINEERING EMISSION CONTROL

17 - 30

Section 17.03.00

ARB SUPPLEMENTAL DATA SHEET

ED # A-8-52

Manufacturer BMW

Engine Family KBM3.4V5F678

Evaporative Family EV 50

Engine Type 4 cycle, inline

Liters (CID) 3.4 l

### ABBREVIATIONS

#### Ignition System

- CA-Centrifugal Advance
- ECU-Electronic Control Unit
- EI-Electronic Ignition
- ESAC-Electronic Spark Advance Control
- VA-Vacuum Advance
- VR-Vacuum Retard

#### Special Features

- CFI-Central Fuel Injection or Throttle Body Injection
- EPFI-Electronic Port Fuel Injection
- MPFI-Mechanical Port Fuel Injection
- SFI-Sequential Fuel Injection
- DID-Diesel Injection-Direct
- DIP-Diesel Injection-Prechamber
- TC-Turbocharger
- SC-Supercharger
- IC-intercooler or Aftercooler
- CCV-Combustion Chamber Valve
- OBD-On-Board Diagnostics

#### Exhaust Emissions Control System

- AIP-Air Injection - Pump
- AIV-Air Injection - Valve
- EGR-Exhaust Gas Recirculation
- EIC-Electronic Injection Control (Diesel Only)
- EM-Engine Modification
- SPL-Smoke Puff Limiter or Throttle Delay
- TOC-Trap Oxidizer, Continual
- TOP-Trap Oxidizer, Periodical
- DBC-Dual Bed Catalyst
- OC-Oxidation Catalyst
- TWC-Three-Way Catalyst
- WUOC-Warm-Up Oxidation Catalyst
- WUTWC-Warm-Up Three-Way Catalyst
- OS-Oxygen Sensor
- HOS-Heated Oxygen Sensor

#### Fuel System

- CFI, EPFI, MPFI, SFI,
- DID, DIP, HOS, OS
- nV-nVenturi Carburetor
- VV-Variable Venturi Carburetor

Vehicle Model(s): BMW 535i, BMW 635CSi, BMW L 6, BMW 735i , BMW 735iL

DRIVE SYSTEM: Front engine, rear wheel drive

ISSUE DATE	REV.				SATISFACTORY	UNSATISFACTORY
02/22/88	DATE				DATE	NAME



# ENGINEERING EMISSION CONTROL

17 - 31

ED # A-8-52

## AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passengers Cars     Light-Duty Trucks     Medium-Duty Vehicles

Gas     Diesel

Manufacturer BMW    Engine Family KBM3.4V5F678

Liter (CID) 3 428 cu. cm    Eng. Type 4 cycle, inline

ECS (Special Features) EIC, HOS, TWC (EPFI, OBD)

Engine Code	Vehicle Model(s)	Trans. Type	Equiv. Test Weight	Ign. System Part No.	Fuel System Part No.	Catalyst Part No.
3.4/7 M5	<i>535i</i> BMW <del>735i</del>	# 9-16-70 manual (M 5)	3 875 lbs.	BMCU	BMCU	1 711 645/
	BMW 635CSi		3 875 lbs.	0 261 200 179	0 261 200 179	1 711 640
	BMW L 6		3 875 lbs.			
	BMW 735i		4 250 lbs.			
	BMW 735iL		4 250 lbs.			
3.4/7 A4	BMW 535i	autom. (A 4)	3 875 lbs.			
	BMW 635CSi		3 875 lbs.	1 235 522 365	0 280 203 027	
	BMW L 6		3 875 lbs.			
	BMW 735i		4 250 lbs.			1 715 905
	BMW 735iL		4 250 lbs.			
			FI			
					0 280 150 714	
					0 280 150 900	

Comments: See the preceding page for abbreviations and evaporative emission family identification.  
For dyno test HP settings refer to the test vehicle requirements list.

ISSUE DATE	REV.				SATISFACTORY	UNSATISFACTORY
02/22/88	DATE				DATE	NAME



# ENGINEERING EMISSION CONTROL

## Test Vehicle Requirements

Engine Family	Model Type	Equiv. Test Weight (lbs.)	Actual Road Load power (hp)
KBM3.4V5F678	735i, 735iL	4 250	8.3
	735iA, 735iAL	4 250	8.3
	L 6, 635CSI	3 875	9.6
	L 6 A, 635CSiA	3 875	9.6
	535i	3 875	7.9
	535iA	3 875	8.2

ISSUE DATE	REV DATE				SATISFACTORY DATE	UNSATISFACTORY NAME
02/22/88						