State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-155 Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family	•	lacement Cubic inches)	Exhaust Emission Control Systems (Special Features)		
KNS3.0T5HBC2	3.0	(180.6)	Air Injection - Vaive Exhaust Gas Recirculation Dual Bed Catalyst Heated Oxygen Sensor On-Board Diagnostics (Exempted) (Central Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Loaded Vehicle Hydrocarbons Weight(lbs.) (Grams per Mile)		Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)	
3751 - 5750	0.50	9.0	1.0	

The following are the certification emission values for this engine family:

Loaded Vehicle	Hydrocarbons	Carbon Monoxide (Grams per Mile)	Nitrogen Oxides	
Weight(ibs.)	(Grams per Mile)	(GI AIIIS DEI MITE)	(Grams per Mile)	
3751 - 5750	0.28	4.0	0.6	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model—year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compilance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _____ day of August, 1988.

K. D. Drachand, Chief Mobile Source Division

17.12.00 1989 AIR RESOL	URCES BOARD SUPPLEMENTAL DATA SHEE	T Page 1
Manufacturer: NISSAN MOTO	OR CO., LTD. Engine Family: KNS	3.0T5HBC2
Evaporative Family: TBI-	Engine Type: V-6,	ОНС
ABBREVIATIONS	Liters (CID): <u>3.0</u>	(180.6)
Ignition System	Exhaust Emission Control System	Special Features
CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard Fuel System CFI, SFI, HOS, OS, DIP, EPFI, MPFI, DID nV-nVenturi Carburetor VV-Variable Venturi Carburetor	OC-Oxidation Catalyst SPL-Smoke Puff Limiter or Throttle Delay	IC-Intercooler or Aftercooler EPFI-Electronic Port
Engine Code	Model	<u>Fransmission</u>
AV30ICM5 NI NI BV30ICM5 PA	ISSAN E V6 REGULAR BED 4X4 ISSAN SE V6 REGULAR BED 4X4 ISSAN SE V6 KING CAB 4X4 ATHFINDER XE V6 ATHFINDER SE V6	5-speed Manual
Engine: Front X Mid.	Rear	
Drive : FWD RWD	X 4WD Full Time 4WD Part	t Time <u>X</u>

Issue Date: 05/11/88 Revision Date:

17.12.00 1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 2

Passenger Cars___Light-Duty Trucks_X_Medium-Duty Vehicles___Gas X_Diesel_

Manufacturer: NISSAN MOTOR CO., LTD. Engine Family: KNS3.0T5HBC2

Liter (CID): 3.0 (180.6) Eng. Type: V-6, OHC

Emission Control Sys. (Special Features): AIV/DBC/EGR/HOS(CFI/OBD)

Vehicle Models (If Coded see attachment) (Dyno Hp)	Туре	Equiv. Test Weight	l (ECU) I	 Fuel System Part No.	<u> </u>	***
E V6 REGULAR BED 4X4 (14.5) SE V6 REGULAR BED 4X4 (14.5) SE V6 KING CAB 4X4 (14.5) PATHFINDER XE V6 (15.5) PATHFINDER SE V6 (16.0)		 4000** 4250** 4250**	(HITACHI) T5T61372 (MITSUBISI) Control Unit MECS-G425 (TRUCK 4WD) MECS-G405 (PATHFIN- DER 4WD)	Unit MECS-G425 (TRUCK 4WD) MECS-G405 (PATHFIN- DER 4WD) Air Flow Meter and Fuel Injector (SPI Body		D-xx,xK D-xx,xE D-xx,xF

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

**EIW of these models are between 4000 - 5999 lbs.

***The figures and numbers in the place of the mark x are variable according to lot number and production date.

Issue Date: 05/11/88

Revision Date:

E.O. #A-15-155 17.12.00 1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 3

Passenger Cars Light-Duty Trucks X Medium-Duty Vehicles Gas X Diesel

Manufacturer: NISSAN MOTOR CO., LTD. Engine Family: KNS3.0T5HBC2

Liter (CID): 3.0 (180.6) Eng. Type: V-6, OHC

Emission Control Sys. (Special Features): AIV/DBC/EGR/HOS(CFI/OBD)

Vehicle Models (If Coded see attachment) (Dyno Hp)	Туре	 Equiv. Test Weight	(ECU)	Fuel System	<u> </u> 	***
E V6 REGULAR BED 4X4 (14.5) SE V6 REGULAR BED 4X4 (14.5) SE V6 KING CAB 4X4 (14.5) PATHFINDER XE V6 (14.0) PATHFINDER SE V6 (14.5)	 H5 	 3875** 4250** 4250** 	(HITACHI) T5T61372 (MITSUBISI) Control Unit MECS-G425 (TRUCK 4WD) MECS-G405 (PATHFIN- DER 4WD)	Unit MECS-G425 (TRUCK 4WD) MECS-G405 (PATHFIN- DER 4WD) Air Flow Meter and Fuel Injector		D-xx,xK

See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

**EIW of these models are between 4000 - 5999 lbs.

***The figures and numbers in the place of the mark x are variable according to lot number and production date.

Issue Date: 05/11/88

Revision Date:

17.12.00 1989 AIR RESOU	RCES BOARD SUPPLEMENTAL DATA SHEE	T <u>Page 4</u>
Manufacturer: NISSAN MOTO	OR CO., LTD. Engine Family: KNS	3.0T5HBC2
Evaporative Family: TBI-3	Engine Type: V-6,	ОНС
ABBREVIATIONS	Liters (CID): <u>3.0</u>	(180.6)
Ignition System	Exhaust Emission Control System	Special Features
CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard Fuel System CFI, SFI, HOS, OS, DIP, EPFI, MPFI, DID	DBC-Dual Bed Catalyst EGR-Exhaust Gas Recirculation OS-Oxygen Sensor HOS-Heated Oxygen Sensor EM-Engine Modification OC-Oxidation Catalyst	Body Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber IC-Intercooler or Aftercooler EPFI-Electronic Port Fuel Injection MPFI-Mechanical Port
nV-nVenturi Carburetor VV-Variable Venturi Carburetor	WUOC-Warm-Up Oxidation Catalyst WUTWC-Warm-Up Three-Way Catalyst	
VEHICLE MODEL:		
Engine Code	Model	<u>Fransmission</u>
AV30 ICM4 BV30 ICM4	PATHFINDER XE V6 4X2 5	5-speed Manual
Engine: Front X Mid. Drive: FWD RWD	Rear X 4WD Full Time 4WD Part	t Time

Issue Date: 05/11/88 Revision Date: 17.12.00 1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 5

Passenger Cars Light-Duty Trucks X Medium-Duty Vehicles Gas X Diesel

Manufacturer: NISSAN MOTOR CO., LTD. Engine Family: KNS3.0T5HBC2

Liter (CID): 3.0 (180.6) Eng. Type: V-6, OHC

Emission Control Sys. (Special Features): AIV/DBC/EGR/HOS(CFI/OBD)

Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Туре	 Equiv. Test Weight	(ECU) 	Fuel System Part No.	 	***
 BV30ICM4	PATHFINDER XE V6 4X2 (15.5) PATHFINDER XE V6 4X2 (14.0)	M5	-	(HITACHI) T5T61372 (MITSUBISI) Control Unit MECS-G405	Unit MECS-G405 Air Flow	EGR Valve AEY77-6 	D-xx,xK

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Issue Date: 05/11/88

Revision Date:

^{**}EIW of these models are between 4000 - 5999 lbs.

^{***}The figures and numbers in the place of the mark x are variable according to lot number and production date.