### State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-16-97 Relating to Certification of New Motor Vehicles

#### MAZDA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4:

IT IS ORDERED AND RESOLVED: That 1989 model-year Mazda Motor Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family	Displacement Liters (Cubic Inches	Exhaust Emission Control Systems (Special Features)		
KTK2.2T2HCG2	2.2 (133)	Air injection — Valve Exhaust Gas Recirculation Oxygen Sensor Oxidation Catalyst Three-Way Catalyst On-Board Diagnostics (Exempted)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Loaded Vehicle Weight(ibs.)	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
	(Grams per Mile)	(Grams per Mile)	(Grams per Mile)	
0 - 3750	0.39	9.0	1.0	

The following are the certification emission values for this engine family:

Loaded Vehicle Weight( bs.)	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
	(Grams per Mile)	(Grams per Mile)	(Grams per Mile)	
0 - 3750	0.17	5.0	0.8	

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard by providing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx emission

standard, or is allowed a delay in implementation under small volume manufacturer provisions, or is allowed a delay in implementation under the "in lieu" standards, or is certifying passenger cars weighing more than 5250 lbs. loaded vehicle weight.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13. California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with the 2 year/24,000 mile warranty provisions of Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 30th day of June, 1988.

K. D. Drachand, Chief Mobile Source Division

## E.O. # A-16-97

### 198 9 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

			Page 1
Manufacturer Mazda Motor Cor	poration	_ Engine FamilyKT	K2.2T2HCG2
Evaporative FamilyG	·	_ Engine Type	I-4
		Liters (CID)	2.2 (133)
ABBREVIATIONS -			
Ignition System	Exhaust Em	issions Control System	Special Features
CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard  CFI, EPFI, MPFI, SFI, DID, DIP, HOS, OS nV-nVenturi Carburetor VV-Variable Venturi Carburetor	AIV-Air In EGR-Exhaust EIC-Electro (Diese EM-Engine N SPL-Smoke N Throttle TOC-Trap Ox TOP-Trap Ox DBC-Dual Be OC-Oxidation TWC-Three-N WUOC-Warm-U WUTWC-Warm-OS-Oxygen	kidizer, Continual kidizer, Periodical ed Catalyst on Catalyst Nay Catalyst Jp Oxidation Catalyst -Up Three-Way Catalyst	CFI-Central Fuel Injection or Throttle Body Injection EPFI-Electronic Port Fuel Injection MPFI-Mechanical Port Fuel Injection SFI-Sequential Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber TC-Turbocharger SC-Supercharger IC-Intercooler or Aftercooler CCV-Combustion Chamber Valve OBD-On-Board Diagnostic
VEHICLE MODELS: Mazda B2200		•	
Engine: Front X Mid.	Rear		
Drive: FWD RWD 080187	<u>x</u> . 4WD	Full Time 4WD	Part Time

	Cars Light		•	·	•		esel
	D) 2.2 (133)			•			· .
	Control Sys. (Spe						
Engine Code	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	Ign. System (ECU)	Fuel System Part No.	EGR Valve	
	(Dyno Hp)			Tait No.	rart No.	Part No.	Part No.
CF2T-M CF2T-MC		<u>м</u> –5	3000			·	
T-M CF2T-MC			3125	F240	F240 (for M/T)		F242 (M/T
CF2T-A	Mazda B2200 (11.6)		3000		F241 (for A/T)	K5T 59171	F243 (A/T
		A-4	3125				·
CF2T-AC			3125				

Revisions:

Date of Issue May 10, 1988