## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-16-98 Relating to Certification of New Motor Vehicles

## MAZDA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Mazda Motor Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

| Engine Family | Displacement<br>Liters (Cubic Inches) |       | Exhaust Emission Control Systems (Special Features)   |  |  |
|---------------|---------------------------------------|-------|---|--|--|
| KTK2.6T5FHB4  | 2.6                                   | (159) | Oxygen Sensor Three-Way Catalyst (Electronic Port Fuel Injection) On-Board Diagnostics (Exempted) |  |  |

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

| Loaded Vehicle _Weight(lbs.) | Hydrocarbons     | Carbon Monoxide  | Nitrogen Oxides  |  |
|------------------------------|------------------|------------------|------------------|--|
|                              | (Grams per Mile) | (Grams per Mile) | (Grams per Mile) |  |
| 0-3750                       | 0.39             | 9.0              | 1.0              |  |

The following are the certification emission values for this engine family:

| Loaded Vehicle Weight(Ibs.) | Hydrocarbons     | Carbon Monoxide  | Nitrogen Oxides  |  |
|-----------------------------|------------------|------------------|------------------|--|
|                             | (Grams per Mile) | (Grams per Mile) | (Grams per Mile) |  |
| 0-3750                      | 0.18             | 2.5              | 0.2              |  |

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard by providing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx emission standard, or is allowed a delay in implementation under small volume manufacturer provisions, or is allowed a delay in implementation under the "in lieu" standards, or is certifying passenger cars weighing more than 5250 lbs. loaded vehicle weight.

BE IT FURTHER RESOLVED: 'That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for FIII Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.), and with the 2 year/24,000 mile warranty provisions of Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

day of August, 1988.

K. D. Drachand, Chief Mobile Source Division

| anufacturer Mazda Motor   | Corporation   | Engine Family   | KTK2.6                | T5FHB4 & KTK2.6T5FHE7  |
|---|---|---|-----------------------|--|
| vaporative Family H   |   | Engine Type   |                       |  |
|   |   | Liters (CID)  | 2.6                   | L (159 CID)  |
|   | •   |   |                       |  |
| BBREVIATIONS  |   |   |                       |  |
| Ignition System   | Exhaust Em  | issions Control   | System                | Special Features   |
| CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard  CFI, EPFI, MPFI, SFI, DIO, DIP, HOS, OS nV-nVenturi Carburetor VV-Variable Venturi Carburetor | AIV-Air In EGR-Exhaus EIC-Electr (Dies EM-Engine SPL-Smoke Throttle TOC-Trap OBC-Dual OC-Oxidati TWC-Three- WUOC-Warm WUTWC-Warm OS-Oxygen HOS-Heated | Puff Limiter or Delay Exidizer, Conting Exidizer, Period Red Catalyst on Catalyst Way Catalyst Up Oxidation Catalyst Cup Three-Way Catalyst | Jal<br>ical<br>talyst | CFI-Central Fuel Injection or Throttle Body Injection  EPFI-Electronic Port Fuel Injection  MPFI-Mechanical Port Fuel Injection  SFI-Sequential Fuel Injection  DID-Diesel Injection- Direct  DIP-Diesel Injection- Prechamber  TC-Turbocharger  SC-Supercharger IC-Intercooler or Aftercooler  CCV-Combustion Chamber Valve  OBD-On-Board Diagnostics |
|   |   |   |                       | Obo-on-coard bragnostres   |
| VEHICLE MODELS:   | 4   |   |                       |  |
| Mazda M<br>MAZDA  | <sub>Pv</sub>   | 1)  |                       |  |
|   |   |   |                       |  |
| ngine: Front X Mid.   |   | rFull Time  |                       | . (4)  |

| senger         | Cars Ligh                       | t-Duty Tru     | cks <u>X</u>             | Medium-Duty Vo    | ehicles        | Page<br>Gas <u>X</u> Di  | esel     |
|----------------|---------------------------------|----------------|--------------------------|-------------------|----------------|--------------------------|----------|
| nufactur       | er MAZDA Motor                  | Corporati      | on .                     | Engine Far        | nily KTK2.6T5F | нв4 & КТ <del>К2.6</del> | TSPHE7   |
| ter (CIO       | 2.6 L                           | (159 CID)      |                          | Eng. 1            | уре            | I-4                      |          |
| ission C       | Control Sys. (Sp                | ecial Feat     | ures)                    | OS, TWC (EI       | PFI,OBD)       |                          | ·        |
| Engine<br>Code | Vehicle Models<br>(If Coded see | Trans.<br>Type | Test                     | Ign. System (ECU) | Fuel System    | EGR Valve                | Catalys  |
| •              | attachment) (Dyno Hp)           |                | Weight                   | Part No.          | Part No.       | Part No.                 | Part No. |
| CG6A-M         | 10.1 × 10.0 × 11.1 ×            |                |                          |                   |                |                          |          |
| CG6A-MC        | 11.0 *2                         | 2              | 3625                     | ·                 | Air Flow       |                          |          |
| CG6A-AC        | 10.0 *: 11.1 * 11.0 *           | A-4            |                          | G601              | Sensor<br>G601 |                          |          |
| 3-M<br>CG6B-MC | MPV 10.4 * 10.0 * 11.4 * 11.1 * | 2 M-5<br>1 2   |                          |                   | Injector       |                          |          |
| CG6B-AC        | 10.4 *1<br>10.0 *2<br>11.4 *1   | 2<br>1<br>A-4  |                          |                   | G601           | N/A                      | G601     |
|                |                                 |                | r P205/70F<br>r P215/65F |                   | ,              |                          |          |
|                |                                 |                |                          | •                 |                |                          |          |
|                |                                 |                |                          |                   |                |                          |          |
|                |                                 |                |                          |                   |                |                          |          |

Revisions:

Date of Issue