State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-16-96 Relating to Certification of New Motor Vehicles

MAZDA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Mazda Motor Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family		lacement Cubic inches)	Exhaust Emission Control Systems (Special Features)
KTK1.6V5FCT8	1.6	(97.5)	Oxygen Sensor Three-Way Catalyst (Electronic Port Fuel Injection) (Intercooler) (Turbocharger) On-Board Diagnostic (Exempted)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons (Grams per Mile)	Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)	
0.39	7.0	0.7	

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
0.19	2.2	0.3

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard by providing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx emission

standard, or is allowed a delay in implementation under small volume manufacturer provisions, or is allowed a delay in implementation under the "in lieu" standards, or is certifying passenger cars weighing more than 5250 lbs. loaded vehicle weight.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compilance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with the 2 year/24,000 mile warranty provisions of Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 29th day of June, 1988.

K. D. Drachand, Chief Mobile Source Division

E.O. # A-16-96

198 9 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

p	age	1
	uve	

Manufacturer Mazda Motor Corporation			Engine Family	KTK1.6V5FCT8
Evaporative Famil	y		Engine Type	I-4
·			Liters (CID)	1.6 (97.5 CID)
ABBREVIATIONS				
Ignition System		Exhaust Emi	ssions Control Syst	em Special Features
CA-Centrifugal Advance ECU-Electronic Control Sac-Electronic Sac-E	ntrol Unit ition park Advance	AIV-Air Inj EGR-Exhaust EIC-Electro (Diese EM-Engine M SPL-Smoke P Throttle TOC-Trap Ox TOP-Trap Ox DBC-Dual Be OC-Oxidatio TWC-Three-W WUOC-Warm-U	idizer, Continual idizer, Periodical d Catalyst n Catalyst ay Catalyst p Oxidation Catalys	EPFI-Electronic Port Fuel Injection MPFI-Mechanical Port Fuel Injection SFI-Sequential Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- t Prechamber
CFI, EPFI, MPFI, S DID, DIP, HOS, OS nV-nVenturi Carbun VV-Variable Ventur	retor	OS-Oxygen S	Up Three-Way Cataly ensor Oxygen Sensor	St TC-Turbocharger SC-Supercharger IC-Intercooler or Aftercooler CCV-Combustion Chamber Valve OBD-On-Board Diagnostics
VEHICLE MODELS:	Mazda 323			OBD-ON-BOAR & Dragnoscres
		4	· · ·	
Engine: Front	X Mid	Rear		· · · · · · · · · · · · · · · · · · ·
rive: FWD	X RWD	4WD	Full Time X 4	WD Part Time

_		108 9	ATR RES	SOURCES BO	ARD SUPPLEMENT	'AI NATA SHEFT	E.O. # 🛕	-16-96
Passenger	Cars X		•	• •		ehicles	Page Gas x Di	e 2
						mily KTK1.6V		
					····· = ······	Туре	•	
Emission C	Control S	ys. (Spe	cial Feat	ures)	OS, TWO	C (EPFI, IC, O	BD, TC)	
Engine Code	e (If Coded see	ed see	Trans. Type	Test	Ign. System (ECU)	Fuel System	EGR Valve	Catalyst
	attachment) .(Dyno Hp)			Weight	Part No.	Part No.	Part No.	Part No.
CB6 B-M		8.4	M~5	2,625				
СВ6В-МС		9.2				Injector 195500-130		B6B3 (2WD)
CB6B4-M	323	9.1	M- 5		B685	Air FlowMeter B660 13 210	N/A	B6E8 (4WD)
CB6B4-MC		10.0	(4WD)	3,000				
		<u> </u>						
Comments: `ease ref	er to man	nufacture	r's HP 1	ist for co	rrect dyno tes	emission family t HP settings t will be used	based on mo	del and

Date of Issue Apr. -27, 1988 Revisions: