## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-18-50 Relating to Certification of New Motor Vehicles

## VOLVO CAR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Volvo Car Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family		splacement (Cubic Inches)	Exhaust Emission Control Systems (Special Features)
KVV2.3V5F874	2.3	(141)	Three-Way Catalyst Heated Oxygen Sensor No On-Board Diagnostics (Exempted) (Electronic Port Fuel Injection) (Turbocharger) (Intercooler)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)		
0.41	7.0	0.7		

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)		
0.20	2.3	0.5		

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard by providing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx emission standard, or is allowed a delay in implementation under small volume manufacturer provisions, or is allowed a delay in implementation under the "in lieu" standards, or is certifying passenger cars weighing more than 5250 lbs. loaded vehicle weight.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for FIII Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: 'That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Maifunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this \_\_\_\_\_

day of August, 1988

K. D. Drachand, Chief Mobile Source Division

## 1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer Volvo Car Corporation			ngine Family KVV2.3	3V5F874		
Evaporative Family E3						
			iters (CID) $2.3$ (1			
ABBREVIATIONS						
Ignition System		Exhaust Emissi	ons Control System	Special Features		
CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard  Fuel System  CFI, EPFI, MPFI, SFI, DID, DIP, HOS, OS  AIP AIP AIV		EIC-Electronic (Diesel O EM-Engine Modi SPL-Smoke Puff Throttle Del TOC-Trap Oxidi TOP-Trap Oxidi DBC-Dual Bed C OC-Oxidation C TWC-Three-Way WUOC-Warm-Up O	ion - Valve s Recirculation Injection Control Injy) fication Limiter or ay zer, Continual zer, Periodical atalyst atalyst Catalyst xidation Catalyst or	CFI-Central Fuel Injection or Throttle Body Injection  EPFI-Electronic Port Fuel Injection  MPFI-Mechanical Port Fuel Injection  SFI-Sequential Fuel Injection  DID-Diesel Injection- Direct  DIP-Diesel Injection- Prechamber  TC-Turbocharger  SC-Supercharger IC-Intercooler or Aftercooler  CCV-Combustion Chamber Valve  OBD-On-Board Diagnostic		
VEHICLE MODELS:	740 Turbo Sedan, Wagon	760 Turbo Sedan, Wagon	780 Coupe			
Engine: Front	X Mid.	Rear				
Drive: FWD	RWD	X 4WD Fu	11 Time 4WD	Part Time		
080187						

anufactu	rer Volvo Car Co			Medium-Duty Ve			16261
	2.3 (141			Eng. 7			**
mission (	Control Sys. (Spec	cial Feat	ures) HOS	S/TWC (EPFI/TC	/IC/ECU) (of	D Exemp	<b>此</b> )
Engine codes	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	Ign. System (ECU)	Fuel System	EGR Valve	Catalyst
	(Dyno Hp)		Relgiic	Part No.	Part No.	Part No.	Part No.
F874:1			3375 3500	0 261 201012	(CU) 0280000541 (HOS) 0258003006 (AIR MASS) 0280212007	N/A	1326 481 or 1367 865
1874:2	740 Turbo Sedan (10.3) Wagon (9.1)	A4 AW71	- 3375 3500	11	11	11	"
	760 Turbo Sedan (8.9) Wagon (9.0)		- 3625 3625	. 11	11	11	tt
	780 (9.1)		3750	11	11	11	11

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue	Revisi	ons:	

030186