State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-19-60 Relating to Certification of New Motor Vehicles

DR. ING. h.c. F. PORSCHE, AKTIENGESELLSCHAFT

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Dr. ING h.c. F. Porsche, Aktiengesellschaft emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family		placement (Cubic Inches)	Exhaust Emission Control Systems (Special Features)
KPR151V5FE11	2.5	(151)	Heated Oxygen Sensor Three-Way Catalyst (Electronic Port Fuel Injection) (Turbocharger) On-Board Diagnostics (Exempted)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
0.41	7.0	0.4

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	(Grams per Mile)	(Grams per Mile		
0.30	3.1	0.2		

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

DR. ING. h.c. F. PORSCHE, AKTIENGESELLSCHAFT

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Maifunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this $2\sqrt{2}$

day of September, 1988.

K. D. Drachand, Chief Mobile Source Division

19 89 MODEL-YEAR CERTIFICATION REVIEW SHEET E.O. # A-19-60 EXHAUST/EVAPORATIVE SYSTEM & FILL PIPE SPECIFICATION COMPLIANCE

PROJECTED EMISSIONS (1) (2)

Veh_ID	CD (Disp)	Trans	Axle Ratio	ETW	FHP	MPG <u>City/Hwy</u>	Test Loc.
EC E1-1-H	151	И5	3.38	3250	5.8	20.6/33.9	MFR
E1-1-H	151	M5	3.38	3250	5.8	20.7/34.6	EPA
Veh ID EC E1-1-H () EC E1-1-H;	0.30 0.23)	3.10	0.20 0.22	Hwy Nox 0.05 0.02	5CK Evap or Part	

- (1) The emission date vehicle/s above comply with standards of .41 7.0 .4 .53 2.0 and include deterioration factors of 1.117 1.1193 1.070
- (2) Evaporative DF is the avg. of Vehicle DF ____ and Bench DF
- (2) Trap Oxidizer: Yes ___ No _X Continual ___ Periodic ___

Remarks: (1) Fuap only

Application
Frocessed By Mewber

Frocessed By Mewith Date: 9/27/84
Reviewed By: E. J. Kenny Date: 9/27/8

19_89 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer Porsche	Engine Family KPR151	V5FE11
Evaporative Family K	Engine Type L - 4	
	Liters (CID) 2.5 1	itres (151 cu. in.)
ABBREVIATIONS .		
Ignition System	Exhaust Emissions Control System	Special Features
CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance R-Vacuum Retard	AIP-Air Injection - Pump AIV-Air Injection - Valve EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control (Diesel Only) EM-Engine Modification SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical	CFI-Central Fuel Injection or Throttle Body Injection EPFI-Electronic Port Fuel Injection MPFI-Mechanical Port Fuel Injection SFI-Sequential Fuel Injection
Fuel System CFI, EPFI, MPFI, SFI, DID, DIP, HOS, OS nV-nVenturi Carburetor VV-Variable Venturi Carburetor	DBC-Dual Bed Catalyst OC-Oxidation Catalyst TWC-Three-Way Catalyst WUOC-Warm-Up Oxidation Catalyst WUTWC-Warm-Up Three-Way Catalyst OS-Oxygen Sensor HOS-Heated Oxygen Sensor	DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber TC-Turbocharger SC-Supercharger IC-Intercooler or Aftercooler CCV-Combustion Chamber Valve OBD-On-Board Diagnostic
VEHICLE MODELS: 944 Turbo		
	Rear	
ive: FWD RWD _X	4WD Full Time 4WD P	art Time

19 89 AIR RESOURCES BO	ARD SUPPLEMEN	ITAL DATA SHEET	E.O. # <u>A-19-60</u>	
Passenger Cars X Lig	ht-Duty Truck	s Medium-D	uty Vehicles	
Gas X Diesel				
Manufacturer Porsche Engine Family KPR151V5FE11				
Liter (CID) 2.5 (151) Engine Type L-4				
Emission Control Sys. (S	pecial Featur	es) <u>TWC, CL</u>	, (EPFI, TC)	
Vehicle Models If coded see Engine attachment Code (Dyno Hp) M 51/C 944 Turbo (5.8 hp)				
Fuel System Part No.	EGR Valve Part No.	_		
EFI 951-MW-01 951-KRW-01	N/A	951.111.094 951.111.094		
Comments: See page one				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

	_	-	
Date:	ΩŤ	Issue	Revisions: