State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-22-45 Relating to Certification of New Motor Vehicles

SAAB-SCANIA AB

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Saab-Scania AB exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

| Engine Family | Displacement <u>Liters (Cubic inches)</u> | | Exhaust Emission Control Systems (Special Features) | | |
|---------------|--|---------|--|--|--|
| KSA2.0V5FNC9 | 2.0 | (121.1) | Three-Way Catalyst Heated Oxygen Sensor (Electronic Port Fuel Injection) On-Board Diagnostics (Exempted) | | |

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

| Hydrocarbons | Carbon Monoxide | Nitrogen Oxides | | | |
|------------------|------------------|------------------|--|--|--|
| (Grams per Mile) | (Grams per Mile) | (Grams per Mile) | | | |
| 0.41 | 7.0 | 0.7 | | | |

The following are the certification emission values for this engine family:

| Hydrocarbons | Carbon Monoxide | Nitrogen Oxides | | |
|------------------|------------------|------------------|--|--|
| (Grams per Mile) | (Grams per Mile) | (Grams per Mile) | | |
| 0.33 | 2.3 | 0.5 | | |

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard by providing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx

emission standard, or is allowed a delay in implementation under small volume manufacturer provisions, or is allowed a delay in implementation under the "in lieu" standards, or is certifying passenger cars weighing more than 5250 lbs. loaded vehicle weight.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Maifunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.), and with the 2 year/24,000 mile warranty provisions of Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 29^{11} day of August, 1988.

K. D. Drachand, Chief Mobile Source Division

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

| .anufacturer Saab-Scania AB | Engine Family KSA2.0V5F | NC9 |
|--|--|---|
| Evaporative Family K-9000-5 | Engine Type S.I., 16-va | lve, 4-Cyl., Transverse |
| • | Liters (CID) <u>2.0L (121.</u> | 1 CID) |
| ABBREVIATIONS | | |
| Ignition System | Exhaust Emissions Control System | Special Features |
| CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard | AIP-Air Injection-Pump AIV-Air Injection-Valve DBC-Dual Bed Catalyst EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control EM-Engine Modification OC-Oxidation Catalyst OS-Oxygen Sensor HOS-Heated Oxygen Sensor SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical | CCV-Combustion Chamber Valve CFI-Central Fuel Injection or Throttle Body Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic |
| | TWC-Three-Way Catalyst WUOC-Warm-Up Oxidation Catalyst WUTWC-Warm-Up Three-Way Catalyt | Fuel Injection IC-Intercooler or Aftercooler MFI-Mechanical Fuel Injection OBD-On-Board Diagnostics TC-Turbocharger |

VEHICLE MODELS:

Saab 9000S 5-door

| _ngine: | Front_ | X | Mid. | Rear | | | | | |
|---------|--------|---|------|------|-----------|-----|------|------|--|
| Drive: | FWD | Χ | RWD | 4WD | Full Time | 4WD | Part | Time | |

14-1/

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

| ori N | Manufacturer <u>Saab-S</u> | cania AB | | | | | |
|----------------|--|-----------------|----------|---|--|--------------|---------------------|
| 8 | Engine Family KSA2. | OV5FNC9 | | | | | |
| E | ECS and (Special Fea | itures) _ | TWC, | HOS, (EF1) | | | |
| (| CID (liter) - Engine | Type <u>1</u> : | 21.1 CID | (2.0L), SI, 1 | 6-valve, 4 Cyl | ., Transvers | <u>e</u> |
| Engine Code | Vehicle Models (If Coded see Attachment) (HP) | Trans. | Test | Ign. System Part No. | Fuel System Part No. | EGR Valve | Catalys Part No. |
| 2023I13M | 9000S 5-door | M5 | 3375 | Bosch #0 227 | Electronic Control Unit Saab #7487143 Bosch #0 280 000 565 Air Mass Meter Saab #7538663 Bosch #0 280 | | 9392457 |
| 2023I13A | 9000 \$ 5-door | A4 | 3375 | 400 150 Ignition Coil Saab #2573834 Bosch #0 221 122 327 Power Stage Saab #7503600 Bosch #0 227 100 124 | 212 011 Oxygen Sensor Saab #7525603 Bosch #0 258 003 009 | | |
| ***NOTE: | FOR ADDITIONAL PART | NUMBER: | - SEE S | ECTION 20N1, | PAGE 10*** | | |

Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Add 10% to dyno test Hp for air conditioning usage.

| Date of Issue - C-3 | 071080 |
|---------------------|--------|
|---------------------|--------|