State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-23-64 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

iT IS ORDERED AND RESOLVED: That 1989 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family		splacement (Cubic inches)	Exhaust Emission Control Systems (Special Features)
KHN1.5V5FKCO	1.5	(91)	Exhaust Gas Recirculation Three-Way Catalyst Oxygen Sensor (Electronic Port Fuel Injection) (On-Board Diagnostics)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams_per_Mile)	(Grams per Mile)	(Grams per Mile)		
0.39	7.0	0.7		

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
0.10	1.2	0.2

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard by providing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx emission standard, or is allowed a delay in implementation under small volume manufacturer provisions, or is allowed a delay in implementation under the "in lieu" standards, or is certifying passenger cars weighing more than 5250 lbs. loaded vehicle weight.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with the 2 year/24,000 mile warranty provisions of Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

day of July, 1988

K. D. Drachand, Chief Mobile Source Division

E.O. 1 A-23-64

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

		•	Page 1
Manufacturer	HONDA	Engine Family	KHN1.5V5FKCO
Evaporative Family	89FD	Engine Type	I - 4
•		Liters (CID)	1.5 (91)
ABBREVIATIONS			
Ignition System	Exhaust Emi	ssions Control System	Special Features
CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard Fuel System CFI, EPFI, MPFI, SFI, DID, DIP, HOS, OS nV-nVenturi Carburetor VV-Variable Venturi Carburetor VEHICLE MODELS: Civic CRX HF	AIV-Air Inj EGR-Exhaust EIC-Electro (Diese EM-Engine M SPL-Smoke P Throttle TOC-Trap Ox TOP-Trap Ox DBC-Dual Be OC-Oxidation TWC-Three-W WUTWC-Warm-U OS-Oxygen S HOS-Heated	idizer, Continual idizer, Periodical d Catalyst n Catalyst ay Catalyst p Oxidation Catalyst Up Three-Way Catalyst	CFI-Central Fuel Injection or Throttle Body Injection EPFI-Electronic Port Fuel Injection MPFI-Mechanical Port Fuel Injection SFI-Sequential Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber TC-Turbocharger SC-Supercharger IC-Intercooler or Aftercooler CCV-Combustion Chamber Valve OBD-On-Board Diagnostics
		*	
Engine : Front X	Mid	Rear	
Drive : FWD X	RWD	4WD Full Time	4WD Part Time

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O.	#	A-23-61	ł

Page	2	

Passenger Cars X Light-Duty Trucks Manufacturer HONDA						-1	
Liter (CI	(D) 1.5 (9	1)		Engine Type	I	- 4	
Emission	Control Sys. (Spe	cial Fe	atures)	os	, EGR, TWC, (EPFI,OBD)	
Engine Code	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	Ign. System (ECU)	Fuel System	EGR Valve	Catalyst
	*(Dyno HP)	<u> </u>		Part No. (Vendor's)	Part No. (Vendor's)	Part No. (Vendor's)	Part No. (Vendor's
KK1 KK1/1	Civic CRX HF	พ5	2125	EI & ESAC Distributor: 30100-PM6 -0161 (TD-02U) ECU: 37820-PM8 -L022 (37820-PM8 -L02)	CL & EFI ECU: 37820-PM8 -L022 (37820-PM8 -L02)	18710-PM8 -A012(10H)	18150-PM8 -A014 (HCB) 18150-PM8 -A024 (HCB)
				•			·
0	C	1. 1		and avanaged	6		l fd aa td aa

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

		*;	Please	refer	to	page	08-1	in	1989	Application.
Date	of	Issued	l	04/30/	/88		F	levi	sions	s:

						~
1989	AIR	RESOURCES	BOARD	SUPPLEMENTAL	DATA	SHEET

E.O.	#	A-23-64

Page ____2.2

Passenger Cars	X Light-Duty Trucks	Medium-Duty Vel	hicles Gas _X Diesel
Manufacturer	HONDA	Engine Family	KHN1.5V5FKC0
Liter (CID) _	1.5 (91)	Engine Type	I - 4
Emission Contr	col Sys. (Special Features)	OS,	EGR, TWC, (EPFI, OBD)

Engine Code	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	Ign. System (ECU)	Fuel System	EGR Valve	Catalyst
	*(Dyno HP)			Part No. (Vendor's)	Part No. (Vendor's)	Part No. (Vendor's)	Part No. (Vendor's)
KK1-25 KK1/1-25	Civic CRX HF	M5	2125	EI & ESAC Distributor: 30100-PM6 -0265 (TD-02U) ECU: 37820-PM8 -L031 (37820-PM8 -L031)	EPFI ECU: 37820-PM8 -L031 (37820-PM8 -L031)	18710-PM8 -A012(10H)	18150-PM8 -A030(HCB) 18150-PM8 -A040(HCB)

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

*:	Please refer	to page 08-1	in 1989 Application.
Date of Issue	11/24/	89 R	Revisions:

1989 HONDA LDV 08-1

08.00.00 GENERAL TECHNICAL DESCRIPTION

Road Force and Dynamometer Setting Specifications

				W/O AC Factor		W/ AC Factor	
<u>Vehicle Model</u>	Tires	Trs.	ETW	CD Time	Test HP	CD Time	Test HP
Integra 3 Dr	195/60R14 85H	м5	2625	14.66	7.1	13.89	7.8
HB RS	195/60R14 85H	L4	2625	14.66	7.1	N/A	N/A
	195/60R14 85H	L4	2750	N/A	N/A	13.89	7.8
Integra 3 Dr	195/60R14 85H	М5	2625	13.43	7.3	N/A	N/A
HB LS	195/60R14 85H	M5	2750	N/A	N/A	12.72	8.0
	195/60R14 85H	L4	2750	13.43	7.3	12.72	8.0
Integra 5 Dr	195/60R14 85H	М5	2750	14.66	7.1	13.89	7.8
HB RS	195/60R14 85H	L4	2750	14.66	7.1	13.89	7.8
Integra 5 Dr	195/60R14 85H	м5	2750	13.43	7.3	12.72	8.0
HB LS	195/60R14 85H	L4	2750	13.43	7.3	12.72	8.0
Civic CRX HF	P165/70R13	M5	2125	17.22	5.6	16.06	6.2

Note: CD Time/Test HP determined using coastdown method.

ISSUED: 04/30/88 PLUM/08.00