#### State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-23-67 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family		splacement (Cubic Inches)	Exhaust Emission Control Systems (Special Features)		
KHN1.5V5FDC4	1.5	(91)	Three-Way Catalyst Oxygen Sensor (Central Fuel Injection) (On-Board Diagnostics)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
0.13	2.6	0.5

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard by providing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx

emission standard, or is allowed a delay in implementation under small volume manufacturer provisions, or is allowed a delay in implementation under the "in ileu" standards, or is certifying passenger cars weighing more than 5250 lbs. loaded vehicle weight.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: ,That the listed vehicle models also comply with the Board's high aitlitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.), and with the 2 year/24,000 mile warranty provisions of Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this  $\frac{22}{}$  day of August, 1988.

K. D. Drachand, Chief Mobile Source Division

## E.O. # A-23-67

## 1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer HONDA	Engine Family	KHN1.5V5FDC4
Evaporative Family 89FD	Engine Type	I - 4
·	Liters (CID)	1.5 (91)
ABBREVIATIONS		
Ignition System	Exhaust Emissions Control System	Special Features
CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	(Diesel Only) EM-Engine Modification SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical DBC-Dual Bed Catalyst OC-Oxidation Catalyst TWC-Three-way Catalyst	CFI-Central Fuel Injection or Throttle Body Injection EPFI-Electronic Port Fuel Injection MPFI-Mechanical Port Fuel Injection SFI-Sequential Fuel Injection DID-Diesel Injection DIP-Diesel Injection
Fuel System  CFI, EPFI, MPFI, SFI,  DID, DIP, HOS, OS  nV-nVenturi Carburetor  VV-Variable Venturi Carburetor	WUOC-Warm-Up Oxidation Catalyst WUTWC-Warm-Up Three-Way Catalyst OS-Oxygen Sensor HOS-Heated Oxygen Sensor	Prechamber TC-Turbocharger SC-Supercharger IC-Intercooler or Aftercooler CCV-Combustion Chamber Valve OBD-On-Board Diagnostics
VEHICLE MODELS:		
Civic Sedan DX - Man	ual Transmission	
Civic Sedan LX - Man	ual Transmission	
Civic Wagon - Manual	Transmission	
Engine : Front X Mid.	Rear	
Drive: FWD X RWD	4WD Full Time	4WD Part Time

080187

ISSUED: 05/31/88

### 1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars X Light-Duty Trucks Medium-Duty Vehicles Gas X Diesel

E.O.	#	A-23-67	,
------	---	---------	---

			Page	2

Manufactu	irer	HONDA			Engine Fami	1y	HN1.5V5FDC4	
Liter (C	ID)	1.5 (	91)		Engine Type			
					) OS			
Engine Code	Vehicle (If Code	d see	Type	Test	Ign. System (ECU)	Fuel System	EGR Valve	Catalyst
	*(Dyno H	,		Weight	Part No.	Part No. (Vendor's)	Part No. (Vendor's)	Part No. (Vendor's)
	Civic Se	dan DX			EI & ESAC	CFI	n/a	18150-PM5 -A013(HCC)
KD1	Civic Se Civic Wa			,	Distributor: 30100-PM5 -A031(TD-01U)	ECU: 37820-PM5 -L210 (37820-PM5		18150-PM5 -A024(HCC)
KD1/1	Civic Se		М5	2500	ECU: 37820-PM5 -L210 (37820-PM5 -L21)	-L21)	·	
	Civic Wa	igon		2625				
					<u>-</u>			
						·		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

Date	of	Issued	05/31/88	Revisions

080187

ISSUED: 05/31/88

<sup>\*:</sup> Please refer to page 08-1 in 1989 Application.

#### 1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Liter (CID) 1.5 (91) Engine Type I - 4

Emission Control Sys. (Special Features) OS, TWC (CFI, OBD)

E.O.	#	A-23-67	,

			Page2.2
,			
Passenger Cars X	_ Light-Duty Trucks	Medium-Duty Vehicles	Gas X Diesel
Manufacturer	HONDA	Engine Family	KHN1.5V5FDC4

Engine Code	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	(ECU)	Fuel System	EGR Valve	Catalyst
	*(Dyno HP)			Part No. (Vendor's)	Part No. (Vendor's)	Part No. (Vendor's)	Part No. (Vendor's)
	Civic Sedan DX						
KD1-14	Civic Sedan DX Civic Sedan LX			EI & ESAC Distributor:	CFI ECU:	N/A	18150-PM5 -A014(HCC)
	Civic Wagon	ME	2500	30100-PM5 -A041(TD-01U)	37820-PM5 -L220 (37820-PM5		18150-PM5 -A014 (6XXXXS)
	Civic Sedan DX	M5	2500	ECU: 37820-PM5 -L220 (37820-PM5	-L220)		18150-PM5 -A024(HCC)
KD1/1-14	Civic Sedan LX			-L220)			18150-PM5 -A031(HCC)
·	Civic Wagon		2625				
				. •			
•						,	

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

*: Please	e refer to page 08-1	in 1989 Applicati	on.
Date of Issued	02/06/89	Revisions: 06/23	189 (P/N update)