State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-23-75 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 28, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Heaith and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family		splacement (Cubic Inches)	Exhaust Emission Control Systems (Special Features)
KHN2.0V0F7C1	2.0	(119)	Air Injection - Valve Oxygen Sensor Three-Way Catalyst (On-Board Diagnostics)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons (Grams per Mile)	Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)		
0.39	7.0	0.7		

The following are the certification emission values for this engine family:

Hydrocarbons (Grams per Mile)	Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)		
0.12	1.4	0.5		

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard by providing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx emission standard, or is allowed a delay in implementation under small volume manufacturer provisions, or is allowed a delay in implementation under the "in lieu" standards, or is certifying passenger cars weighing more than 5250 lbs. loaded vehicle weight.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Mode! Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.), and with the 2 year/24,000 mile warranty provisions of Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 2 day of August, 1988.

K. D. Drachand, Chief Mobile Source Division

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O.	ŧ	A-	-2	3		75	5
			_	_	_	_	

			ragel
Manufacturer	HONDA	Engine Family	KHN2.0V0F7C1
Evaporative Family	89FC	Engine Type	I - 4
•		Liters (CID)	2.0 (119)
ABBREVIATIONS			
Ignition System	Exhaust	Emissions Control System	Special Features
CA-Centrifugal Advance ECU-Electronic Control EI-Electronic Ignition ESAC-Electronic Spark Control VA-Vacuum Advance VR-Vacuum Retard	ol Unit AIV-Air on EGR-Exh c Advance EIC-Ele (Di EM-Engi SPL-Smo Thr TOC-Tra TOP-Tra DBC-Dua OC-Oxid	Injection - Pump Injection - Valve aust Gas Recirculation ctronic Injection Control esel Only) ne Modification ke Puff Limiter or ottle Delay p Oxidizer, Continual p Oxidizer, Periodical l Bed Catalyst ation Catalyst ee-way Catalyst	CFI-Central Fuel Injection or Throttle Body Injection EPFI-Electronic Port Fuel Injection MPFI-Mechanical Port Fuel Injection SFI-Sequential Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection-
Fuel System CFI, EPFI, MPFI, SFI, DID, DIP, HOS, OS nV-nVenturi Carbureto VV-Variable Venturi C	WUOC-Wa WUTWC-W OS-Oxyg HOS-Hea	rm-Up Oxidation Catalyst arm-Up Three-Way Catalyst en Sensor ted Oxygen Sensor	Prechamber
VEHICLE MODELS:			
Prelude S -	- Automatic Transm	ission	
Engine : Front X	Mid	Rear	
Design to EUD V	DLID	AUD Full Time	AUD Part Time

080187

ISSUED: 05/31/88

1989	AIR	RESOURCES	BOARD	SUPPLEMENTAL	DATA	SHEET

E.O.	#	A-23-75

Page ____2

Manufacturer HONDA			Engine Type I - 4				
Engine Code	Vehicle Models (If Coded see attachment) *(Dyno HP)	Trans. Type	Equiv. Test Weight	Ign. System Part No. (Vendor's)	Fuel System Part No. (Vendor's)	EGR Valve Part No. (Vendor's)	Catalyst Part No. (Vendor's)
K73 K73/1	Prelude S	L4	3000	CA, EI & VA Toyo Denso Distributor: 30100-PK1 -6925 (TD-05V) Hitachi Distributor: 30100-PK1 -6915 (D4R86-14)	VV Keihin Carburetor: 16100-PK1 -6920	N/A	18150-PK2 -6630(HCM) 18150-PK2 -6640(HCM)

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

		*: P	lease	refer	to	page	08-1.1	in	1989	Application.	_
Date	of	Issued		05/31	/8	3	R	evis	ions	•	

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O.	#	<u> </u>

Page	2.2
_	

Passenger Cars X Light-Duty Trucks		Medium-Duty Vehicles Gas X Diesel							
Manufactu	rer HONDA			_ Engine Fami	Engine Family KHN2.0V0F7C1				
Liter (CI	(D)2.0 (119)		_ Engine Type	I	_ 4			
Emission	Control Sys. (Sp	ecial F	eatures) <u> </u>	IV, OS, TWC,	(OBD)			
		, -		1	I				
Engine Code	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight		Fuel System	EGR Valve	Catalyst		
	*(Dyno HP)		METRIIL	Part No. (Vendor's)	Part No. (Vendor's)	Part No. (Vendor's)	Part No. (Vendor's)		
K73-23 K73/1-23	Prelude S	L4	3000	CA, EI & VA Toyo Denso Distributor: 30100-PK1 -6920 (TD-05V) Hitachi Distributor: 30100-PK1 -6916 (D4R86-14)	VV Keihin Carburetor: 16100-PK1 -6930	n/A	18150-PK2 -6630 (HCM) 18150-PK2 -6640 (HCM)		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. Add 10% to dyno test HP for air conditioning usage.

Date	of	Issued	10/17/89	Revisions

^{*:} Please refer to page 08-1.1 in 1989 Application.