State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-30-67 Relating to Certification of New Motor Vehicles

AUD I AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Audi AG exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Liters (Cubic Inches)		Exhaust Emission Control Systems (Special Features)		
KAD2.3V6FNB3	2.3	(141)	Heated Oxygen Sensor Three-Way Catalyst (Mechanical Port Fuel Injection) (On-Board Diagnostics)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)		
0.41	7.0	0.7		

The following are the certification emission values for this engine family:

Hydrocarbons (Grams per Mile)	Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)
0.26	2.5	0.3

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard by providing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx emission standard, or is allowed a delay in implementation under small volume

manufacturer provisions, or is allowed a delay in implementation under the "in lieu" standards, or is certifying passenger cars weighing more than 5250 lbs. loaded vehicle weight.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Maifunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) with the 2 year/24,000 mile warranty provisions of Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this $frac{2}{2}$

day of May, 1988.

K. D. Drachand, Chief Mobile Source Division

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer AUDI AG		Engine Family	KAD 2.3 V6FNB3	
	100: ADCN 80/90: ADBN	Engine Type Liters (CID)	2.3 (141)	
,				
ABBREVIATIONS				
Ignition System	Exhaust Emission	ns Control System	Special Features	
CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	AIP-Air Injectically-Air Injectically-Air InjecticEGR-Exhaust Gas EIC-Electronic (Diesel On EM-Engine Modif SPL-Smoke Puff Introttle De TOC-Trap Oxidize TOP-Trap Oxidized DBC-Dual Bed Caroc-Oxidation Caroc-Twc-Three-Way Company Co	on-Valve Recirculation Injection Control ly) ication Limiter or lay er, Continual er, Periodical talyst	CFI-Central Fuel Injection or Throttle Body Injection EPFI-Electronic Port Fuel Injection MPFI-Mechanical Port Fuel Injection SFI-Sequential Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection-	
Fuel System CFI, EPFI, MPFI, SFI DID, DIP, HOS, OS nV-nVenturi Carburetor VV-Variable Venturi Carburetor			Prechamber TC-Turbocharger SC-Supercharger IC-Intercooler or Aftercooler CCV-Combustion Chamber Valve OBD-On-Board Diagnosti	
VEHICLE MODELS:	1) Audi 100 Audi 100 Waga Audi 90	(A/T) on (A/T)		
•	2) Audi 80 quati Audi 90 quati			
Engine: Front Drive: FWD X RWI			4WD Part Time	
080187 Revision	Date:			

				E.O.	#	A-30-67
1989 AIR RESOURCES	BOARD	SUPPLEMENTAL	DATA			

_	*					• " -	
		•			-Duty Vehicles		iesel
	nufacturer				ne Family <u>KAD</u>		
Lit	er (CID)	2.3 (1	141)	Engi	ne Type <u>L 5</u>		
Emi	ssion Control S	ystem (S	Special F	Features) <u>T</u>	WC, HOS, (MPFI, C	OBD)	· · · · · · · · · · · · · · · · · · ·
Engine Code	!(If coded see	! Type !	Equiv. Test Weight	! (ECU)	! Fuel System ! !	EGR Valve	! Catalyst !
	! (Dyno HP)			Part No.	! Part No.	Part No.	! Part No.
NLAKZAY1	! ! 100 ! (7.0) !	! A3 ! ! A3 ! !		ECU 443907397 E	! ! MPFI !034133353 C ! ECU !443906264 B	! N/A !	! !447131701 A ! !
	!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!	! ! ! !			! HOS !034906265 A,or! !034906265 D,or! !034906265 F		!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
- " -	! ! 100 Wagon ! (7.0)	! ! - " -! !	3375	_ и <u>_</u>	 	_ " _	! - " -
NLAHNAY1	! ! 90 ! (6.4) !	! ! M5 !	3125	_ " _	- " -	_ " _	! !893131702 A !(no. on part !893 178 A)
- " -	! ! 80 quattro ! (7.6)	! ! M5/Q ! !	3250	_ " _	 - " - 	_ 41 _	! ! - " - !
- " -	! ! 90 quattro ! (7.6)	! ! M5/Q !	3250	_ " _	! - " -	- " - 	! - " -

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date	of	Issue	01-12-88	Revisions:

030186