State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-30-71 Relating to Certification of New Motor Vehicles

AUDI AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Audi AG exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	•	lacement (Cubic Inches)	Exhaust Emission Control Systems (Special Features)
KAD2.2V6FNG2	2.2	(136)	Heated Oxygen Sensor Three-Way Catalyst (Mechanical Port Fuel Injection) (Turbocharger) (Intercooler) No On-Board Diagnostics (Exempted)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)		
0.41	7.0	0.7		

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)		
0.22	2.6	0.2		

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Code of Regulations which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard by providing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx emission

standard, or is allowed a delay in implementation under small volume manufacturer provisions, or is allowed a delay in implementation under the "in lieu" standards, or is certifying passenger cars weighing more than 5250 lbs. loaded vehicle weight.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.) and with the 2 year/24,000 mile warranty provisions of Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 3rd day of November, 1988.

K. D. Drackand, Chief Mobile Source Division

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer AUD	I AG	Engine Family _	KAD 2.2. V6FNG2
Evaporative FamilyKN	G4	Engine Type	L 5
		Liters (CID)	2.22 (136)
ABBREVIATIONS			
Ignition System	Exhaust Emissic	ons Control System	n <u>Special Features</u>
CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard Fuel System CFI, EPFI, MPFI, SFI DID, DIP, HOS, OS nV-nVenturi Carburetor VV-Variable Venturi Carburetor	EIC-Electronic (Diesel Or EM-Engine Modif SPL-Smoke Puff Throttle De TOC-Trap Oxidiz TOP-Trap Oxidiz DBC-Dual Bed Ca OC-Oxidation Ca TWC-Three-Way (WUOC-Warm-Up Ox	ion-Valve Recirculation Injection Control Injection Limiter or elay zer, Continual zer, Periodical atalyst atalyst cidation Catalyst hree-Way Catalyst	EPFI-Electronic Port Fuel Injection MPFI-Mechanical Port Fuel Injection SFI-Sequential Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber
VEHICLE MODELS:	(a) Audi 200 Tu (b) Audi 200 qu	urbo uattro/Wagon	
Engine: Front X Drive: FWD (a) RW 080187 Revision	D 4WD	.	_ 4WD Part Time

							E.O.	#	A-30-71
19	89	AIR	RESOURCES	BOARD	SUPPLEMENTAL	DATA	SHEET		

Pas	senger Cars <u>X</u>	Light-	Outy True	cks <u> </u>	Duty Vehicles _	_ Gas <u>X</u> Di	esel
Man	ufacturer	AUDI A	<u> </u>	Engin	e Family <u>KAD</u>	2.2 V6FNG2	
Lit	er (CID)	2.22	(136)	Engin	e Type L 5		
Emi	ssion Control Sy	ystem (S	Special F	Features)TW	C, HOS, (MPFI,	TC, IC)	
Code	!Vehicle Models !(If coded see !attachment) ! (Dyno HP)	!Trans.! !Type	! Test ! Weight	! (ÉCU) !	! Fuel System ! ! ! Part No.	! EGR Valve ! ! ! Part No.	! Catalyst !
NAA3	! 200 Turbo ! (7.0)	! A3 !	! 3500	! ! ECU	! ! MFI !034133353	! N/A !	! Part No. ! !447131701,or !447131701 A
					! ! TC !034145703 C !	! ! !	! ! !
NAA4	! 200 Turbo ! (7.0)	! ! M5 ! !	3500	_ " _	! ! - " - !	! ! _"_ !	! !443131701G,or !443131701Q,or !443131701S
NAA4	200 quattro (7.8)	M5/Q !	3750	_ # _	! ! - " - !	! ! -"- !	! ! - " - !
NAA4	! 200 quattro !! ! Wagon ! (7.8)	M5/Q	3875 !	_ # _	! ! - " - !	! ! -"- !	! ! - " - !
!					! ! !	! ! !	! ! !
					! !	! !	! !
		1 1		1	i		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date	of	Issue	05-02-88	Revisions: