State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-259-10 Relating to Certification of New Motor Vehicles

SUZUKI MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Suzuki Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family	Displacement <u>Liters (Cubic Inches)</u>		Exhaust Emission Control Systems (Special Features)		
KSK1.3T2FFC8	1.3	(79/81)	Exhaust Gas Recirculation Three-Way Catalyst Oxygen Sensor On-Board Diagnostics (Exempted)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Loaded Vehicle Hydrocarbons Weight(ibs.) (Grams per Mile)		Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)	
0-3750	0.41	9.0	1.0	

The following are the certification emission values for this engine family:

Loaded Vehicle Hydrocarbons Weight(ibs.) (Grams per Mile)		Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)	
0-3750	0.13	3.8	0.3	

BE IT FURTHER RESOLVED: That the listed models in the 0-3750 ibs. loaded vehicle weight class are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed models in the 0-3750 lbs. loaded vehicle weight class to the optional NOx standard by providing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx emission standard, or is allowed a delay in implementation under small volume manufacturer provisions, or is allowed a delay in implementation under the "in lieu" standards, or is certifying passenger cars weighing more than 5250 lbs. loaded vehicle weight.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high aititude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Maifunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1988) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.), and for the listed vehicle models in the 0-3750 lbs. loaded vehicle weight class with the 2 year/24,000 mile warranty provisions of Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _

______day of Aligust, 1988

K. D. Drachand, Chief Mobile Source Division

Mamie

17.07.00 ARB SUPPLEMENTAL DATA SHEET AND MODEL YEAR CERTIFICATION REVIEW SHEET

E.O. # A-259-10

.01 1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page _1_

Manufacturer	SUZUKI MOTOR CO., LTD	Engine Family KSK1.3T2FFC8
Evaporative Family		Engine TypeL4
•		Liters (CID) <u>1.3 (79,81)</u>

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
ECU-Electronic Control Unit
EI-Electronic Ignition
ESAC-Electronic Spark
Advance Control
VA-Vacuum Advance
VR-Vacuum Retard

AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed loop
EGR-Exhaust Gas Recircul
EIC-Electronic Injection
(Diesel Only)
EM-Engine Modification

Fuel System

CFI, EPFI, MPFI, SFI, DID, DIP, HOS, OS nV-nVenturi Carburetor VV-Variable Venturi Carburetor

Exhaust Emissions Control System

AIP-Air Injection-Pump CL-Closed loop EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control (Diesel Only) EM-Engine Modification SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical DBC-Dual Bed Catalyst OC-Oxidation Catalyst TWC-Three-Way Catalyst WUOC-Warm-Up Oxidation Catalyst NUTWC-Warm-Up Three Way Catalyst OS-Oxygen Sensor HOS-Heated Oxygen Sensor

Special Features

CFI-Central Fuel
Injection or
Throttle Body
Injection
EPFI-Electronic Port
Fuel Injection
MPFI-Mechanical Port
Fuel Injection

SFI-Sequntial Fuel
Injection
DID-Diesel InjectionDirect
DIP-Diesel InjectionPrechamber
TC-Turbocharger
SC-Supercharger
IC-Intercooler or
Aftercooler
CCV-Combustion
Chamber Valve
OBD-On-Board
Diagnostics

VEHICLE MODELS:

JC51C, JC51V (Tune-up Label P/N 83381)
TA51C, TA51V (Tune-up Label P/N 63A11)

Engine: Front X Mid. Rear Drive: FWD RWD 4WD Full Time 4WD Part Time X

E.O. # A-259-10

17.07.01 1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET (Cont'd)

Page 2

Passenger Cars___ Light Duty Trucks_X Medium Duty Trucks__ Gas_X Diesel___

Manufacturer <u>SUZUKI MOTOR CO., LTD.</u>

Engine Family KSK1.3T2FFC8

Liter (CID) 1.3 (79.81)

Eng. Type 14

Emission Control Sys. (Special Features) <u>CL+TWC+EGR</u>

Engine Code	Vehicle Models (If Coded see attachment) (Dyno HP)	Trans.	Equiv. Test Weight	Ign.System Part No.	Fuel System Part No.	EGR Valve	Catalyst Part No.
FA *	JC51C (13.0) JC51V (13.0)	M5	2,375	Distributor: 33100-83032		8300	14210- 83011
FB **	TA51C (12.0) TA51V (12.0)	M5	2,375	Distributor: 33100-83032			

Comments: See page one for abbreviations and evaporative emission family identification.

> Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment.

OBD EXEMPT

- * Tune-up Label P/N 83381
- ** Tune-up Label P/N 63A11

Date of issue -