State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-273-5 Relating to Certification of New Motor Vehicles

AUTOMOBIL! LAMBORGHIN! S.p.A.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Automobili Lamborghini S.p.A exhaust emission control systems are certified as described below for gasoline-powered medium-duty vehicles:

Engine Family	Displacement Liters (Cubic inches)		Exhaust Emission Control Systems (Special Features)		
KNL5.2T5FLM3 5.2 (315)		(315)	Heated Oxygen Sensor (Two) Three-Way Catalysts (Two) (Sequential Fuel Injection) On-Board Diagnostics (Exempted)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)		
0.60	9.70	1.5		

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)		
0.41	4 2	1.3		

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Maifunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 16th day

 $\frac{20}{1}$ day of February, 1989.

K. D. Drachand, Chief Mobile Source Division

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Evaporative Family <u>T5FLM3-1</u>	Engine TypeGas	V-12
	Liters (CID)	
ABBREVIATIONS		
Ignition System	Exhaust Emissions Control System	Special Features
CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard CFI, EPFI, MPFI, SFI, DID, DIP, HOS, OS nV-nVenturi Carburetor VV-Variable Venturi Carburetor	AIP-Air Injection - Pump AIV-Air Injection - Valve EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control	CFI-Central Fuel Injection or Throttle Body Injection EPFI-Electronic Port Fuel Injection MPFI-Mechanical Port Fuel Injection SFI-Sequential Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber TC-Turbocharger SC-Supercharger IC-Intercooler or Aftercooler CCV-Combustion Chamber Valve OBD-On-Board Diagnostic
VEHICLE MODELS:		
LM129/LM002		
Engine: Front X Mid	Rear	
Drive: FWD RWD	X 4WD Full Time 4WD	Part Time Y

assenger	Cars Light-			ARD SUPPLEMENTA Medium-Duty Ve	•	Page ias <u>xx</u> Di	_ <u>2</u> ese1
Manufactur	er <u>Automobili LA</u>	MBORGHINI	S.p.A.	Engine Fam	ily KNL5.2T5	FLM3	
Liter (CID) <u>5.2 L (315</u>)		Eng. T	ype <u>Gas V-12</u>		
Emission C	ontrol Sys. (Spec	ial Feat	ures)	HOS (2), TWC	(2), (SFI) _		rús
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System Part No.	EGR Valve	Catalyst Part No.
ENG 89 L520/71	IM129/IM002 (20.0)	M-5	7000	ECU,ESAC (Marelli MED 124A)	EFI (LIE 52/12)		TWC (2)
				5201-16-27608	5201/71-20- 27650		1291/71-44 29254
Comments:	See page one fo	r abbrevi	ations an	d evaporative e	emission famil	v identifica	ation.
	fer to manufactur	er's HP 1	ist for c	orrect dyno tes	t HP settings	based on mo	del and