

8030k

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-292
Relating to Certification of New Motor Vehicles

VIXEN MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Vixen Motor Company emission control systems are certified as described below for gasoline-powered medium-duty vehicles:

| <u>Engine Family</u> | <u>Displacement Liters (Cubic Inches)</u> | <u>Exhaust Emission Control Systems (Special Features)</u> |
|----------------------|---|--|
| KXN3.8T5FTG9 | 3.8 (231) | Exhaust Gas Recirculation Three-Way Catalyst Oxygen Sensor (Electronic Port Fuel Injection) (On-Board Diagnostics) |

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

| <u>Loaded Vehicle Weight(lbs.)</u> | <u>Hydrocarbons (Grams per Mile)</u> | <u>Carbon Monoxide (Grams per Mile)</u> | <u>Nitrogen Oxides (Grams per Mile)</u> |
|--|--|---|---|
| 3751 - 5750 | 0.50 | 9.0 | 1.0 |

The following are the certification emission values for this engine family:

| <u>Loaded Vehicle Weight(lbs.)</u> | <u>Hydrocarbons (Grams per Mile)</u> | <u>Carbon Monoxide (Grams per Mile)</u> | <u>Nitrogen Oxides (Grams per Mile)</u> |
|--|--|---|---|
| 3751 - 5750 | 0.43 | 3.6 | 0.3 |

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 10th day of March, 1988.



K. D. Drachand, Chief
Mobile Source Division

Manufacturer VLXEN MOTOR COMPANY Engine Family KXN3.8T5FTG9
 Evaporative Family KBO-2D Engine Type V6
 Liters (CID) 3.8 (231)

ABBREVIATIONS

| <u>Ignition System</u> | <u>Exhaust Emissions Control System</u> | <u>Special Features</u> |
|---------------------------------------|--|---|
| CA-Centrifugal Advance | AIP-Air Injection - Pump | CFI-Central Fuel Injection or Throttle Body Injection |
| ECU-Electronic Control Unit | AIV-Air Injection - Valve | EPFI-Electronic Port Fuel Injection |
| EI-Electronic Ignition | EGR-Exhaust Gas Recirculation | MPFI-Mechanical Port Fuel Injection |
| ESAC-Electronic Spark Advance Control | EIC-Electronic Injection Control (Diesel Only) | SFI-Sequential Fuel Injection |
| VA-Vacuum Advance | EM-Engine Modification | DID-Diesel Injection-Direct |
| VR-Vacuum Retard | SPL-Smoke Puff Limiter or Throttle Delay | DIP-Diesel Injection-Prechamber |
| | TOC-Trap Oxidizer, Continual | TC-Turbocharger |
| | TOP-Trap Oxidizer, Periodical | SC-Supercharger |
| | DBC-Dual Bed Catalyst | IC-Intercooler or Aftercooler |
| | OC-Oxidation Catalyst | CCV-Combustion Chamber Valve |
| | TWC-Three-Way Catalyst | OBD-On-Board Diagnostics |
| | WUOC-Warm-Up Oxidation Catalyst | |
| | WUTWC-Warm-Up Three-Way Catalyst | |
| | OS-Oxygen Sensor | |
| | HOS-Heated Oxygen Sensor | |

Fuel System

CFI, EPFI, MPFI, SFI,
 DID, DIP, HOS, OS
 nV-nVenturi Carburetor
 VV-Variable Venturi Carburetor

VEHICLE MODELS:

Vixen 21

Engine: Front Mid. x Rear
 Drive: FWD RWD x 4WD Full Time 4WD Part Time

080187

19₈₉ AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-292

Page _____

Passenger Cars _____ Light-Duty Trucks _____ Medium-Duty Vehicles x Gas x Diesel _____

Manufacturer VIXEN MOTOR COMPANY Engine Family KXN3.8T5FTG9

Liter (CID) 3.8 (231) Eng. Type V6

Emission Control Sys. (Special Features) EGR, TWC, OS, EPFI, OBD

| Engine Code | Vehicle Models (If Coded see attachment) (Dyno Hp) | Trans. Type | Equiv. Test Weight | Ign. System (ECU) Part No. | Fuel System Part No. | EGR Valve Part No. | Cataly Part No |
|-------------|--|-------------|--------------------|-----------------------------------|-----------------------------|---------------------------|-----------------------|
| ! | VIXEN 21 (23.4) | A4 | 5500 | 16070944 | 25530233 & 25530398 | 17088012 | 25100635 MS461 |

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue _____

Revisions: