## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-246-6 Relating to Certification of New Motor Vehicles

## CARROZZERIA BERTONE S.D.A.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Carrozzeria Bertone S.p.A. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement <u>Liters (Cubic Inches)</u>		Exhaust Emission Control Systems (Special Features)		
KBE1.5V5FEP5	1.5	(91)	Three-Way Catalyst Oxygen Sensor (Electronic Port Fuel Injection) No On-Board Diagnostics (Exempted)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons (Grams per Mile)	Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)	
0.41	7.0	0.7	

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
0.27	1.8	0.3

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard by providing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx emission

standard, or is allowed a delay in implementation under small volume manufacturer provisions, or is allowed a delay in implementation under the "in lieu" standards, or is certifying passenger cars weighing more than 5250 lbs. loaded vehicle weight.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model—year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Maifunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with the 2 year/24,000 mile warranty provisions of Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment:

Executed at El Monte, California this 22nd day of June, 1988.

K. D. Drachand, Chief Mobile Source Division

Manufacturer Carrozzeria Berto	ne Engine Fam	ily <u>KBE1.5V5FE</u>	P5
Evaporative FamilyEV-1BC	Engine Typ	e <u>L-4</u>	
•	Liters (CI	D) 1.5 (91.4	4)
ABBREVIATIONS		•	:
Ignition System	Exhaust Emissions Cont	rol System	Special Features
CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	AIP-Air Injection-Pump AIV-Air Injection-Valv DBC-Dual Bed Catalyst EGR-Exhaust Gas Recirc EIC-Electronic Injecti EM-Engine Modification OC-Oxidation Catalyst OS-Oxygen Sensor HOS-Heated Oxygen Sens SPL-Smoke Puff Limiter Throttle Delay TOC-Trap Oxidizer, Con TOP-Trap Oxidizer, Per	e ulation on Control  or or or atinual	CCV-Combustion Chamber Valve CFI-Central Fuel Injection or Throttle Body Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic
Fuel System  CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor	TWC-Three-Way Catalyst WUOC-Warm-Up Oxidation WUTWC-Warm-Up Three-Wa	ı Catalyst	Fuel Injection IC-Intercooler or Aftercoole MFI-Mechanical Fuel Injection OBD-On-Board Diagnostics TC-Turbocharger
VEHICLE MODELS.		•	

Bertone X1/9

Engine:	Front	Mid. <u>χ</u>	Rear	
Drive:	FWD	RWD X	4WD Full Time	4WD Part Time

	10.00	410 004	בטווט כב פט	ADD CHOOLEMENT	AL DATA SUCET	E.O. # 4-	246-6
Passenger	Cars X Light-	•		ARD SUPPLEMENT Medium-Duty Ve		Page Gas <u>X</u> Di	esel
Manufactu	rer <u>Carrozzeria</u>	Bertone		Engine Far	mily KBE1.5V5	FEP5	
Liter (CII	D) 1.5 (91.44	)		Eng.	Type <u>L-4</u>		
Emission (	Control Sys. (Spec	cial Feat	ures) <u>T</u>	WC-CL, (EFI)			
Engine Code	Vehicle Models (If Coded see attachment)  (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System	Fuel System Part No.	EGR Valve	Catalyst Part No.
H63YI.16V63.BT	Bertone X1/9 (8.8)	M5	2500	Distributor Bosch 15258Al	Bosch 0.280.000.223		4442511
Con its: Place ref equipment.	fer to manufacture	er's HP 1	ist for co	rrect dyno te	st HP settings	based on mo	del and

Revisions:

Date of Issue