State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-285-2 Relating to Certification of New Motor Vehicles

DAIHATSU MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Daihatsu Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family		lacement Cubic inches)	Exhaust Emission Control Systems , (Special Features)		
KDH1.3V5HHC4	HHC4 1.3 (79)		Exhaust Gas Recirculation Three-Way Catalyst (Two) Oxygen Sensor (Electronic Port Fuel Injection) (On-Board Diagnostics)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)		
0.41	7.0	0.4		

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)		
0.10	0.6	0.1		

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Maifunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 12

day of December, 1988

K. D. Drachand, Chief Mobile Source Division

17.15.00 1989 AIR I	RESOURCES BOARD SUPPLEMENTAL DATA SHEE	T Page <u>1</u>		
Manufacturer DAIHATSU	Engine Family KDHl	.3V5HHC4		
Evaporative FamilyEV-l Engine Type _Inline-4, 4cycle				
	Liters (CID)1.295	(79.0)		
ABBREVIATIONS				
Ignition System	Exhaust Emissions Control System	Special Features		
CA-Centrifugal Advance VA-Vacuum Advance	EGR-Exhaust Gas Recirculation TWC(2)-Three-Way Catalysts (at exhaust manifold and under floor) System OS-Oxygen Sensor	EPFI-Electric port fuel Injection OBD-On-Board Diagnostics		
Fuel System				
EPFI, OS				
Vehicle Model:				

Drive : FWD X RWD 4WD Full Time 4WD Part Time

Engine: Front X Mid. Rear

CHARADE E

1989 AIR PESOUCES BOARD SUPPLEMENTAL DATA SHEET

7						Page	22
Passen	ger Cars X	Light-Do	ity Truc	ks Mec	lium-Duty Vel	icles	
Gas	XDiesel						
Manufac	cturer <u>DAIHA</u>	rśu		Engine I	amily <u>KDHI</u>	.3V5HHC4	
Liter ((CID) 1.295 (79.0)		Engine T	Yrs Inline	-4, 4-cycle	
Phissic	on Control System	m (Speci	al Featu	ires) <u>EGR</u>	4 JWC(2) + (S (EPF1)	
Engine Code	Vehicle Models	Type	Test	lgn. System (Dist.)	Fuel System (FXU)	EGR Valve	Catalysts
	(Dyno Hp)		Weight	Part No.	Part No.	Part No.	Part Mos.
1	CHARADE (6.1 HP)	M5	2250	1.9060-87107	39660-87717	25620-87101	1.8461-87707 1.8461-87708
	CHARADE E	1	2125	†	f	†	↑
2	CHARADE (6.1 HP)	7	2250	1	t	†	t
	CHARADE E	1	21.25	†	t	†	†
3	CHARADE	<i>I</i> \3	2250	L9060-87715	†	Ť	t

Comments: * See page one for abbreviations and evaporative emission family identification.

CHARADE (6.2 HP)

Page 17-22 Issued: 10-6-88

Revised :

†

^{*} Engine Codes 1 and 3 are equipped with NC ("Idle-up" system) as optional equipment. Codes 2 and 4 are not equipped with A/C("Idle-up"). Less than 33 percent of the CHARADE carline and the CHARADE E carline is expected to be equipped with A/C. Therefore the A/C weight is not included to determine the EIW range and the dyno. HP is not increased by 10 percent.