State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-418 Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family: LFM2.9T5FRD9 <u>Displacement</u>: 2.9 Liters (179 Inches³) Equipped with the following exhaust emission control systems:

Heated Oxygen Sensor
Three-way Catalyst (Two)
Multipoint Electronic Fuel Injection
On-Board Diagnostics (Exempted)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

| Loaded Vehicle <u>Weight(lbs.)</u> | Hydrocarbons | Carbon Monoxide | Nitrogen Oxides |
|------------------------------------|------------------|------------------|------------------|
| | (Grams per Mile) | (Grams per Mile) | (Grams per Mile) |
| 0-3750 | 0.39 | 9.0 | 0.4 |

The following are the certification emission values for this engine family:

| Loaded Vehicle <u>Weight(1bs.)</u> | Hydrocarbons | Carbon Monoxide | Nitrogen Oxides |
|------------------------------------|------------------|------------------|------------------|
| | (Grams per Mile) | (Grams per Mile) | (Grams per Mile) |
| 0-3750 | 0.23 | 5.0 | 0.1 |

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions of California Health and Safety Code Section 43205.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this day of July, 1989.

K. D. Drachand, Chief Mobile Source Division

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

| | 1330 MIK 1 | (DDOOKO22 | | | | Page2 |
|---------------------|--|--------------------|--------------------------|---------------------------|------------------|---------------------|
| Manufac ture | r <u>Ford Motor Con</u> | npany | Eng | ine Family <u>L</u> | FM2.9T5FRD9 | |
| Passenger C | ars Light-Duty | Trucks _ | X Medium | -Duty Vehicles | Gas <u>X</u> | Diesel |
| | V6Lite | | | | | |
| Emission Co | ntrol System (Use | SAE Abbry | 7.)TWC. | HOS, EPFI, OR | D | |
| Engine: Fro | nt <u>X</u> Mid Rea | ar <u> </u> | Drive: F | TWD RWD _X | 4WD-FT | 4WD-PT X |
| Engine Code | Vehicle Models | Trans. Type | Equiv. Test Weight | Ign. System (ECU/PROM) | EGR Valve | Catalyst |
| 0-3750# | (Dyno Hp) | A-Auto M-Manual | "°15" | Part No. -12A650- | Part No. None | Part No. -5E212- |
| 066TR00A/N | Ranger 4x2 RCS (11.0) (12.4*) RCL (11.3) | A4 | 3375# | F07F-FA | | FO7A-DA |
| | (12.4*) SCS (11.3) (12.4*) | | 3625 | | | |
| | Ranger 4x4 RCS (12.1) (13.3*) RCL (12.1) (13.3*) | | 3750* 3625 3750* | | | |
| | Bronco II 4x2 UTL (10.5) | | 3750 | | | |
| | | | | | | |
| | | | Ī | | | |
| | | | | | | |

ENGINE FAMILY: L2.9TRD

ISSUED: 6-12-89 REVISED: 1-16-90 20.09.17.02-2

^{*} with air conditioning # Revised per R/C 2.9-108 (1-16-90)

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

| Manufacture | er <u>Ford Motor Co</u> | mpany | Engi | ne Family <u>L</u> | FM2.9T5FRD9 | Page 1 (L2.9TRD) |
|----------------------------------|--|--------------------------------------|---|--|-------------------------|---------------------|
| Passenger C | Cars Light-Dut | y Trucks _ | X Medium | n-Duty Vehicles | Gas <u>X</u> | _ Diesel |
| Engine Type | . <u>V6</u> Lit | er (CID) _ | 2.9 (179 |) Evaporat | ive Family | 9HM-07 |
| Emission Co | ontrol System (Use | SAE Abbry | 7.) <u>TWC</u> | HOS. EPFI, Of | w | |
| Engine: Fro | ont <u>X</u> Mid Rea | ar | Drive: F | WD RWD _X | _ 4WD-FT | 4WD-PT X |
| Engine Code 0-3750# LVW | Vehicle Models (Dyno Hp) | Trans. Type A-Auto M-Manual | Equiv. Test Weight | Ign. System (ECU/PROM) Part No12A650- | EGR Valve Part No. None | Catalyst Part No. |
| 065TROOA/N | Ranger 4x2 RCS (11.0) (12.2*) RCL (11.0) (12.4*) SCS (11.3) (12.4*) Ranger 4x4 | M5 | 3250 3375*# 3250 3375* 3500 3625*# | FO7F-DA | | F07A-DA |
| | RCS (12.1) (13.3*) RCL (12.1) (13.3*) Bronco II 4x2 UTL (10.5) (11.6*) | | 3625 3750* | | | |
| | | | | | | |

ENGINE FAMILY: L2.9TRD

ISSUED: 6-12-89 REVISED: 1-16-90

^{*} with air conditioning # Revised per R/C 2.9-108 (1-16-90)