

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-494-A  
Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year General Motors Corporation emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family: L2G4.5W8X5G2 Displacement: 4.5 Liters (273 Inches<sup>3</sup>)

Equipped with the following exhaust emission control systems:

- Exhaust Gas Recirculation
- Oxygen Sensor
- Three-Way Catalyst
- Sequential Multipoint Electronic Fuel Injection
- \* On-Board Diagnostics (Exempted)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

| <u>Hydrocarbons</u><br><u>(Grams per Mile)</u> | <u>Carbon Monoxide</u><br><u>(Grams per Mile)</u> | <u>Nitrogen Oxides</u><br><u>(Grams per Mile)</u> |
|--|---|---|
| 0.39   | 7.0   | 0.4   |

The following are the certification emission values for this engine family:

| <u>Hydrocarbons</u><br><u>(Grams per Mile)</u> | <u>Carbon Monoxide</u><br><u>(Grams per Mile)</u> | <u>Nitrogen Oxides</u><br><u>(Grams per Mile)</u> |
|--|---|---|
| 0.21   | 2.8   | 0.3   |

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 6<sup>th</sup> day of July, 1989.

  
K. D. Drachand, Chief  
Mobile Source Division

(FOR CARB USE ONLY)

E.O. # A-6-494 - A

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET  
GASOLINE-FUELED PASSENGER CARS

VEHICLE MODELS:

1 J C 3 7 (EXAMPLE)

Digit 1  
Selling Division

1-Chevrolet  
2-Pontiac  
3-Oldsmobile  
4-Buick  
6-Cadillac

Digit 2 - Body Designation

A-Celebrity, 6000, Cutlass Ciera, Cutlass Cruiser, Century  
B-Caprice, Safari Wagon, Custom Cruiser, LeSabre/Electra Wagon,  
Coachbuilder Wagon  
C-Ninety-Eight, Touring, Electra, DeVille, Fleetwood, Commercial  
Chassis  
D-Brougham  
E-Toronado, Riviera, Eldorado, Reatta  
F-Camaro, Firebird, Trans Am  
H-Bonneville, Eighty-Eight, LeSabre  
J-Cavalier, Sunbird, Skyhawk  
K-Seville  
L-Corsica, Beretta  
N-Grand Am, Cutlass Calais, Skylark  
T-Lemans  
V-Allante  
W-Grand Prix, Regal, Cutlass Supreme, Lumina  
Y-Corvette  
Z-Commercial Chassis

Digit 3  
Trim Level

B, C, D, E, F,  
H, J, K, M, N,  
L, P, R, S, T,  
U, V, W, X, Y, Z

Digits 4 & 5 - Body Style

07-2Dr Sport Coupe  
08-2Dr Hatchback Coupe  
19-4Dr Sedan  
27-2Dr (Notchback) Coupe  
35-4Dr Station Wagon  
37-2Dr Hardtop Coupe  
47-2Dr Hardtop Coupe  
57-Dr Hardtop Coupe  
67-2Dr Convertible Coupe  
68-4Dr Hatchback Sedan  
69-4Dr (Notchback) Sedan  
87-2Dr Hatchback Coupe  
90-Commercial Chassis  
97-2Dr Hardtop Coupe

ISSUED: 06-19-89

REV. NO.:

17-L2G4.5W8X5G2-1  
(1990)

(FOR CARB USE ONLY)

E.O. # A-6-494-A

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MANUFACTURER: GENERAL MOTORS CORPORATION

ENGINE FAMILY: L2G4.5W8X5G2

PASSENGER CARS X LIGHT DUTY TRUCKS\_\_\_ MEDIUM DUTY VEHICLES\_\_\_ GAS X DIESEL\_\_\_

ENGINE TYPE: V8 LITER (CID): 4.5 (273) EVAP FAMILY: LBO-2H

EMISSION CONTROL SYSTEM: EGR-TWC-02S (SMPI)

ENGINE: FRONT X MID\_\_\_ REAR\_\_\_ DRIVE: FWD X RWD\_\_\_ 4WD-FT\_\_\_ 4WD-PT\_\_\_

CERTIFICATION STANDARDS: 0.4 NOx DPA: SEE ATTACHMENT I

| ENG CODE | VEH MODELS<br>(SEE PAGE 1A)      | TRANS TYPE:<br>A-AUTO<br>M-MAN | EQUIV TEST WEIGHT | IGN SYSTEM (ECU/PROM) PART NO. | EGR SYSTEM PART NO. | CATALYST PART NO. | TLC* |
|----------|----------------------------------|--------------------------------|-------------------|--------------------------------|---------------------|-------------------|------|
| 1        | 6CB47<br>6CB69<br>6CD47<br>6CD69 | A4                             | 3875              | 16130916/<br>352               | 17090058            | 25129433          | KCK  |
|          |                                  |                                |                   | 16130916/<br>ATNL              |                     |                   |      |
| 1B       |                                  |                                |                   | 16146836/<br>ATTN              |                     |                   |      |
| 3        | 6KS69<br>6EL57                   |                                | 3875<br>3750      | 16130886/<br>1010              | 17090069            | 25129429          | KCM  |
| 3A       |                                  |                                |                   | 16130866/<br>ATNJ              |                     |                   |      |
| 3B       |                                  |                                |                   | 16146816/<br>ATTL              |                     |                   |      |

\* Tune-up label codes are found in the upper left hand corner of the tune-up label. Vehicles with "KCK" and "KCM" on label conform to 0.39 g/mi NMHC, 7.0 g/mi CO and 0.4 g/mi NOx.

ISSUED: 06-19-89

REV. NO.: 001, 003, 004, 005

17-L2G4.5W8X5G2-2  
(1990)

17-X5G2

(FOR CARB USE ONLY)

SUPPLEMENTAL DATA AND CERTIFICATION REVIEW SHEETS

| <u>Section and Page No.</u> | <u>Rev. No.<br/>or Date</u> | <u>Item</u>                |
|-----------------------------|-----------------------------|----------------------------|
| 17-L2G4.5W8X5G2-Index 1     | 06-19-89                    | Table of Contents          |
| 17-L2G4.5W8X5G2-1           | 06-19-89                    | Supplemental Data Sheet    |
| 17-L2G4.5W8X5G2-2           | 06-19-89                    | Supplemental Data Sheet    |
| 17-L2G4.5W8X5G2-3           | 06-19-89                    | Supplemental Data Sheet    |
| 17-L2G4.5W8X5G2-4           | 06-19-89                    | Certification Review Sheet |
| 17-L2G4.5W8X5G2-5           | 06-19-89                    | Certification Review Sheet |

NOTES:

- (1) Please refer to manufacturer's HP lists (Attachment I) for correct dyno test HP settings based on model and equipment.
- (2) If two test weights are listed, the lower weight will be used for testing.
- (3) Letter derivative codes are the same as corresponding numeric codes except as indicated.

ISSUED: 06-19-89

REV. NO.:

17-L2G4.5W8X5G2-Index 1  
(1990)